AD-A111 759 ARMY ELECTRONICS RESEARCH AND DEVELOPMENT COMMAND WS--ETC F/G 20/6
CLOUD GEOMETRY ANALYSIS OF THE SMOKE WEEK III OBSCURATION TRIAL--ETC(U)
JAN 82 G R BLACKMAN

UNCLASSIFIED ERADCOM/ASL-TR-0103 NL

1 OF 3
AD A
111 759




1.0
2.8
2.5
2.2
2.0
1.1
1.8
1.25
1.4
1.6

-TR-0103

AD
Reports Control Symbol
OSD - 1366

CLOUD GEOMETRY ANALYSIS OF THE SMOKE WEEK III OBSCURATION TRIALS

JANUARY 1982

By

George R. Blackman

Approved for public release; distribution unlimited.

US Army Electronics Research and Development Command
Atmospheric Sciences Laboratory
White Sands Missile Range, NM 88002

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

SECURITY CLASSIFICATION OF THIS PAGE *(When Data Entered)*

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ASL-TR-0103	2. GOVT ACCESSION NO. AD-A111759	3. RECIPIENT'S CATALOG NUMBER
4. TITLE *(and Subtitle)* CLOUD GEOMETRY ANALYSIS OF THE SMOKE WEEK III OBSCURATION TRIALS		5. TYPE OF REPORT & PERIOD COVERED Final Report 6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) George R. Blackman		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Atmospheric Sciences Laboratory White Sands Missile Range, NM 88002		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS DA Task 1L162111AH71-23
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research and Development Command Adelphi, MD 20783		12. REPORT DATE January 1982 13. NUMBER OF PAGES 198
14. MONITORING AGENCY NAME & ADDRESS*(if different from Controlling Office)*		15. SECURITY CLASS. *(of this report)* UNCLASSIFIED 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT *(of this Report)*

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT *(of the abstract entered in Block 20, if different from Report)*

18. SUPPLEMENTARY NOTES

19. KEY WORDS *(Continue on reverse side if necessary and identify by block number)*

Electro-optics
Battlefield obscuration
Digital analysis
Imaging sensors
Multispectral classification

20. ABSTRACT *(Continue on reverse side if necessary and identify by block number)*

There is a critical requirement within the Army for the validation of the predictive models that define the effects of various types and concentrations of battlefield obscurants on the performance of electro-optical weapon and surveillance systems. A technique has been developed which will assist by producing accurate and comprehensive dimensional analysis of field-acquired digital images of smoke clouds. This report contains the temporal geometric growth measurements and object transport rates of the obscurants expended during the Smoke Week III field test conducted at Eglin AFB, August 1980.

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

SECURITY CLASSIFICATION OF THIS PAGE *(When Data Entered)*

CONTENTS

INTRODUCTION

The Smoke Week III field test was sponsored by the PM Smoke/Obscurants Office (US Army DARCOM) and was conducted at Eglin AFB, FL, from 11 through 22 August 1980. This experiment permitted numerous DOD electro-optics research investigators to observe and measure the controlled expenditure of a large variety of battlefield screening materials.[1] One of a number of systems that the Atmospheric Sciences Laboratory (ASL) fielded during this test was MIDAS (Multispectral Image Data Acquisition System). This system has the capability to simultaneously sense and record on video tape multi-wavelength images in the time-sequence observation of a smoke scene. These images are presently being used by ASL in the development of algorithms and procedures for automating the characterization of the obscurant in terms of dynamic geometry and composition. This report contains those analysis results pertaining to the temporal three-dimension geometry for all of the field-test events for which adequate data were received.

DATA ACQUISITION

The fielded equipment configuration consisted of two sensor observation stations positioned at respective ranges of 1100 meters and 1360 meters from the center of the smoke grid and with an angular pointing separation of 45° (figure 1). Station 2 comprised a bank of four sensors that recorded the video images in the spectral bandpasses of 0.5μm to 0.7μm, 1.06μm ± 0.2μm, 3.0μm to 5.0μm and 8.0μm to 14.0μm. Station 1 contained two sensors; 0.5μm to 0.7μm and 8.0μm to 14.0μm. The raster images were later digitized to nine-track computer-compatible tapes in picture element arrays of 250 by 300 and with a dynamic range of eight bits (256 gray-levels).

ANALYSIS PROCEDURE

The calculation of the smoke geometry from the digital images acquired from a single perspective (observation site) was primary to the ultimate consideration, that of providing temporal geometry measurements of the solid feature in three-dimension space.[2] In the two-dimension data reduction (single site observation data) the cloud feature was first isolated from the surrounding scene. This isolation was achieved by the differencing of (1) the gray-level values of the array of picture elements (pixels) in the scene recorded 0.1 s prior to the ignition of the event from (2) the positionally correspondent pixels in each of the scenes that followed in time and contained the cloud feature; hence, the delineation of the cloud perimeters in temporal

---

[1]Nelson, J. G., Project Manager, "Smoke Week III Test Plan," Smoke/Obscurants Office, DRCPM-SMK-T, Aberdeen Proving Ground, MD, August 1980.

[2]Blackman, G. R., "Temporal Characterization of Smoke and Dust Cloud Geometry by Processing of Two-Perspective Video Images," Smoke/Obscurants Symposium V Proceedings, DRCPM-SMK-T-001-81, Harry Diamond Laboratories, Adelphi, MD, April 1981.



Figure 1. Midas Field Layout, Smoke Week III, Eglin AFB, FL.

space. The point positions along this closed feature boundary, for a given time-increment, provide the endpoints for all vector-distance dimension calculations made within the cloud. For example, the values for the height and width of the cloud are the products of the maximum pixel spatial distances in the vertical and horizontal, respectively, and the object-plane spatial dimension of a pixel (resolution).

The fitting of an ellipse to these perimeter pixels efficiently typified the external geometry of the smoke clouds. The geometric projection of time-coincident pairs of these ellipses (one from each site-perspective) into a common three-dimension object-space coordinate system allowed the calculation of ellipsoid parameters that logically described the solid form of the cloud, the associated dynamics, and the geographic relationship. The specific information that resulted from the application of this technique to the Smoke Week III imaged data is as follows:

Height - The distance from the top of the vertical-plane cross section of the ellipsoid to a horizontal plane that contains the detonation location. The vertical plane is described as normal to the optical axis.

Horizontal Extent - The width of the ellipsoid cross section at the two most widely spaced lateral points on the perimeter.

Vertical Extent - The distance between the greatest vertical separation of points on the perimeter of the ellipsoid cross section.

Area - Square measure within the ellipsoid cross-section perimeter.

Lateral Offset - Distance measured in the horizontal plane of the track of the ellipsoid centroid.

Path Length - The vector segment distance of the optical path from the entry to exit points on the ellipsoid surface.

Volume - Cubic measure of the ellipsoid.

Centroid Height - The vertical distance of the centroid from the horizontal plane that contains the detonation point. This measure provides the best estimate of the position of the center-of-mass.

Transport Direction - The geographic azimuth of the ground track of the ellipsoid centroid.

Transport Rate - The elapsed time of movement between centroid points on the ground, in meters/second.

These measurments are provided for each Smoke Week III trial in the information listings that are found later in this text.

REPORTING FORMAT OF ANALYSIS RESULTS

Pages 15 through 174 contain a listing of the Smoke Week III test trials that were analyzed and indicates those pages that depict specific information derived from each trial. Five pages of information are presented in the text

for each trial: (1) the listing of the geometry information (the items listed in the preceding paragraph), (2) three-dimension cross sections of the temporal sequences of the ellipsoids, (3) a graphic that summarizes trends of key measurements, (4) an example of the analysis of one frame from the perspective of MIDAS station 1, and (5) an example of one frame from MIDAS station 2.

To locate one of these types of information for a given trial, refer to the section titled "Event Data Reference Listing." An explanation of the "Event Data Reference listing" is as follows:

Data Listing - This item notes (1) the period for which analysis was conducted within the total time span of the event and (2) the source munition responsible for the event. For example, measurements were computed for the "Trial 01" (page 15) at a time increment of 1 s from T+10 s to T+50 s. This numerical reference at the right-hand edge notes the page location for the complete listing of all measurements for all time increments of the Event 01.

Three-Dimension Temporal Graphics - This item lists the pages on which the cross-section depictions of the top and side views of the ellipsoid sequences for each trial can be found. The side view is from the perspective of instrumentation aligned with the optical path line of sight (LOS). The scaling is in meters and the numbers associated with the ellipsoids denote seconds into the event.

Summary Graphic - A graphic, compiled for each trial, represents the time-trends of the data values derived for height, width, centroid height, and transport distance of the centroid (apparent center of mass from the perspective of the optical path vector).

Detailed Examples of Data Derived from Both Stations - This item gives (1) page references for two examples (from both stations) of the detailed report graphics that are generated for all images in the sequence and (2) the respective data listings for specific time increments in the event. For example, the times of the reports selected for Trial 01 are both T + 18 s and and can be found on pages 18 and 19.

REFERENCES

1. Nelson, J. G., Project Manager, "Smoke Week III Test Plan," Smoke/Obscurants Office, DRCPM-SMK-T, Aberdeen Proving Ground, MD, August 1980.

2. Blackman, G. R., "Temporal Characterization of Smoke and Dust Cloud Geometry by Processing of Two-Perspective Video Images," Smoke/Obscurants Symposium V Proceedings, DRCPM-SMK-T-001-81, Harry Diamond Laboratories, Adelphi, MD, April 1981.

EVENT DATA REFERENCE LISITNG

SMOKE III EGLIN AFB, FLORIDA

EVENT 01 TIME 1427Z DATE 781106

RED PHOSPHORUS - 6 CHARGES SENSOR 0 5-2

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
10.0	3.7	5.6	4.2	18.4	7.2	0.0	137.9	1.6	0.0	0.0
11.0	4.0	5.6	4.5	19.7	7.8	0.0	175.3	1.7	261.4	1.4
12.0	4.3	5.6	4.8	21.1	8.3	0.0	218.3	1.9	261.6	1.4
13.0	4.6	5.7	5.2	22.9	8.9	0.0	271.2	2.0	261.9	1.3
14.0	4.9	5.8	5.5	25.4	9.4	0.0	336.8	2.1	262.2	1.3
15.0	5.3	6.0	5.9	28.0	9.8	0.0	408.4	2.3	262.5	1.2
16.0	5.6	6.3	6.3	30.8	10.3	0.0	486.5	2.5	262.8	1.2
17.0	5.9	6.6	6.7	34.3	10.7	0.0	579.3	2.6	263.2	1.1
18.0	6.3	6.9	7.0	38.1	11.1	0.0	683.5	2.8	263.6	1.1
19.0	6.7	7.3	7.5	42.7	11.5	0.0	804.4	2.9	264.0	1.1
20.0	7.1	7.6	7.9	47.3	11.9	0.0	932.3	3.1	264.4	1.0
21.0	7.5	8.1	8.3	53.0	12.2	0.0	1085.8	3.3	264.9	1.0
22.0	7.9	8.6	8.8	59.1	12.5	0.0	1253.7	3.5	265.5	0.9
23.0	8.3	9.0	9.2	65.1	12.8	0.0	1424.9	3.7	266.1	0.9
24.0	8.7	9.5	9.7	72.3	13.0	0.0	1625.6	3.9	266.8	0.8
25.0	9.2	10.0	10.3	80.6	13.3	0.0	1858.7	4.1	267.5	0.8
26.0	9.7	10.6	10.8	89.3	13.5	0.0	2108.0	4.3	268.4	0.7
27.0	10.1	11.1	11.3	98.1	13.7	0.0	2361.6	4.5	269.3	0.7
28.0	10.6	11.8	11.9	108.7	13.9	0.0	2663.9	4.7	270.4	0.7
29.0	11.1	12.4	12.5	120.2	14.0	0.0	2997.0	4.9	271.6	0.6
30.0	11.7	13.1	13.1	132.0	14.1	0.0	3334.4	5.1	273.0	0.6
31.0	12.2	13.8	13.7	146.0	14.2	0.0	3742.1	5.3	274.7	0.5
32.0	12.8	14.6	14.4	160.9	14.3	0.0	4169.3	5.6	276.6	0.5
33.0	13.3	15.4	15.0	176.4	14.3	0.0	4616.3	5.8	279.0	0.4
34.0	13.9	16.3	15.7	194.2	14.3	0.0	5127.8	6.0	281.8	0.4
35.0	14.5	17.2	16.4	213.7	14.3	0.0	5685.2	6.3	285.2	0.4
36.0	15.1	18.2	17.2	235.1	14.3	0.0	6294.5	6.5	289.5	0.3
37.0	15.8	19.4	18.0	259.1	14.3	0.0	6982.4	6.8	294.9	0.3
38.0	16.4	20.5	18.7	284.5	14.2	0.0	7700.0	7.0	301.8	0.3
39.0	17.1	21.8	19.5	312.6	14.1	0.0	8491.8	7.3	310.6	0.2
40.0	17.7	23.1	20.3	342.6	14.0	0.0	9316.6	7.6	321.5	0.2
41.0	18.4	24.4	21.1	375.2	13.8	0.0	10220.9	7.8	334.4	0.2
42.0	19.1	25.9	21.9	410.8	13.7	0.0	11212.8	8.1	348.4	0.2
43.0	19.7	27.3	22.6	447.2	13.5	0.0	12213.3	8.4	1.8	0.2
44.0	20.4	28.9	23.4	487.9	13.3	0.0	13364.5	8.7	13.5	0.2
45.0	21.0	30.4	24.1	529.6	13.0	0.0	14532.6	9.0	23.0	0.2
46.0	21.7	32.0	24.8	572.9	12.8	0.0	15743.9	9.3	30.5	0.2
47.0	22.3	33.7	25.5	619.5	12.5	0.0	17076.1	9.6	36.3	0.2
48.0	23.0	35.4	26.3	669.5	12.2	0.0	18538.5	9.9	41.0	0.3
49.0	22.8	40.6	25.1	791.7	11.8	0.0	20502.2	10.2	44.7	0.4
50.0	23.3	40.3	25.6	800.7	11.5	0.0	23644.2	10.5	47.7	0.4

SMOKE III EGLIN AFB, FLORIDA

EVENT 01 TIME 1427Z DATE 081180

RED PHOSPHORUS - 6 CHARGES SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLORIDA

EVENT 01 TIME 1427Z DATE 081180

RED PHOSPHORUS - 6 CHARGES SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 01

1427 Z 08-11-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 18.0



HEIGHT(ABOVE DETONATION PT.) =	8.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	33.0M	LATERAL OFFSET	= -19.M
VERTICAL EXTENT =	8.0M	AXES	= 33., 7.M
AREA =	176.8SQM	INCLINATION	= 5.9 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= -26.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 0.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 26.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 01

1427 Z 08-11-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 18.0



HEIGHT(ABOVE DETONATION PT.) =	9.0M	HEIGHT OF CENTROID=	3.M
WIDTH(MAX. HORIZONTAL EXTENT)=	15.0M	LATERAL OFFSET =	-2.M
VERTICAL EXTENT =	11.0M	AXES =	14., 11.M
AREA =	88.7SQM	INCLINATION =	2.9 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 3.M OFFSET= -5.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 10.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 13.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= -1.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA

EVENT 03 TIME 18392 DATE 081180

XM49 FOG OIL IR#1 SENSOR 0.5-0.7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	-0.1	2.7	3.4	7.1	3.7	0.0	15.5	-1.8	0.0	0.0
2.0	0.2	6.8	2.4	12.8	2.0	0.0	25.4	-1.0	75.4	1.7
4.0	0.9	9.5	2.1	15.2	0.4	0.0	27.0	-0.2	75.1	1.6
6.0	2.6	12.5	4.0	39.1	-1.3	0.0	138.0	0.6	74.9	1.6
8.0	4.4	15.5	5.9	71.8	-2.9	0.0	377.9	1.4	74.6	1.6
10.0	6.0	18.4	7.7	110.7	-4.5	0.0	757.1	2.2	74.4	1.6
12.0	7.6	21.3	9.4	156.6	-6.1	0.0	1311.2	2.9	74.1	1.6
14.0	9.1	24.1	11.0	209.1	-7.7	0.0	2063.9	3.6	73.9	1.5
16.0	10.6	26.9	12.7	268.1	-9.2	0.0	3042.9	4.3	73.6	1.5
18.0	12.1	29.7	14.3	332.0	-10.8	0.0	4237.4	5.0	73.3	1.5
20.0	13.5	32.4	15.8	400.2	-12.3	0.0	5652.0	5.6	73.0	1.5
22.0	14.9	35.0	17.3	473.7	-13.9	0.0	7327.8	6.3	72.7	1.4
24.0	16.3	37.6	18.8	552.5	-15.4	0.0	9289.0	6.9	72.4	1.4
26.0	17.6	40.1	20.2	632.8	-16.9	0.0	11428.8	7.5	72.0	1.4
28.0	18.9	42.6	21.7	719.3	-18.4	0.0	13908.1	8.1	71.7	1.4
30.0	20.2	45.0	23.1	807.0	-19.9	0.0	16577.2	8.6	71.3	1.3
32.0	21.4	47.3	24.4	897.9	-21.3	0.0	19508.0	9.2	71.0	1.3
34.0	22.6	49.6	25.8	990.8	-22.8	0.0	22660.4	9.7	70.6	1.3
36.0	23.7	51.8	27.0	1084.0	-24.3	0.0	25970.7	10.2	70.2	1.3
38.0	24.8	54.0	28.3	1182.1	-25.7	0.0	29630.0	10.7	69.8	1.2
40.0	25.9	56.1	29.5	1278.4	-27.1	0.0	[illegible]7	11.1	69.4	1.2
42.0	26.9	58.2	30.8	1378.3	-28.5	0.0	[illegible]9	11.6	68.9	1.2
44.0	28.0	60.2	31.9	1476.4	-29.9	0.0	[illegible]3	12.0	68.5	1.2
46.0	28.9	62.2	33.1	1578.0	-31.3	0.0	[illegible]	12.4	68.0	1.2
48.0	29.9	64.1	34.2	1677.4	-32.7	0.0	[illegible]	12.8	67.5	1.1
50.0	30.8	66.0	35.3	1778.2	-34.0	0.0	[illegible]	13.1	67.0	1.1
52.0	31.7	67.8	36.3	1878.0	-35.4	0.0	[illegible]	13.5	66.4	1.1
54.0	32.5	69.5	37.3	1974.3	-36.7	0.0	[illegible]	13.8	65.9	1.1
56.0	33.3	71.3	38.3	2074.0	-38.1	0.0	69175.3	14.1	65.3	1.0
58.0	34.0	72.9	39.2	2171.2	-39.4	0.0	74087.4	14.4	64.7	1.0
60.0	34.8	74.5	40.2	2268.4	-40.7	0.0	79108.8	14.7	64.0	1.0
62.0	35.4	76.1	41.1	2362.6	-42.0	0.0	84061.9	14.9	63.4	1.0
64.0	36.1	77.6	41.9	2453.6	-43.2	7.4	88912.6	15.1	62.7	0.9
66.0	36.7	79.1	42.7	2546.1	-44.5	16.1	93965.1	15.4	61.9	0.9
68.0	37.3	80.5	43.4	2634.2	-45.7	21.3	98832.0	15.5	61.2	0.9
70.0	37.8	81.9	44.1	2718.8	-47.0	25.4	103552.8	15.7	60.4	0.9
72.0	38.3	83.2	44.8	2802.9	-48.2	28.8	108334.1	15.9	59.5	0.9
74.0	38.7	84.5	45.5	2884.6	-49.4	31.9	113035.3	16.0	58.6	0.8
76.0	39.1	85.7	46.1	2962.6	-50.6	34.5	117570.0	16.1	57.7	0.8
78.0	39.5	86.9	46.6	3037.9	-51.8	36.9	121991.7	16.2	56.7	0.8
80.0	39.8	88.1	47.1	3109.3	-53.0	39.1	126224.1	16.3	55.6	0.8
82.0	40.1	89.2	47.6	3181.2	-54.2	41.2	130566.5	16.3	54.5	0.8
84.0	40.4	90.2	48.0	3246.3	-55.3	43.0	134495.3	16.4	53.4	0.7
86.0	40.6	91.2	48.4	3308.5	-56.5	44.7	138286.7	16.4	52.2	0.7
88.0	40.7	92.2	48.7	3365.0	-57.6	46.2	141722.4	16.4	50.9	0.7
90.0	40.9	93.1	49.0	3419.9	-58.7	47.7	145119.1	16.3	49.5	0.7
92.0	41.0	94.0	49.3	3472.6	-59.8	49.1	148426.2	16.3	48.1	0.7
94.0	41.0	94.8	49.5	3518.7	-60.9	50.3	151298.2	16.2	46.5	0.6
96.0	41.0	95.5	49.7	3561.5	-62.0	51.4	153999.6	16.1	44.9	0.6
98.0	40.9	96.2	49.8	3596.6	-63.0	52.4	156179.4	16.0	43.2	0.6
100.0	40.9	96.9	49.9	3630.5	-64.1	53.3	158332.1	15.9	41.4	0.6
102.0	40.8	97.5	49.9	3661.1	-65.1	54.2	160312.9	15.8	39.5	0.6
104.0	40.6	98.1	49.9	3684.4	-66.2	55.0	161806.5	15.6	37.5	0.6
106.0	40.4	98.6	49.9	3704.0	-67.2	55.6	163083.6	15.4	35.3	0.5
108.0	40.1	99.0	49.8	3718.0	-68.2	56.2	163998.4	15.2	33.1	0.5
110.0	38.3	44.2	46.5	1612.8	-69.2	89.0	116353.8	15.0	30.7	0.5
112.0	38.1	44.2	46.6	1610.8	-70.2	88.8	116341.1	14.8	28.3	0.5
114.0	37.8	44.1	46.6	1607.8	-71.1	88.5	116180.0	14.5	25.7	0.5
116.0	37.5	44.0	46.6	1604.6	-72.1	87.8	115935.4	14.3	23.0	0.5
118.0	37.2	43.9	46.5	1598.3	-73.0	86.9	115403.7	14.0	20.2	0.5

SMOKE III EGLIN AFB, FLA.

EVENT 03 TIME 1839Z DATE 081180

XM49 FOG OIL IR#1 SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 03 TIME 1839Z DATE 081180

XM49 FOG OIL IR#1 SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

EVENT # 03

1839 Z 08-11-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 60.0



HEIGHT(ABOVE DETONATION PT.) =	38.0M	HEIGHT OF CENTROID=	15.M
WIDTH(MAX. HORIZONTAL EXTENT)=	79.0M	LATERAL OFFSET =	45.M
VERTICAL EXTENT =	39.0M	AXES =	76., 40.M
AREA =	1765.0SQM	INCLINATION =-	18.5 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 20.M OFFSET= 61.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 59.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 31.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= -6.M

** = DETONATION POINT
\+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M

EVENT # 03

1839 Z 08-11-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 60.0

HEIGHT(ABOVE DETONATION PT.) =	34.0M	HEIGHT OF CENTROID=	16.M
WIDTH(MAX. HORIZONTAL EXTENT)=	31.0M	LATERAL OFFSET =	-3.M
VERTICAL EXTENT =	35.0M	AXES =	37., 26.M
AREA =	624.9SQM	INCLINATION =	47.7 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 22.M OFFSET= -8.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 23.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 16.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT AT 7 METERS)= -4.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA.

EVENT 04 TIME 2033Z DATE 081180

A3M3 FOG OIL SENSOR 0 5-0 7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	2.3	2.7	2.6	5.5	2.2	0.0	22.3	1.0	0 0	0 0
1.0	2.9	3.4	3.3	9.0	1.1	0.0	41 1	1.2	27 0	1 1
2.0	3.4	4.8	4.1	15.3	0.0	0.0	71.8	1.3	27 3	1 2
3.0	3.8	6.4	4.7	23.6	-1.3	0.0	112.9	1 5	27 6	1 2
4.0	4.3	8.2	5.3	34.2	-2.5	0 0	168.2	1 6	27 8	1 3
5.0	4.7	10.1	5.9	46.5	-3.8	0 0	236.3	1 8	28 1	1 4
6.0	5.1	12.2	6.4	61.1	-5.2	0.0	322.1	1.9	28 3	1 4
7.0	5.4	14.4	6.8	77.5	-6.6	0.0	424.8	2 0	28 5	1 5
8.0	5.8	16.7	7.3	96.4	-8.1	0.0	551.2	2 1	28 7	1 5
9.0	6.1	19.1	7.8	116.8	-9.6	0 0	692.3	2.2	28 9	1 6
10.0	6.4	21.5	8.2	138.8	-11.2	0.0	852.9	2 3	29 0	1 6
11.0	6.8	24.1	8.7	163.3	-12.9	0.0	1040.8	2.4	29 2	1 7
12.0	7.0	26.7	9.1	189.2	-14.6	0.0	1244.4	2.5	29 3	1 7
13.0	7.3	29.4	9.5	216.7	-16.3	3.1	1468.3	2 6	29 5	1 8
14.0	7.6	32.1	9.8	245.5	-18.1	6.7	1707.0	2 7	29 6	1 9
15.0	7.8	34.9	10.2	276.1	-20.0	8.5	1972.1	2 7	29 7	1 9
16.0	8.1	37.8	10.6	308.8	-21.9	9.7	2262.1	2.8	29.8	2 0
17.0	8.3	40.8	10.9	341.5	-23.8	10.5	2550.0	2.9	29.9	2 0
18.0	8.6	43.8	11.3	377.0	-25.8	11.1	2880.0	2.9	30.0	2 1
19.0	8.8	46.9	11.6	412.4	-27.9	11.4	3202.0	3.0	30.1	2 1
20.0	9.0	50.1	12.0	449.8	-30.0	11.7	3556.2	3.0	30 2	2 2
21.0	9.2	53.3	12.3	487.8	-32.2	11.9	3914.0	3.0	30.3	2.3
22.0	9.4	56.6	12.7	526.1	-34.4	12.0	4274.6	3.0	30.4	2.3

SMOKE III EGLIN AFB, FLA.

EVENT 04 TIME 2033Z DATE 081180

A3M3 FOG OIL SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 04 TIME 2033Z DATE 081180

A3M3 FOG OIL SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 04

2033 Z 08-11-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 22.0



HEIGHT(ABOVE DETONATION PT.) =	12.0M	HEIGHT OF CENTROID=	5.M
WIDTH(MAX. HORIZONTAL EXTENT)=	34.0M	LATERAL OFFSET =	-9.M
VERTICAL EXTENT =	14.0M	AXES =	35., 14.M
AREA =	349.8SQM	INCLINATION =	-1.5 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 5.M OFFSET= -17.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 25.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 34.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= -5.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
# = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 04

2033 Z 08-11-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 22.0



HEIGHT(ABOVE DETONATION PT.) =	13.0M	HEIGHT OF CENTROID=	3.M
WIDTH(MAX. HORIZONTAL EXTENT)=	58.0M	LATERAL OFFSET	= -28.M
VERTICAL EXTENT =	15.0M	AXES	= 59., 13.M
AREA =	371.8SQM	INCLINATION	= 7.2 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 5.M OFFSET= -40.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 46.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 25.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= -2.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA

EVENT 05 TIME 21492 LATE OBTICS

XM45 GENERATOR SENSOR 0 0 0 7

TIME(SEC)	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS) HEIGHT (REF BOTTOM)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ METERS)	LATERAL OFFSET	PATH LENGTH	DIMENSIONS INDEPENDENT OF RESPECTIVE VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSVERSE DIRECTION	TRA
20 0	9 4	16 0	11 7	145 3	-7 1	0 0	1401 0	4 0	5 0	
21 0	9 6	16 7	12 2	158 0	-7 7	0 0	1581 6	3 1	945 2	
22 0	9 6	17 3	12 7	170 6	-8 2	0 0	1766 4	3 3	946 5	
23 0	9 9	18 0	13 1	182 8	-8 8	0 0	1952 0	3 4	947 8	
24 0	10 3	18 6	13 6	195 9	-9 4	0 0	2138 5	3 6	949 0	
25 0	10 7	19 2	14 0	209 2	-10 0	0 0	2329 8	3 7	350 2	
26 0	11 0	19 9	14 4	222 8	-10 7	0 0	2604 3	3 8	351 2	
27 0	11 4	20 5	14 9	237 3	-11 4	0 0	2856 8	4 0	352 6	
28 0	11 8	21 1	15 3	251 2	-12 1	0 0	3105 5	4 1	353 2	
29 0	12 1	21 7	15 7	265 1	-12 8	0 0	3361 1	4 3	354 1	
30 0	12 5	22 3	16 1	279 8	-13 6	0 0	3639 1	4 5	354 9	
31 0	12 9	22 9	16 5	294 3	-14 4	0 0	3921 4	4 6	355 7	
32 0	13 3	23 4	16 9	308 7	-15 2	0 0	4207 5	4 8	356 4	
33 0	13 7	24 0	17 3	323 0	-16 0	0 0	4500 1	5 0	357 2	
34 0	14 0	24 5	17 7	337 9	-16 9	0 0	4810 1	5 2	357 9	
35 0	14 4	25 0	18 1	352 8	-17 8	0 0	5129 0	5 4	358 5	
36 0	14 8	25 6	18 5	367 7	-18 7	0 0	5457 1	5 7	359 1	
37 0	15 2	26 1	18 9	383 2	-19 6	0 0	5804 9	5 9	359 7	
38 0	15 6	26 6	19 2	398 2	-20 6	0 0	6145 4	6 1	0 4	
39 0	16 0	27 1	19 6	413 2	-21 5	0 0	6498 0	6 3	0 7	
40 0	16 4	27 6	20 0	428 8	-22 5	0 0	6869 2	6 5	1 1	
41 0	16 8	28 0	20 3	443 0	-23 6	0 0	7215 7	6 7	1 4	
42 0	17 3	28 5	20 7	458 8	-24 6	0 0	7609 2	6 9	1 7	
43 0	17 7	28 9	21 0	473 8	-25 7	0 0	7988 6	7 0	2 0	
44 0	18 1	29 4	21 4	488 5	-26 8	0 0	8368 1	7 4	2 3	
45 0	18 5	29 8	21 7	503 0	-28 0	0 0	8748 2	7 7	2 7	
46 0	18 9	30 2	22 0	517 6	-29 1	0 0	9141 0	7 9	3 0	
47 0	19 4	30 6	22 3	532 7	-30 3	0 0	9553 5	8 0	3 4	
48 0	19 8	31 0	22 6	546 4	-31 5	0 0	9932 6	8 3	3 6	
49 0	20 2	31 4	23 0	561 5	-32 8	0 0	10360 4	8 6	4 0	
50 0	20 7	31 7	23 3	575 9	-34 0	0 0	10776 1	8 9	4 3	
51 0	21 1	32 1	23 6	589 8	-35 3	0 0	11184 6	9 1	4 6	
52 0	21 6	32 4	23 9	603 6	-36 6	0 0	11597 3	9 4	4 9	
53 0	22 0	32 7	24 2	617 4	-38 0	0 0	12016 8	9 6	5 2	
54 0	22 5	33 0	24 5	630 3	-39 3	0 0	12418 2	10 0	5 5	
55 0	22 9	33 4	24 8	643 9	-40 7	0 0	12844 8	10 3	5 7	
56 0	23 4	33 6	25 0	656 7	-42 1	0 0	13255 0	10 6	6 0	
57 0	23 8	33 9	25 3	669 4	-43 6	0 0	13670 4	11 0	6 3	
58 0	24 3	34 2	25 6	681 9	-45 0	0 0	14088 8	11 3	6 6	
59 0	24 8	34 4	25 8	694 1	-46 5	0 0	14504 1	11 6	6 8	
60 0	25 2	34 7	26 1	705 2	-48 0	0 0	14892 6	12 0	7 0	
61 0	25 7	34 9	26 4	717 7	-49 6	0 0	15330 2	12 3	7 2	
62 0	26 2	35 1	26 6	728 6	-51 1	0 0	15728 8	12 6	7 4	
63 0	26 7	35 3	26 8	739 9	-52 7	0 0	16142 7	13 0	7 6	
64 0	27 2	35 5	27 1	750 5	-54 3	0 0	16542 7	13 3	7 8	
65 0	27 7	35 7	27 3	760 9	-56 0	0 0	16946 0	13 6	8 0	
66 0	28 2	35 8	27 6	770 9	-57 6	0 0	17342 2	14 0	8 2	
67 0	28 6	36 0	27 8	780 4	-59 3	0 0	17730 4	14 3	8 4	
68 0	29 1	36 1	28 0	789 6	-61 0	5 5	18118 6	15 1	8 6	
69 0	29 6	36 2	28 2	797 8	-62 8	7 9	18476 8	15 5	8 8	
70 0	30 2	36 3	28 4	806 4	-64 5	8 6	18858 0	15 9	9 0	
71 0	30 7	36 4	28 6	815 1	-66 3	7 8	19251 9	16 3	10 1	
72 0	31 2	36 5	28 8	821 8	-68 2	4 6	19584 4	16 8	10 3	
73 0	31 7	36 5	29 0	829 0	-70 0	0 0	19939 1	17 2	10 4	
74 0	32 2	36 6	29 3	836 6	-71 9	0 0	20320 4	17 6	10 6	
75 0	32 8	36 6	29 5	843 4	-73 7	0 0	20681 4	18 0	10 7	
76 0	33 3	36 6	29 6	848 6	-75 7	0 0	20992 6	18 5	10 9	
77 0	33 8	36 6	29 8	854 1	-77 6	0 0	21321 2	18 9	11 0	
78 0	34 7	36 1	30 7	859 4	-79 6	0 0	21656 4	19 4	11 2	
79 0	35 3	36 1	30 9	864 8	-81 6	0 0	22001 5	19 8	11 3	
80 0	35 8	36 0	31 1	869 1	-83 6	0 0	22312 8	20 3	11 4	
81 0	36 4	36 0	31 3	874 5	-85 6	0 0	22675 4	20 7	11 6	
82 0	37 0	35 9	31 5	877 8	-87 7	0 0	22964 7	21 2	11 7	
83 0	37 5	35 8	31 8	881 4	-89 8	0 0	23277 0	21 7	11 8	
84 0	38 1	35 7	31 9	883 5	-91 9	0 0	23542 9	22 2	11 9	
85 0	38 7	35 6	32 1	886 7	-94 0	0 0	23849 7	22 6	12 1	
86 0	39 3	35 5	32 3	890 4	-96 2	0 0	24191 4	23 1	12 2	
87 0	39 9	35 3	32 5	892 3	-98 4	0 0	24457 9	23 6	12 3	
88 0	40 5	35 2	32 7	893 5	-100 6	0 0	24716 2	24 1	12 4	
89 0	41 1	35 0	32 9	896 5	-102 9	0 0	25037 8	24 6	12 5	
90 0	41 7	34 9	33 1	897 6	-105 1	0 0	25301 9	25 2	12 6	
91 0	42 3	34 7	33 3	899 0	-107 4	0 0	25570 3	25 7	12 7	
92 0	42 9	34 6	33 4	901 5	-109 7	0 0	25880 4	26 2	12 8	
93 0	43 5	34 4	33 6	901 9	-112 1	0 0	26122 2	26 7	12 9	
94 0	44 2	34 3	33 8	905 1	-114 5	0 0	26448 0	27 3	13 0	
95 0	44 8	34 2	33 9	905 6	-116 9	0 0	26690 7	27 8	13 1	
96 0	45 4	34 0	34 1	907 7	-119 3	0 0	26979 8	28 4	13 2	
97 0	46 1	33 9	34 3	908 9	-121 7	0 0	27212 0	28 9	13 3	
98 0	46 7	33 8	34 5	911 9	-124 2	0 0	27512 1	29 5	13 4	
99 0	47 4	33 7	34 6	915 4	-126 7	0 0	27821 8	30 1	13 4	
100 0	48 0	33 7	34 8	917 7	-129 2	0 0	28047 6	30 6	13 5	
101 0	48 8	33 9	35 2	935 5	-131 7	0 0	28649 2	31 2	13 6	
102 0	49 4	33 9	35 3	939 4	-134 3	0 0	28874 4	31 8	13 7	
103 0	50 1	34 0	35 5	946 5	-136 9	0 0	29196 6	32 4	13 8	
104 0	50 8	34 1	35 6	953 1	-139 5	0 0	29475 2	33 0	13 9	
105 0	51 5	34 2	35 7	959 5	-142 2	0 0	29697 3	33 6	13 9	
106 0	52 1	34 3	35 9	967 8	-144 8	0 0	29974 5	34 2	14 0	

SMOKE III EGLIN AFB, FLA.

EVENT 05 TIME 2149Z DATE 081180

XM45 GENERATOR SENSOR 0 5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 05 TIME 2149Z DATE 081180

XM45 GENERATOR SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 05

2149 Z 08-11-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 40.0



HEIGHT(ABOVE DETONATION PT.) =	18.0M	HEIGHT OF CENTROID=	5.M
WIDTH(MAX. HORIZONTAL EXTENT)=	40.0M	LATERAL OFFSET	= -13.M
VERTICAL EXTENT =	19.0M	AXES	= 38., 18.M
AREA =	435.9SQM	INCLINATION	= 17.2 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 8.M OFFSET= -21.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 25.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 25.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 05

2149 Z 08-11-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 40.0



HEIGHT(ABOVE DETONATION PT.) =	17.0M	HEIGHT OF CENTROID=	6.M
WIDTH(MAX. HORIZONTAL EXTENT)=	39.0M	LATERAL OFFSET	= -20.M
VERTICAL EXTENT =	18.0M	AXES	= 37., 14.M
AREA =	253.08QM	INCLINATION	= 15.9 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 8.M OFFSET= -28.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 29.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 15.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 2.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE TEST EG&G IN ALBUQUERQUE

EVENT 06 TIME 2250Z DATE 081180

FOG OIL IR#1 SENSOR 0 5-0 7

TIME(SEC)	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS) HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ METERS)	LATERAL OFFSET	PATH LENGTH	DIMENSIONS INDEPENDENT OF PERSPECTIVE VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0 0	3 5	18 4	3.7	52 3	-3 0	0 0	139 9	1 6	0 0	0 0
1 0	3.8	17 9	3 9	54 2	-3 7	0 0	148 7	1 9	60 9	0 9
2 0	4.3	19 0	4 7	68 7	-4 3	0 0	227 1	2 0	60 9	0 9
3 0	4 7	19 4	5 2	77 9	-5 0	0 0	288 5	2 1	60 9	0 9
4 0	5 2	19 8	5 8	87 9	-5 6	0 0	362 8	2 3	60 9	0 9
5 0	5 6	20.2	6 3	98 1	-6 2	0 0	444 8	2 5	60 9	0 9
6 0	6.1	20 7	6.8	108 6	-6 9	0 0	536 3	2 7	60 9	0 9
7 0	6 5	21.1	7.3	120 0	-7 5	0 0	644 0	2 9	60 9	0 9
8 0	7 0	21.6	7 9	131.6	-8 2	0 0	760 5	3 0	60 9	0 9
9 0	7 4	22 2	8.4	143 7	-8 8	0 0	888 7	3 2	60 9	0 9
10 0	7 9	22.7	8.9	156 2	-9 5	0 0	1030 0	3 4	60 9	0 9
11.0	8.3	23.3	9 5	170 1	-10.1	0 0	1195 0	3 6	60 9	0 9
12 0	8 8	23 9	10.0	184 0	-10.7	0 0	1369 1	3 8	60 9	0 9
13 0	9 3	24.5	10.5	197 8	-11 4	0 0	1549 4	4 0	60 9	0 9
14 0	9 7	25 1	11.0	212 8	-12.0	0 0	1754 7	4 2	60 9	0 9
15 0	10 2	25 7	11.6	228 5	-12 6	0 0	1977 4	4 4	60 9	0 9
16 0	10 7	26 4	12.1	245 4	-13 3	0 0	2230 4	4 6	60 9	0 9
17 0	11 1	27.0	12.6	261.8	-13.9	0 0	2482 4	4 8	60 9	0 9
18.0	11.6	27.7	13.2	279.7	-14 5	0 0	2769 5	5 0	60 8	0 9
19 0	12 1	28.4	13.7	297 7	-15.1	0 0	3068 1	5 3	60 8	0 9
20 0	12 6	29.1	14.3	316 4	-15.8	0.0	3388 9	5 5	60 8	0 9
21 0	13 1	29.8	14.8	335 9	-16.4	0 0	3735 5	5 7	60 8	0 9
22 0	13 6	30.5	15.3	355.7	-17.0	0 0	4097.1	5 9	60 8	0 9
23 0	14 1	31.2	15.9	376.4	-17.6	0 0	4487 1	6 1	60 8	0 9
24 0	14.6	31.9	16.4	396.6	-18.2	0 0	4874 9	6 4	60 8	0 9
25.0	15.1	32.6	17.0	419.7	-18.9	0 0	5339 3	6 6	60 8	0 9
26.0	15 6	33.3	17.6	442.2	-19 5	0 0	5801 5	6 8	60 8	0 9
27 0	16 1	34.1	18.1	465.4	-20.1	0 0	6288 8	7 1	60 8	0 9
28 0	16 6	34 8	18.7	489.4	-20 7	0 0	6808 6	7 3	60 8	0 9
29 0	17 2	35.5	19.3	514.0	-21 3	0 0	7354 6	7 5	60 8	0 9
30 0	17 7	36.3	19.8	538.3	-21.9	0 0	7903 3	7 8	60 8	0 9
31.0	18 2	37.0	20.4	565.5	-22.5	0 0	8539 3	8 0	60 8	0 9
32.0	18.8	37.8	21.0	591.2	-23 1	0 0	9148 1	8 3	60 8	0 9
33 0	19 3	38 5	21.6	619.7	-23.7	0 0	9847 8	8 5	60 8	0 9
34 0	19 9	39.3	22.3	647.8	-24 3	3 1	10549 3	8 8	60 8	0 9
35 0	20.4	40 0	22 8	675.6	-24 9	6 1	11253 6	9 0	60 8	0 9
36 0	21 0	40.8	23.5	706.0	-25 5	8 2	12052 6	9 3	60 7	0 9
37 0	21 6	41.5	24.1	735 0	-26 1	9 7	12817 9	9 5	60 7	0 9
38 0	22 2	42.3	24.8	767.1	-26 7	11 2	13694 8	9 8	60 7	0 9
39 0	22 8	43 0	25.4	798 9	-27 3	12 4	14578 0	10 1	60 7	0
40 0	23 4	43 8	26 1	829 8	-27 9	13 4	15448 1	10 3	60	0
41 0	24 0	44 5	26.7	862 5	-28 5	14 5	16388 3	10 6	60 7	0 9
42 0	24 6	45 3	27 5	897 6	-29 1	15 5	17428 3	10 9	60	0
43 0	25 2	46 0	28 2	931 9	-29 7	16 4	18459 6	11 1	60 7	0 9
44 0	25 9	46 7	28 9	966 9	-30 3	17 3	19527 8	11 4	60 7	0 9
45 0	26 5	47 4	29.6	1001 3	-30 9	18 1	20593 2	11 7	60 7	0 9
46 0	27 1	48 1	30 3	1037 4	-31 4	18 9	21735 6	12 0	60 7	0 9
47 0	27 8	48 8	31 1	1076 2	-32 0	19 8	22900 0	12 3	60 7	0 9
48 0	28 5	49 5	31 9	1113 7	-32 6	20 5	24027 1	12 5	60 7	0 9
49 0	29 2	50 2	32 7	1152 2	-33 2	21 3	25519 4	12 8	60 7	0 9
50 0	29 9	50 9	33 5	1189 6	-33 8	22 0	26780 9	13 1	60 7	0 9
51 0	30 6	51 6	34 3	1229 1	-34 3	22 7	28150 1	13 4	60 7	0 9
52 0	31 5	52 4	35 6	1306 3	-34 9	24 7	31111 6		60	
53 0	32 0	52 7	36 0	1309 1	-35 5	24 2	10627 3	14	60 7	0 9
54 0	32 7	53 3	36 8	1350 8	-36 1	25 1	32997	14	60 7	0 9
55 0	33 4	53 8	37 6	1394 3	-36 7	25 9	34117	14	60 7	0 9
56 0	34 1	53 6	38 4	1419 5	-37 2	26 7	35519 5	14 5	60 7	0 9
57 0	34 8	53 7	39 2	1455 3	-37 8	27 5	36973 8	14 7	60	0
58 0	35 5	53 7	40 0	1493 1	-38 3	28 2	38466 9	15 0	60 7	0 9
59 0	36 2	54 0	40 8	1529 2	-38 9	29 1	40474 4	15 3	60 6	0 9
60 0	36 9	54 1	41 5	1563 7	-39 5	29 9	42036 3	15 5	60 5	0 9

SMOKE III EGLIN AFB, FLA.

EVENT 06 TIME 2250Z DATE 081180

FOG OIL IR#1 SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 06 TIME 2250Z DATE 081180

FOG OIL IR#1 SENSOR 0 5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.
++++++WIDTH
. . . . . TRANSPORT
******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 06

2250 Z 08-11-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 40.0



HEIGHT(ABOVE DETONATION PT.) =	22.0M	HEIGHT OF CENTROID=	9.M
WIDTH(MAX. HORIZONTAL EXTENT)=	25.0M	LATERAL OFFSET =	10.M
VERTICAL EXTENT =	22.0M	AXES =	25., 23.M
AREA =	410.3SQM	INCLINATION =-	34.5 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 12.M OFFSET= 14.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 20.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 20.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 06

2250 Z 08-11-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 40.0



HEIGHT(ABOVE DETONATION PT.) =	27.0M	HEIGHT OF CENTROID=	12.M
WIDTH(MAX. HORIZONTAL EXTENT)=	33.0M	LATERAL OFFSET =	-15.M
VERTICAL EXTENT =	28.0M	AXES =	36., 25.M
AREA =	354.9SQM	INCLINATION =	40.7 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 17.M OFFSET= -21.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 28.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 22.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 1.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

MODE III

EVENT 07

5 INCH ZONE

TIME(SEC)	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS) HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ METERS)	LATERAL OFFSET	PATH LENGTH	DIMENSIONS INDEPENDENT OF PERSPECTIVE SLANT (METERS)	HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0 0	13 9	23 5	22 1	401 8	-11 2	[illegible]	[illegible]	[illegible]	0 0	[illegible]
1 0	14 5	24 4	22 0	417 2	-9 6	[illegible]	2790 3	[illegible]	204 5	[illegible]
2 0	15 1	25 1	22 1	433 7	-8 0	[illegible]	14109 5	4 0	204 1	[illegible]
3 0	15 8	25 5	22 4	447 1	-6 4	[illegible]	[illegible]	4	[illegible]	[illegible]
4 0	16 5	25 9	22 8	463 2	-4 9	[illegible]	14087 8	[illegible]	[illegible]	1
5 0	17 4	26 1	23 3	478 0	-3 4	[illegible]	[illegible] 4	5	[illegible]	[illegible]
6 0	18 2	26 3	23 9	493 8	-2 0	[illegible]	14548 6	[illegible]	[illegible]	[illegible]
7 0	19 1	26 4	24 7	512 2	-0 5	[illegible]	17994 8	[illegible]	[illegible]	[illegible]
8 0	20 1	26 6	25 6	533 7	0 8	[illegible]	[illegible] 7	[illegible]	[illegible]	[illegible]
9 0	21 0	26 8	26 5	558 9	2 2	[illegible]	[illegible] 7	[illegible]	[illegible]	[illegible]
10 0	22 1	27 2	27 6	586 0	3 5	[illegible]	21389 8	[illegible]	[illegible]	[illegible]
11 0	23 1	27 6	28 7	622 1	4 8	[illegible]	[illegible] 9	[illegible]	[illegible]	[illegible]
12 0	24 1	28 2	29 9	661 8	6 1	[illegible]	[illegible] 3	[illegible]	[illegible]	[illegible]
13 0	25 2	28 9	31 1	707 5	7 3	[illegible]	[illegible] 6	[illegible]	[illegible]	[illegible]
14 0	26 2	29 8	32 4	758 1	8 5	[illegible]	31540 2	[illegible]	[illegible]	[illegible]
15 0	27 3	30 8	33 7	813 9	9 7	[illegible]	[illegible] 4	[illegible]	[illegible]	[illegible]
16 0	28 4	31 8	35 0	874 3	10 8	[illegible]	[illegible] 9	[illegible]	[illegible]	[illegible]
17 0	29 4	33 0	36 3	938 4	11 9	[illegible]	[illegible] 8	[illegible]	[illegible]	[illegible]
18 0	30 5	34 2	37 7	1003 1	13 0	[illegible]	[illegible] 4	[illegible]	[illegible]	[illegible]
19 0	31 5	35 5	39 1	1080 4	14 0	[illegible]	49620 5	[illegible]	[illegible]	[illegible]
20 0	32 6	36 7	40 4	1153 9	15 0	[illegible]	[illegible] 7	[illegible]	[illegible]	[illegible]
21 0	33 6	37 9	41 8	1231 0	16 0	[illegible]	[illegible] 4	[illegible]	[illegible]	[illegible]
22 0	34 6	39 1	43 2	1310 0	16 9	[illegible]	[illegible] 9	[illegible]	[illegible]	[illegible]
23 0	35 6	40 3	44 6	1391 2	17 8	[illegible]	[illegible] 4	[illegible]	[illegible]	[illegible]
24 0	36 6	41 4	46 0	1473 5	18 7	[illegible]	[illegible] 2	[illegible]	[illegible]	[illegible]
25 0	37 6	42 4	47 4	1553 0	19 5	[illegible]	[illegible] 8	[illegible]	[illegible]	[illegible]
26 0	38 5	43 3	48 7	1634 0	20 3	[illegible]	[illegible] 5	[illegible]	[illegible]	[illegible]
27 0	39 5	44 2	50 1	1715 3	21 1	[illegible]	[illegible] 1	[illegible]	[illegible]	[illegible]
28 0	40 4	44 9	51 4	1795 8	21 9	[illegible]	[illegible] 5	[illegible]	[illegible]	[illegible]
29 0	41 3	45 7	52 8	1876 7	22 6	[illegible]	[illegible] 2	[illegible]	[illegible]	[illegible]
30 0	42 1	46 5	54 0	1958 7	23 2	[illegible]	[illegible] 4	[illegible]	[illegible]	[illegible]
31 0	43 0	47 1	55 3	2038 9	23 9	[illegible]	[illegible] 9	[illegible]	[illegible]	[illegible]
32 0	43 8	47 9	56 5	2119 6	24 5	[illegible]	[illegible] 8	[illegible]	[illegible]	[illegible]
33 0	44 5	48 7	57 7	2204 0	25 1	[illegible]	[illegible] 3	[illegible]	[illegible]	[illegible]
34 0	45 3	49 6	58 8	2292 1	25 6	[illegible]	[illegible] 8	[illegible]	[illegible]	[illegible]
35 0	45 9	50 7	59 8	2385 8	26 1	[illegible]	[illegible] 4	[illegible]	[illegible]	[illegible]
36 0	46 6	52 1	60 8	2485 7	26 6	[illegible]	[illegible] 8	[illegible]	[illegible]	[illegible]
37 0	47 1	53 5	61 7	2583 3	27 0	[illegible]	[illegible] 0	[illegible]	[illegible]	[illegible]
38 0	47 6	55 6	62 5	2707 8	27 5	[illegible]	16 [illegible] 2	16 4	156 1	[illegible]

SMOKE III EGLIN AFB, FLORIDA

EVENT 07 TIME 1313Z DATE 081280

5 INCH ZUNI SENSOR 0.5-0.7



EVENT 07 SMOKE III EGLIN AFB, FLORIDA
5 INCH ZUNI TIME 1313Z DATE 081280
SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.
++++++WIDTH
. . . . . TRANSPORT
******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 07

1313 Z 08-12-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 10.0



HEIGHT(ABOVE DETONATION PT.) =	28.0M	HEIGHT OF CENTROID=	8.M
WIDTH(MAX. HORIZONTAL EXTENT)=	81.0M	LATERAL OFFSET =	-4.M
VERTICAL EXTENT =	30.0M	AXES =	69 , 34.M
AREA =	1054.2SQM	INCLINATION =	-4.9 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 6.M OFFSET= -18.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 34.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 76.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)=-28.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 07

1313 Z 08-12-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 10.0



HEIGHT(ABOVE DETONATION PT.) =	26.0M	HEIGHT OF CENTROID=	7.M
WIDTH(MAX. HORIZONTAL EXTENT)=	39.0M	LATERAL OFFSET =	2.M
VERTICAL EXTENT =	29.0M	AXES =	39., 28.M
AREA =	545.8SQM	INCLINATION =	-16.4 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 9.M OFFSET= 9.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 37.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 20 M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= -7.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

SMOKE III EGLIN AFB, FLA

EVENT 08 TIME 1519Z DATE 081280

N3A3 FOG OIL SENSOR 0 9-0 /

TIME (SEC)	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH (METERS) HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ METERS)	LATERAL OFFSET	PATH LENGTH	DIMENSIONS INDEPENDENT OF PERSPECTIVE VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0 0	1 9	10 5	1 8	14 4	-3 5	0 0	18 0	1 0	0 0	0
1 0	2 2	13 1	2 3	23 5	-4 0	0 0	37 0	1 1	335 6	0 7
2 0	2 4	15 4	2 6	31 1	-4 5	0 0	53 7	1 1	336 2	0 6
3 0	2 5	16 8	2 8	36 4	-5 0	0 0	66 9	1 1	336 7	0 5
4 0	2 6	17.9	2 9	41 1	-5 5	0 0	80 3	1 1	337 2	0 5
5 0	2 7	18.9	3 1	45 4	-6 0	0 0	93 2	1 2	337 8	0 6
6 0	2 8	19 9	3 2	50 6	-6 5	0 0	110 8	1 2	338 4	0 6
7 0	2 9	20 9	3 4	55 7	-7 1	0 0	129 1	1 2	338 9	0 6
8 0	3 1	21 9	3 6	61 6	-7 6	0 0	152 7	1 3	339 5	0 6
9 0	3 2	22 8	3.7	66 8	-8 1	0 0	174 4	1 3	340 1	0 6
10 0	3 3	23 8	4 0	73 2	-8 6	0 0	204 1	1 3	340 6	0 5
11 0	3 4	24 7	4 1	79 0	-9 1	0 0	231 5	1 4	341 2	0 6
12 0	3 6	25 6	4 3	85 7	-9.6	0 0	266 5	1 4	341 8	0 6
13 0	3 7	26 5	4 5	92.7	-10 1	0 0	304 8	1 5	342 4	0 6
14 0	3 9	27 3	4 7	99 6	-10 7	0 0	345 5	1 5	343 0	0 6
15 0	4 1	28 1	5 0	107.3	-11 2	0 0	393 7	1 6	343 6	0 6
16 0	4 2	29 0	5 2	115 0	-11 7	0 0	443 8	1 6	344 2	0 6
17 0	4 4	29 8	5 4	123.3	-12 2	0 0	501 5	1 7	344 8	0 6
18 0	4 6	30 6	5 6	131.6	-12 8	0 0	562 6	1 8	345 4	0 6
19 0	4 7	31 3	5 9	139.8	-13 3	0 0	625 1	1 8	346 0	0 6
20 0	4 9	32 1	6 1	149.1	-13.8	0 0	700 8	1 9	346 7	0 6
21 0	5 1	32 9	6 4	158 6	-14.3	0 0	781 6	1 9	347 3	0 6
22 0	5 3	33 5	6.6	168.2	-14 9	0 0	868 0	2 0	347 9	0 6
23 0	5 5	34 3	6.9	177.9	-15.4	0 0	958 0	2 1	348 6	0 6
24 0	5 7	35 0	7.1	188 6	-15.9	0 0	1063 8	2 2	349 2	0 6
25 0	5 9	35 6	7.4	199.2	-16 5	0 0	1173 9	2 2	349 9	0 6
26 0	6 1	36.3	7.7	209.8	-17 0	0 0	1287 2	2 3	350 5	0 6
27 0	6 4	36 9	8 0	221.9	-17.6	0 0	1424 0	2 4	351 2	0 6
28 0	6 6	37 6	8 2	233.3	-18 1	0 0	1557 2	2 5	351 8	0 6
29 0	6 8	38 2	8 5	244.7	-18.6	0 0	1697 2	2 6	352 5	0 6
30 0	7 0	38 7	8 8	257 7	-19.2	0 0	1864 5	2 6	353 1	0 6
31 0	7 3	39 3	9 1	270 2	-19.7	0 0	2030 8	2 7	353 8	0 6
32 0	7 5	39 9	9 4	282.4	-20 3	0 0	2199 6	2 8	354 5	0 6
33 0	7 8	40.4	9 7	296 4	-20 8	0 0	2402 7	2 9	355 1	0 6
34 0	8 0	41 0	10 0	309.7	-21.3	0 0	2602 5	3 0	355 8	0 6
35 0	8 2	41 5	10 3	323 3	-21 9	0 0	2814 1	3 1	356 5	0 6
36 0	8 5	42 0	10 6	337 2	-22 4	0 0	3041 1	3 2	357 2	0 6
37 0	8 8	42 5	10.9	351 9	-23.0	0 0	3288 1	3 3	357 8	0 6
38 0	9 0	42 9	11 2	366 3	-23 5	0 3	3539 9	3 4	358 5	0 6
39 0	9 3	43 4	11 5	380 9	-24 1	3 9	3804 0	3 5	359 2	0 6
40 0	9 6	43 8	11 8	396 8	-24 7	5 7	4104 1	3 6	359 9	0 6
41 0	9 8	44 2	12 1	412 3	-25 2	7 0	4404 8	3 8	0 6	0 6
42 0	10 1	44 6	12 5	427 7	-25 8	8 1	4716 9	3 9	1 2	0 6
43 0	10 4	45 0	12 8	444 2	-26 3	9 2	5062 1	4 0	1 9	0 6
44 0	10 7	45 4	13 1	459 5	-26 9	10 2	5392 6	4 1	2 6	0 6
45 0	11 0	45 8	13 5	476 3	-27 4	11 1	5768 7	4 2	3 3	0 6
46 0	11 3	46 1	13 8	493 6	-28 0	12 0	6166 5	4 4	4 0	0 6
47 0	11 6	46 5	14 2	510 5	-28 6	12 8	6570 3	4 5	4 7	0 6
48 0	11 9	46 8	14 5	527 6	-29 1	13 6	6992 4	4 6	5 4	0 6
49 0	12 2	47 1	14 8	544 2	-29 7	14 4	7415 1	4 7	6 1	0 6
50 0	12 5	47 4	15 2	562 7	-30 3	15 2	7900 4	4 9	6 7	0 6
51 0	12 8	47 6	15 6	580 4	-30 8	16 0	8381 0	5 0	7 4	0 6
52 0	13 1	47 9	16 0	597 5	-31 4	16 7	8863 5	5 1	8 1	0 6
53 0	13 5	48 1	16 3	615 7	-32 0	17 4	9382 9	5 3	8 8	0 6
54 0	13 8	48 4	16 7	634 2	-32 6	18 2	9924 0	5 4	9 5	0 6
55 0	14 1	48 6	17 1	652 7	-33 1	18 9	10499 6	5 6	10 2	0 6
56 0	14 5	48 8	17 5	671 0	-33 7	19 6	11074 4	5 7	10 8	0 6
57 0	14 8	49 0	18 0	691 0	-34 3	20 3	11717 9	5 9	11 5	0 6
58 0	15 2	49 2	18 4	709 9	-34 9	21 0	12349 0	6 0	12 2	0 6
59 0	15 6	49 3	18 8	729 0	-35 4	21 7	13002 2	6 2	12 9	0 6
60 0	16 0	49 5	19 2	748 2	-36 0	22 4	13678 1	6 3	13 5	0 6
61 0	16 3	49 6	19 7	767 5	-36 6	23 1	14377 0	6 5	14 2	0 6
62 0	16 7	49 7	20 1	786 7	-37 2	23 8	15089 7	6 7	14 9	0 6
63 0	17 1	49 9	20 6	806 6	-37 8	24 5	15840 9	6 8	15 5	0 6
64 0	17 5	50 0	21 0	825 9	-38 4	25 1	16597 8	7 0	16 2	0 6
65 0	17 9	50 1	21 5	845 0	-38 9	25 8	17360 3	7 2	16 8	0 6
66 0	18 3	50 1	22 0	864 8	-39 5	26 5	18173 6	7 3	17 5	0 6
67 0	18 7	50 2	22 5	885 5	-40 1	27 2	19036 0	7 5	18 1	0 6
68 0	19 2	50 2	23 0	905 1	-40 7	27 8	19870 8	7 7	18 8	0 6
69 0	19 6	50 3	23 5	925 5	-41 3	28 5	20768 7	7 8	19 4	0 6
70 0	20 0	50 3	24 0	945 0	-41 9	29 1	21639 0	8 0	20 1	0 6
71 0	20 5	50 3	24 5	966 0	-42 5	29 8	22592 3	8 2	20 7	0 6
72 0	20 9	50 3	25 1	986 6	-43 1	30 4	23546 2	8 4	21 3	0 6
73 0	21 4	50 3	25 6	1007 0	-43 7	31 1	24512 3	8 6	22 0	0 6
74 0	21 8	50 3	26 1	1026 2	-44 3	31 6	25448 7	8 8	22 6	0 6
75 0	22 3	50 3	26 7	1048 0	-44 9	32 3	26506 6	9 0	23 2	0 6
76 0	22 8	50 3	27 2	1067 3	-45 5	32 8	27473 3	9 2	23 8	0 6
77 0	23 3	50 2	27 8	1088 6	-46 1	33 4	28550 9	9 4	24 4	0 6
78 0	23 7	50 2	28 4	1108 5	-46 7	33 9	29572 5	9 5	25 0	0 6
79 0	24 2	50 1	28 9	1130 0	-47 3	34 5	30687 0	9 7	25 6	0 6
80 0	24 7	50 1	29 5	1150 1	-47 9	34 9	31744 8	10 0	26 2	0 6
81 0	25 2	50 0	30 1	1171 5	-48 5	35 4	32876 1	10 2	26 8	0 6
82 0	25 7	50 0	30 7	1191 9	-49 1	35 8	33976 7	10 4	27 4	0 6

SMOKE III EGLIN AFB, FLA.

EVENT 08 TIME 1519Z DATE 081280

N3A3 FOG OIL SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 08 TIME 1519Z DATE 081280

N3A3 FOG OIL SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 08

1519 Z 08-12-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 40.0



HEIGHT(ABOVE DETONATION PT.) =	9.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	61.0M	LATERAL OFFSET	= -21.M
VERTICAL EXTENT =	11.0M	AXES	= 63., 10.M
AREA =	453.8SQM	INCLINATION	= -2.0 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 3.M OFFSET= -34.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE 19.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 61.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)=-36.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 08

1519 Z 08-12-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 40.0



HEIGHT(ABOVE DETONATION PT.) =	12.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	61.0M	LATERAL OFFSET	= -25.M
VERTICAL EXTENT =	12.0M	AXES	= 60., 13.M
AREA =	464.6SQM	INCLINATION	= -0.6 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= -37.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 58.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 59.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA.

EVENT 09 TIME 1956Z DATE 081280

155MM 60LBS. - 10LBS. EA. SENSOR 0.5-0.7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	3.4	6.9	3.6	16.5	0.8	0.0	83.2	1.7	0.0	0.0
1.0	3.9	6.7	4.3	19.8	-0.1	0.0	138.7	1.7	342.5	1.0
2.0	4.2	6.2	4.9	20.9	-0.9	0.0	189.8	1.8	343.2	1.0
3.0	4.5	5.6	5.3	21.6	-1.8	0.0	244.2	1.9	343.9	1.0
4.0	4.8	5.2	5.7	22.8	-2.6	0.0	305.0	1.9	344.6	1.0
5.0	5.1	5.1	6.1	24.4	-3.5	0.0	366.1	2.0	345.3	1.0
6.0	5.3	5.3	6.5	27.1	-4.4	0.0	439.5	2.1	346.0	1.0
7.0	5.6	5.8	6.8	31.1	-5.2	0.0	526.9	2.2	346.7	1.0
8.0	5.9	6.5	7.2	35.7	-6.1	0.0	616.4	2.3	347.4	1.0
9.0	6.1	7.3	7.5	41.3	-7.0	0.0	720.1	2.4	348.2	1.0
10.0	6.4	8.1	7.8	48.1	-7.9	0.0	843.4	2.5	348.9	1.0
11.0	6.7	9.1	8.2	55.4	-8.8	0.0	974.5	2.6	349.6	1.0
12.0	6.9	10.0	8.5	63.2	-9.7	0.0	1112.7	2.7	350.3	1.0
13.0	7.2	11.0	8.8	72.0	-10.6	0.0	1274.5	2.8	351.1	1.0
14.0	7.5	12.1	9.1	81.5	-11.5	0.0	1453.6	2.9	351.8	1.0
15.0	7.8	13.1	9.4	91.2	-12.4	0.0	1636.7	3.1	352.5	1.0
16.0	8.1	14.1	9.7	102.3	-13.3	0.0	1859.9	3.2	353.3	1.0
17.0	8.3	15.1	10.0	113.4	-14.2	0.0	2081.3	3.3	354.0	1.0
18.0	8.6	16.1	10.4	125.8	-15.1	0.0	2342.8	3.5	354.7	1.0
19.0	8.9	17.1	10.7	138.4	-16.0	0.0	2614.4	3.6	355.5	1.0
20.0	9.3	18.1	11.0	151.6	-16.9	0.0	2906.2	3.8	356.2	1.0
21.0	9.6	19.1	11.4	166.1	-17.8	0.0	3244.4	3.9	357.0	1.0
22.0	9.9	20.1	11.7	180.4	-18.8	0.0	3578.8	4.1	357.7	1.0
23.0	10.3	21.1	12.1	196.2	-19.7	0.0	3967.7	4.2	358.5	1.0
24.0	10.6	22.1	12.4	211.6	-20.6	0.0	4351.1	4.4	359.2	1.0
25.0	11.0	23.1	12.8	228.8	-21.6	0.0	4801.3	4.6	360.0	1.0
26.0	11.3	24.0	13.2	246.1	-22.5	0.0	5263.9	4.7	0.7	1.0
27.0	11.7	24.9	13.6	263.9	-23.4	0.0	5752.1	4.9	1.4	1.0
28.0	12.1	25.8	14.0	282.5	-24.4	0.0	6281.8	5.1	2.2	1.0
29.0	12.5	26.8	14.4	302.1	-25.3	0.0	6853.3	5.3	2.9	1.0
30.0	12.9	27.7	14.9	322.4	-26.3	0.0	7467.7	5.5	3.7	1.0
31.0	13.3	28.6	15.3	343.2	-27.2	0.0	8114.0	5.7	4.4	1.0
32.0	13.8	29.4	15.8	365.3	-28.2	0.0	8822.5	5.9	5.2	1.0
33.0	14.2	30.3	16.3	387.5	-29.2	0.0	9550.0	6.1	5.9	1.0
34.0	14.7	31.2	16.8	410.5	-30.1	0.0	10326.0	6.3	6.6	1.0
35.0	15.1	32.0	17.2	433.0	-31.1	0.0	11101.1	6.5	7.4	1.0
36.0	15.6	32.8	17.8	457.9	-32.1	0.0	11994.7	6.7	8.1	1.0
37.0	16.1	33.6	18.3	482.4	-33.0	0.0	12890.2	6.9	8.8	1.0
38.0	16.6	34.4	18.8	508.1	-34.0	0.0	13857.3	7.2	9.5	1.0
39.0	17.1	35.2	19.4	534.4	-35.0	0.0	14876.3	7.4	10.3	1.0
40.0	17.6	35.9	20.0	561.4	-36.0	0.0	15951.7	7.6	11.0	1.0
41.0	18.1	36.7	20.6	589.0	-37.0	0.0	17075.3	7.9	11.7	1.0
42.0	18.7	37.4	21.1	617.0	-38.0	0.0	18249.1	8.1	12.4	1.0
43.0	19.2	38.1	21.7	646.0	-39.0	0.0	19498.3	8.4	13.1	1.0
44.0	19.8	38.8	22.3	674.5	-40.0	0.0	20754.5	8.6	13.8	1.0
45.0	20.3	39.5	23.0	704.6	-41.0	0.0	22115.9	8.9	14.5	1.0
46.0	20.9	40.2	23.6	736.1	-42.0	0.0	23584.8	9.1	15.2	1.0
47.0	21.5	40.8	24.3	766.9	-43.0	0.0	25053.4	9.4	15.9	1.0
48.0	22.1	41.5	24.9	798.3	-44.0	0.0	26587.0	9.7	16.6	1.0
49.0	22.7	42.1	25.6	832.0	-45.0	0.0	28282.6	9.9	17.2	1.0
50.0	23.4	42.7	26.3	865.0	-46.0	0.0	29986.4	10.2	17.9	1.0

SMOKE III EGLIN AFB, FLA.

EVENT 09 TIME 1956Z DATE 081280

155MM 60LBS. - 10LBS. EA. SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 09 TIME 19562 DATE 081280

155MM 60LBS. - 10LBS. EA. SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.
++++++WIDTH
. . . . . TRANSPORT
******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 09

1956 Z 08-12-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 26.0



HEIGHT(ABOVE DETONATION PT.) =	14.0M	HEIGHT OF CENTROID=	5.M
WIDTH(MAX. HORIZONTAL EXTENT)=	60.0M	LATERAL OFFSET	= -16.M
VERTICAL EXTENT =	16.0M	AXES	= 68., 14.M
AREA =	354.0SQM	INCLINATION	= -1.1 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= -31.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 48.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 60.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= -6.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 09

1956 Z 08-12-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 26.0



HEIGHT(ABOVE DETONATION PT.) =	11.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	44.0M	LATERAL OFFSET	= -23.M
VERTICAL EXTENT =	12.0M	AXES	= 52., 10.M
AREA =	305.7SQM	INCLINATION	= 2.7 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= -34.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 41.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 41.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III — EGLIN AFB FLORIDA

EVENT 11 — TIME 22217 — DATE 081486

XM49 IR#1 — SPEED 5.5 M/S

TIME(SEC)	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS) HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ METERS)	LATERAL OFFSET	PATH LENGTH	DIMENSIONS INDEPENDENT OF PERSPECTIVE VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	3.2	2.5	2.5	4.8	0.1	0.0	8.4	3.0	0.0	
1.0	3.9	3.7	3.5	10.4	-1.0	0.0	28.1		29.2	1.1
2.0	4.5	5.1	4.3	17.4	-2.2	0.0	59.6		30.2	
3.0	5.0	6.7	5.0	26.5	-3.3	0.0	107.2		31.1	
4.0	5.5	8.3	5.7	37.2	-4.5	0.0	171.6			
5.0	6.0	9.9	6.4	49.5	-5.7	0.0	254.9		32.7	1
6.0	6.5	11.4	7.0	63.2	-6.9	0.0	358.5	2.9	33.4	
7.0	6.9	12.9	7.6	77.6	-8.2	0.0	477.0	3.1	34.1	
8.0	7.3	14.5	8.3	93.7	-9.5	0.0	622.4	3.3	34.7	1.4
9.0	7.7	15.9	8.8	110.1	-10.8	0.0	781.4		35.4	
10.0	8.1	17.3	9.4	127.1	-12.2	0.0	958.5	3.4	35.9	
11.0	9.8	25.9	12.5	252.2	-13.5	0.0	2677.8	3.5	36.1	
12.0	10.3	27.8	13.2	287.6	-14.9	0.0	3247.7	3.6	37.0	
13.0	10.7	29.6	13.9	323.2	-16.4	0.0	3849.5	3.7	37.5	
14.0	11.1	31.5	14.6	360.2	-17.8	0.0	4507.5	3.8	38.0	
15.0	11.5	33.3	15.2	396.9	-19.3	0.0	5187.5	3.9	38	
16.0	11.9	35.1	15.9	435.5	-20.8	0.0	5937.0	4.0	38.9	
17.0	12.3	36.8	16.4	474.3	-22.4	0.0	6718.8	4.1	39.4	
18.0	12.6	38.5	17.0	512.2	-24.0	0.0	7499.1	4.1	39.8	
19.0	12.9	40.2	17.5	552.6	-25.6	0.0	8373.4	4.2	40.2	1.9
20.0	13.2	41.9	18.0	590.5	-27.2	0.0	9201.7	4.2	40.5	
21.0	13.5	43.5	18.5	630.8	-28.9	0.0	10121.3	4.2	40.9	
22.0	13.7	45.1	18.9	668.2	-30.5	0.0	10976.2	4.3	41.2	
23.0	15.0	47.1	21.3	786.9	-32.3	0.0	14484.2	4.3	41.6	
24.0	15.2	48.3	21.7	823.5	-34.0	0.0	15464.5	4.3	41.9	2.0
25.0	15.3	49.3	21.9	847.8	-35.8	0.0	16092.7	4.3	42.2	2.0
26.0	15.4	50.4	22.0	872.1	-37.6	0.0	16701.6	4.3	42.5	0
27.0	15.4	51.5	22.2	895.5	-39.4	0.0	17275.3	4.3	42.8	
28.0	15.4	52.6	22.2	917.7	-41.3	10.4	17801.7	4.3	43.0	2.1
29.0	15.4	53.7	22.3	938.3	-43.2	15.6	18267.3	4.3	43.3	
30.0	15.4	54.8	22.3	957.1	-45.1	19.0	18671.9	4.3	43.5	
31.0	15.4	55.8	22.2	974.1	-47.0	21.5	19009.9	4.3	43.8	
32.0	15.3	59.5	22.1	1033.5	-49.0	24.0	20209.9	4.2	44.1	
33.0	15.2	60.7	22.0	1048.8	-51.0	25.3	20443.1	4.2	44.3	
34.0	15.0	61.9	21.8	1061.5	-53.0	26.2	20588.2	4.1	44.5	
35.0	14.9	63.0	21.6	1071.4	-55.1	26.9	20641.5	4.1	44.7	4
36.0	14.7	64.1	21.4	1078.6	-57.1	27.3	20603.7	4.0	44.8	
37.0	14.5	65.2	21.2	1083.0	-59.3	27.4	20475.2	3.9	45.1	4
38.0	14.3	66.3	20.9	1084.6	-61.4	27.4	20257.4	3.8	45.3	
39.0	14.0	67.3	20.5	1083.4	-63.6	27.2	19952.8	3.8	45.5	
40.0	13.8	68.3	20.2	1079.3	-65.8	26.8	19564.7	3.7	45.7	
41.0	13.5	69.3	19.8	1072.4	-68.0	26.2	19098.0	3.6	45.9	
42.0	13.2	70.2	19.4	1062.8	-70.2	25.5	18558.1	3.5	46.1	

SMOKE III EGLIN AFB, FLORIDA

EVENT 11
XM49 IR#1

TIME 2221Z DATE 081280
SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLORIDA

EVENT 11 TIME 2221Z DATE 081280

XM49 IR#1 SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 11

2221 Z 08-12-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 14.0



HEIGHT(ABOVE DETONATION PT.) =	9.0M	HEIGHT OF CENTROID=	2.M
WIDTH(MAX. HORIZONTAL EXTENT)=	28.0M	LATERAL OFFSET =	3.M
VERTICAL EXTENT =	12.0M	AXES =	28., 12.M
AREA =	210.1SQM	INCLINATION =	4.0 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 2.M OFFSET= 9.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 2.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 24.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 15.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
# = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 11

2221 Z 08-12-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 14.0



HEIGHT(ABOVE DETONATION PT.) =	11.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	32.0M	LATERAL OFFSET	= -13.M
VERTICAL EXTENT =	12.0M	AXES	= 30., 12.M
AREA =	204.0SQM	INCLINATION	= 9.1 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 5.M OFFSET= -19.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 16.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 15.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 1.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLORIDA

EVENT 12 TIME 1500Z DATE 081380

VEESS SENSOR 0.5-0.7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	4.0	18.3	5.5	76.2	3.4	5.1	270.0	1.3	0.0	0.0
1.0	4.4	19.9	5.8	86.9	4.5	5.4	322.8	1.5	186.4	1.1
2.0	4.7	21.5	6.1	98.6	5.6	5.6	384.7	1.6	186.5	1.1
3.0	5.0	23.1	6.5	110.8	6.7	5.8	453.0	1.8	186.5	1.1
4.0	5.4	24.5	6.8	123.9	7.8	5.9	532.7	1.9	186.6	1.1
5.0	5.7	26.0	7.2	136.9	8.8	6.0	614.0	2.1	186.7	1.1
6.0	6.0	27.3	7.5	150.1	9.9	6.1	701.1	2.2	186.8	1.1
7.0	6.3	28.7	7.9	163.3	10.9	6.1	792.5	2.4	186.9	1.0
8.0	6.7	29.9	8.2	177.1	11.9	6.1	892.5	2.5	187.0	1.0
9.0	7.0	31.1	8.6	190.6	12.9	6.1	993.2	2.7	187.1	1.0
10.0	7.3	32.3	8.9	204.8	13.9	6.0	1105.3	2.8	187.2	1.0
11.0	7.6	33.4	9.2	219.1	14.9	6.0	1223.2	3.0	187.3	1.0
12.0	7.9	34.5	9.6	233.7	15.8	5.9	1348.7	3.1	187.4	1.0
13.0	8.3	35.5	10.0	248.8	16.8	5.7	1485.2	3.3	187.6	0.9
14.0	8.6	36.5	10.3	263.6	17.7	5.6	1622.0	3.4	187.7	0.9
15.0	8.9	37.4	10.6	279.0	18.6	5.3	1773.5	3.6	187.8	0.9
16.0	9.2	38.2	10.9	292.7	19.5	5.1	1908.3	3.7	187.9	0.9
17.0	9.5	39.1	11.3	308.1	20.4	4.7	2070.1	3.8	188.1	0.9
18.0	9.8	39.8	11.6	322.5	21.2	4.3	2225.1	4.0	188.2	0.9
19.0	10.1	40.5	11.9	338.1	22.1	3.8	2403.8	4.1	188.3	0.9
20.0	10.4	41.2	12.2	352.6	22.9	3.1	2572.0	4.3	188.5	0.8
21.0	10.6	41.8	12.5	367.2	23.8	2.0	2749.8	4.4	188.6	0.8
22.0	10.9	42.4	12.8	380.5	24.6	0.0	2913.8	4.5	188.8	0.8
23.0	11.2	42.9	13.1	395.6	25.4	0.0	3112.6	4.6	189.0	0.8
24.0	11.5	43.4	13.4	408.3	26.1	0.0	3282.3	4.8	189.1	0.8
25.0	11.7	43.8	13.7	422.7	26.9	0.0	3486.5	4.9	189.3	0.8
26.0	12.0	44.2	13.9	435.9	27.6	0.0	3680.6	5.0	189.5	0.8
27.0	12.3	44.5	14.2	448.9	28.4	0.0	3880.7	5.2	189.7	0.7
28.0	12.5	44.8	14.4	461.0	29.1	0.0	4071.5	5.3	189.9	0.7
29.0	12.8	45.0	14.7	473.2	29.8	0.0	4275.7	5.4	190.1	0.7
30.0	13.0	45.1	14.9	484.5	30.5	0.0	4474.4	5.5	190.3	0.7
31.0	13.2	45.2	15.1	494.2	31.2	0.0	4653.1	5.7	190.5	0.7
32.0	13.5	45.3	15.4	505.7	31.8	0.0	4870.6	5.8	190.8	0.7
33.0	13.7	45.2	15.6	514.4	32.5	0.0	5053.8	5.9	191.0	0.6
34.0	13.9	45.2	15.8	523.8	33.1	0.0	5255.7	6.0	191.3	0.6
35.0	14.1	45.1	16.0	531.8	33.7	0.0	5442.5	6.1	191.6	0.6
36.0	14.4	44.9	16.2	539.2	34.3	0.0	5633.9	6.2	191.8	0.6
37.0	14.6	44.7	16.5	546.1	34.9	0.0	5820.3	6.4	192.1	0.6
38.0	14.8	44.4	16.7	552.1	35.4	0.0	6006.1	6.5	192.5	0.6
39.0	15.0	44.1	16.9	557.7	36.0	0.0	6192.6	6.6	192.8	0.6
40.0	15.2	43.6	17.1	560.6	36.5	0.0	6339.2	6.7	193.2	0.5
41.0	15.4	43.2	17.3	564.3	37.1	0.0	6511.7	6.8	193.5	0.5
42.0	15.6	42.7	17.5	566.6	37.6	0.0	6674.7	6.9	193.9	0.5
43.0	15.8	42.1	17.7	567.8	38.1	0.0	6821.3	7.0	194.3	0.5
44.0	16.0	41.5	17.9	568.1	38.5	0.0	6964.2	7.1	194.8	0.5
45.0	16.3	40.9	18.1	567.8	39.0	0.0	7109.4	7.2	195.3	0.5
46.0	16.5	40.1	18.3	565.0	39.5	0.0	7215.2	7.3	195.8	0.4
47.0	16.7	39.3	18.5	562.6	39.9	0.0	7347.7	7.4	196.3	0.4
48.0	16.9	38.5	18.7	558.9	40.3	0.0	7457.8	7.5	196.9	0.4
49.0	17.1	37.7	18.9	554.0	40.7	0.0	7559.7	7.6	197.5	0.4
50.0	17.3	36.8	19.1	548.0	41.1	0.0	7648.6	7.7	198.2	0.4
51.0	17.5	35.8	19.4	542.0	41.5	0.0	7755.3	7.8	198.9	0.4
52.0	17.7	34.9	19.6	534.5	41.8	0.0	7839.0	7.9	199.7	0.4

SMOKE III EGLIN AFB, FLORIDA

EVENT 12 TIME 1500Z DATE 081380

VEESS SENSOR 0.5-0.7



EVENT 12 SMOKE III EGLIN AFB, FLORIDA
VEESS TIME 1500Z DATE 081380
SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.
++++++WIDTH
. . . . . TRANSPORT
******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 12

1500 Z 08-13-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 26.0



HEIGHT(ABOVE DETONATION PT.) =	12.0M	HEIGHT OF CENTROID=	5.M
WIDTH(MAX. HORIZONTAL EXTENT)=	22.0M	LATERAL OFFSET =	11 M
VERTICAL EXTENT =	13.0M	AXES =	22., 11.M
AREA =	174.4SQM	INCLINATION =-	19.7 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 6.M OFFSET= 15.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 9.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 12.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 1.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 12

1500 Z 08-13-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 26.0



HEIGHT(ABOVE DETONATION PT.) =	15.0M	HEIGHT OF CENTROID=	5 M
WIDTH(MAX. HORIZONTAL EXTENT)=	51.0M	LATERAL OFFSET =	23 M
VERTICAL EXTENT =	17.0M	AXES =	47., 15 M
AREA =	428.1SQM	INCLINATION =	-8.1 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 6. M OFFSET= 33. M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 42. M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 30. M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 1. M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLORIDA

EVENT 13 TIME 2154Z DATE 081480

VEESS SENSOR 0 5-0 7

TIME(SEC)	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS) HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	DIMENSIONS INDEPENDENT OF PERSPECTIVE VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
10 0	7.9	46.0	9.3	326.9	-11.2	6 3	1986.2	3 3	0.0	0 0
11 0	8.0	47.1	9.4	338.8	-12.0	6.7	2089 8	3 3	353 7	0 8
12.0	8.1	48.1	9.5	350.6	-12.7	7.1	2194.9	3.4	352 5	0 8
13.0	8.3	49.1	9.6	362.4	-13.4	7 4	2303.5	3 4	351 3	0 7
14 0	8 4	50.0	9.8	374.5	-14.0	7.7	2418.4	3 5	349 9	0 7
15.0	8.5	51.0	9.9	386.2	-14.6	8.0	2533 0	3 6	348 5	0 7
16 0	8.6	51.9	10.0	397.3	-15.2	8.2	2641.2	3 6	347 0	0 7
17 0	8 7	52.8	10.1	408.4	-15.8	8.5	2752.2	3 7	345 5	0 7
18.0	8.8	53.7	10.2	419.3	-16.4	8.7	2863.8	3.7	343 8	0 6
19.0	8.9	54.5	10.3	430.2	-16.9	8.9	2979 3	3.8	342 1	0 6
20 0	9.0	55.4	10.4	440.8	-17.4	9.1	3093.4	3 8	340 3	0 6
21.0	9.1	56.2	10.5	450.6	-17.9	9.3	3200 9	3.9	338 3	0 6
22 0	9.2	57.0	10.6	461.3	-18.3	9.4	3322.9	3 9	336 3	0 6
23.0	9.3	57.7	10.7	471.6	-18.8	9.6	3445.8	4 0	334 1	0 6
24.0	9.4	58.5	10.8	481.4	-19.2	9.8	3563.6	4.0	331 9	0 6
25.0	9.4	59.2	10.8	489.4	-19.6	9.9	3656.8	4 0	329 6	0 5
26.0	9.5	59.9	10.9	499.2	-19.9	10.1	3783.8	4 1	327 1	0 5
27.0	9.6	60.6	11.0	508.5	-20.2	10.3	3908.6	4 1	324.5	0 5
28.0	9.6	61.2	11.0	515.9	-20.6	10.4	4004.1	4.1	321 9	0 5
29.0	9.7	61.9	11.1	524.2	-20.8	10.5	4119.3	4.2	319 1	0 5
30.0	9.8	62.5	11.2	533.3	-21.1	10.7	4252.4	4.2	316.3	0 5
31.0	9.8	63.0	11.2	539.7	-21.3	10.8	4348.9	4 2	313.4	0 5
32.0	9.9	63.6	11.3	548.1	-21.5	11 0	4477.6	4.2	310.5	0 5
33.0	9.9	64.1	11.3	555.2	-21.7	11.1	4593.5	4.2	307.5	0 5
34.0	10.0	64.7	11.4	562.1	-21.9	11.3	4711.7	4.3	304.4	0 5
35.0	10.0	65.1	11.4	567.3	-22.0	11.4	4805.5	4.3	301.4	0 5
36 0	10.0	65.6	11.5	574.5	-22.1	11 6	4938.2	4.3	298.3	0 5
37.0	10.1	66.1	11.5	579.7	-22.2	11.7	5039.0	4 3	295.3	0 5
38.0	10.1	66.4	11.6	584.3	-22.3	11.9	5139 1	4 3	292.3	0 5
39.0	10.1	66.8	11.6	589.4	-22.3	12 0	5250.1	4 3	289.4	0 5
40 0	10.1	67.2	11.6	594.6	-22.3	12.2	5369 4	4 3	286 5	0 5
41 0	10.1	67.6	11.7	598.9	-22.3	12 4	5474 9	4 3	283.7	0 5
42.0	10.2	67.9	11.7	601.9	-22.3	12 5	5566 7	4 3	281 0	0 5
43 0	10.2	68.2	11.7	606.6	-22.2	12 7	5693 1	4 3	278 4	0 5
44 0	10.2	68.5	11 7	609.2	-22 1	12 9	5788 4	4 3	275 9	0 5

SMOKE III EGLIN AFB, FLORIDA

EVENT 13 TIME 2154Z DATE 081480

VEESS SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLORIDA

EVENT 13 TIME 2154Z DATE 081480

VEESS SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 13

2154 7 08-14-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 14.0



HEIGHT(ABOVE DETONATION PT.) =	10.0M	HEIGHT OF CENTROID=	3.M
WIDTH(MAX. HORIZONTAL EXTENT)=	42.0M	LATERAL OFFSET =	-18.M
VERTICAL EXTENT =	14.0M	AXES =	40., 12.M
AREA =	307.1SQM	INCLINATION =	2.3 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= -26.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 10.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 39.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)=-18.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 13

2154 Z 08-13-80 STATION # 2 SENSOR= 0 5-0 7 MICRON

T+ 14.0



HEIGHT(ABOVE DETONATION PT.) =	11.0M	HEIGHT OF CENTROID=	4 M
WIDTH(MAX. HORIZONTAL EXTENT)=	46.0M	LATERAL OFFSET	= -17. M
VERTICAL EXTENT =	12.0M	AXES	= 52., 12 M
AREA =	310.5SQM	INCLINATION	= 3.5 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 5 M OFFSET= -28. M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 45. M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 45 M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0. M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M

SMOKE III EGLIN AFB, FLA

EVENT 15 TIME 2346Z DATE 081480

PEG 200 SENSOR 0 5-0 7

TIME (SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH (METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
0 0	1 1	3 9	2 4	7 3	-2 5	0 0	12 8	-0 1	0 0	0 0
1 0	1 4	4 9	2 8	10 6	-3 0	0 0	22 0	0 0	44 3	0 6
2 0	1 6	5 9	3 1	14 2	-3 5	0 0	33 1	0 1	44 3	0 6
3 0	1 9	6 8	3 4	18 2	-4 1	0 0	47 5	0 2	44 4	0 6
4 0	2 1	7 8	3 7	23 0	-4 6	0 0	66 4	0 3	44 4	0 6
5 0	2 4	8 8	4 0	27 9	-5 1	0 0	87 9	0 4	44 5	0 6
6 0	2 6	9 7	4 3	33 1	-5 6	0 0	111 9	0 5	44 6	0 6
7 0	2 9	10 7	4 7	39 1	-6 1	0 0	142 9	0 6	44 6	0 6
8 0	3 1	11 6	4 9	45 0	-6 7	0 0	174 3	0 6	44 7	0 6
9 0	3 3	12 6	5 2	51 5	-7 2	0 0	212 3	0 7	44 7	0 6
10 0	3 6	13 5	5 5	58 9	-7 7	0 0	258 6	0 8	44 8	0 6
11 0	3 8	14 5	5 8	66 0	-8 3	0 0	304 7	0 9	44 8	0 6
12 0	4 1	15 4	6 1	74 1	-8 8	0 0	361 8	1 0	44 9	0 6
13 0	4 3	16 3	6 4	82 2	-9 4	0 0	421 0	1 1	44 9	0 6
14 0	4 5	17 2	6 7	90 3	-9 9	0 0	482 3	1 2	44 9	0 6
15 0	4 8	18 1	7 0	99 5	-10 5	0 0	557 9	1 3	45 0	0 6
16 0	5 0	19 0	7 3	108 3	-11 0	0 0	630 4	1 4	45 0	0 6
17 0	5 3	19 9	7 6	118 1	-11 6	0 0	716 7	1 5	45 1	0 6
18 0	5 5	20 8	7 8	127 9	-12 1	0 0	807 2	1 6	45 1	0 6
19 0	5 7	21 7	8 1	138 1	-12 7	0 0	903 7	1 7	45 2	0 6
20 0	5 9	22 6	8 4	148 7	-13 2	0 0	1008 3	1 7	45 2	0 7
21 0	6 2	23 4	8 7	158 9	-13 8	0 0	1110 5	1 8	45 3	0 7
22 0	6 4	24 3	9 0	170 5	-14 4	0 0	1234 1	1 9	45 3	0 7
23 0	6 6	25 2	9 2	181 7	-14 9	0 0	1356 3	2 0	45 4	0 7
24 0	6 9	26 0	9 5	194 1	-15 5	0 0	1498 9	2 1	45 4	0 7
25 0	7 1	26 9	9 8	206 3	-16 1	0 0	1641 0	2 2	45 4	0 7
26 0	7 3	27 7	10 1	218 0	-16 7	0 0	1780 1	2 3	45 5	0 7
27 0	7 5	28 6	10 4	231 4	-17 3	0 0	1949 5	2 4	45 5	0 7
28 0	7 8	29 4	10 6	244 5	-17 8	0 0	2117 2	2 4	45 6	0 7
29 0	8 0	30 2	10 9	257 0	-18 4	0 0	2278 4	2 5	45 6	0 7
30 0	8 2	31 0	11 2	271 6	-19 0	0 0	2479 8	2 6	45 6	0 7
31 0	8 4	31 8	11 4	284 6	-19 6	0 0	2656 7	2 7	45 7	0 7
32 0	8 6	32 6	11 7	298 8	-20 2	0 0	2859 3	2 8	45 7	0 7
33 0	8 9	33 4	12 0	314 0	-20 8	0 0	3086 4	2 9	45 8	0 7
34 0	9 1	34 2	12 3	327 8	-21 4	0 0	3290 1	2 9	45 8	0 7
35 0	9 3	35 0	12 5	343 2	-22 0	0 0	3528 8	3 0	45 8	0 7
36 0	9 5	35 8	12 8	359 1	-22 6	0 0	3782 2	3 1	45 9	0 7
37 0	9 7	36 6	13 1	374 4	-23 2	0 0	4027 6	3 2	45 9	0 7
38 0	9 9	37 4	13 3	389 2	-23 9	0 0	4269 2	3 3	45 9	0 7
39 0	10 2	38 1	13 7	406 2	-24 5	0 0	4560 0	3 3	46 0	0 7
40 0	10 4	38 9	13 9	421 6	-25 1	0 0	4821 7	3 4	46 0	0 7
41 0	10 6	39 7	14 2	439 1	-25 7	0 0	5136 4	3 5	46 1	0 7
42 0	10 8	40 4	14 4	454 5	-26 3	0 0	5408 5	3 6	46 1	0 7
43 0	11 0	41 2	14 7	472 6	-27 0	0 0	5745 7	3 6	46 1	0 7
44 0	11 2	41 9	15 0	488 6	-27 6	0 0	6040 5	3 7	46 2	0 7
45 0	11 4	42 6	15 2	505 9	-28 2	0 0	6371 3	3 8	46 2	0 7
46 0	11 6	43 4	15 5	523 7	-28 9	0 0	6720 7	3 9	46 2	0 7
47 0	11 8	44 1	15 8	541 1	-29 5	0 0	7065 9	3 9	46 3	0 7
48 0	12 0	44 8	16 0	559 2	-30 2	0 0	7434 2	4 0	46 3	0 8
49 0	12 3	45 5	16 3	578 7	-30 8	0 0	7842 3	4 1	46 3	0 8
50 0	12 4	46 2	16 5	595 6	-31 5	0 0	8191 0	4 2	46 4	0 8
51 0	12 6	46 9	16 8	614 3	-32 1	0 0	8591 9	4 2	46 4	0 8
52 0	12 8	47 6	17 1	633 2	-32 8	0 0	9006 4	4 3	46 4	0 8
53 0	13 0	48 3	17 3	651 8	-33 4	0 0	9418 3	4 4	46 5	0 8
54 0	13 2	49 0	17 6	671 1	-34 1	0 0	9852 9	4 5	46 5	0 8
55 0	13 4	49 7	17 8	690 4	-34 8	0 0	10297 7	4 5	46 5	0 8
56 0	13 7	50 4	18 1	711 3	-35 4	0 0	10793 1	4 6	46 5	0 8
57 0	13 8	51 1	18 4	729 6	-36 1	0 0	11220 2	4 7	46 6	0 8
58 0	14 0	51 7	18 6	750 1	-36 8	0 0	11720 8	4 7	46 6	0 8
59 0	14 2	52 4	18 9	770 1	-37 4	0 0	12212 2	4 8	46 6	0 8
60 0	14 4	53 0	19 1	789 2	-38 1	0 0	12682 8	4 9	46 7	0 8
61 0	14 6	53 7	19 4	810 6	-38 8	0 0	13228 9	4 9	46 7	0 8
62 0	14 8	54 4	19 6	830 6	-39 5	0 0	13740 0	5 0	46 7	0 8
63 0	15 0	55 0	19 9	851 6	-40 2	0 0	14292 2	5 1	46 8	0 8
64 0	15 2	55 6	20 1	871 4	-40 9	0 0	14811 5	5 1	46 8	0 8
65 0	15 4	56 3	20 4	891 9	-41 6	0 0	15339 8	5 2	46 8	0 8
66 0	15 6	56 9	20 6	914 0	-42 3	0 0	15969 2	5 3	47 8	0 8
67 0	15 8	57 5	20 9	934 1	-43 0	0 0	16518 6	5 3	46 9	0 8
68 0	15 9	58 2	21 1	954 9	-43 7	0 0	17100 3	5 4	46 9	0 8
69 0	16 1	58 8	21 4	977 3	-44 4	6 1	17743 0	5 5	46 9	0 8
70 0	16 3	59 4	21 6	998 4	-45 1	9 1	18392 0	5 5	46 9	0 8
71 0	16 5	60 0	21 8	1020 2	-45 8	11 3	18989 5	5 6	47 0	0 8
72 0	16 7	60 6	22 1	1040 1	-46 5	13 1	19569 4	5 6	47 0	0 8
73 0	16 9	61 2	22 3	1061 7	-47 2	14 7	20215 1	5 7	47 0	0 8
74 0	17 0	61 8	22 5	1083 5	-47 9	16 1	20879 0	5 8	47 1	0 8
75 0	17 2	62 4	22 8	1106 3	-48 6	17 4	21588 4	5 8	47 1	0 9
76 0	17 4	63 0	23 0	1128 5	-49 4	18 6	22282 2	5 9	47 1	0 9
77 0	17 6	63 5	23 3	1150 5	-50 1	19 8	22975 2	5 9	47 1	0 9
78 0	17 7	64 1	23 5	1172 1	-50 8	20 8	23666 4	6 0	47 2	0 9
79 0	17 9	64 7	23 7	1192 5	-51 6	21 8	24315 9	6 1	47 2	0 9
80 0	18 1	65 3	23 9	1215 1	-52 3	22 7	25057 1	6 1	47 2	0 9
81 0	18 3	65 8	24 2	1238 4	-53 0	23 6	25836 1	6 2	47 2	0 9
82 0	18 4	66 4	24 4	1259 2	-53 8	24 4	26526 1	6 2	47 3	0 9
83 0	18 6	66 9	24 6	1283 4	-54 5	25 3	27361 4	6 3	47 3	0 9
84 0	18 8	67 5	24 8	1305 2	-55 3	26 0	28104 5	6 3	47 3	0 9
85 0	18 9	68 0	25 0	1327 9	-56 0	26 8	28996 8	6 4	47 3	0 9
86 0	19 1	68 6	25 3	1350 5	-56 8	27 5	29691 4	6 5	47 3	0 9
87 0	19 2	69 1	25 5	1372 2	-57 5	28 2	30461 7	6 5	47 4	0 9
88 0	19 4	69 6	25 7	1395 0	-58 3	28 8	31282 9	6 6	47 4	0 9
89 0	19 6	70 2	25 9	1415 1	-59 1	29 4	32000 4	6 6	47 4	0 9
90 0	19 7	70 7	26 1	1439 1	-59 8	30 0	32889 8	6 7	47 4	0 9
91 0	19 9	71 2	26 3	1462 8	-60 6	30 6	33777 2	6 7	47 5	0 9
92 0	20 0	71 7	26 5	1483 5	-61 4	31 2	34547 9	6 8	47 5	0 9
93 0	20 2	72 2	26 7	1504 4	-62 1	31 7	35327 9	6 8	47 5	0 9
94 0	20 3	72 8	26 9	1528 3	-62 9	32 2	36255 1	6 9	47 5	0 9
95 0	20 5	73 3	27 1	1549 1	-63 7	32 7	37051 1	6 9	47 6	0 9
96 0	20 6	73 8	27 3	1573 1	-64 5	33 2	38001 4	7 0	47 6	0 9
97 0	20 8	74 3	27 5	1594 4	-65 3	33 6	38836 1	7 0	47 6	0 9
98 0	20 9	74 7	27 7	1617 3	-66 0	34 0	39757 3	7 1	47 6	0 9
99 0	21 1	75 2	27 9	1637 8	-66 8	34 4	40572 6	7 1	47 6	0 9

SMOKE III EGLIN AFB, FLA.

EVENT 15 TIME 2346Z DATE 081480

PEG 200 SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 15 TIME 2346Z DATE 081480

PEG 200 SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 15

2346 Z 08-14-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 50.0



HEIGHT(ABOVE DETONATION PT.) =	12.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	40.0M	LATERAL OFFSET =	9.M
VERTICAL EXTENT =	15.0M	AXES =	41., 12.M
AREA =	397.7SQM	INCLINATION =	-8.1 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 5.M OFFSET= 18.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 22.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 34.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 5.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 15

2346 Z 08-14-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 50.0



HEIGHT(ABOVE DETONATION PT.) =	11.0M	HEIGHT OF CENTROID=	5.M
WIDTH(MAX. HORIZONTAL EXTENT)=	38.0M	LATERAL OFFSET	= -21.M
VERTICAL EXTENT =	11.0M	AXES	= 39., 11 M
AREA =	253.1SQM	INCLINATION	= 3 6 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 5.M OFFSET= -29.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 32.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 30.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 1.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N M.

SMOKE III EGLIN AFB, FLA.

EVENT 16 TIME 1841Z DATE 081580

XM825 WP TWIN CHARGES SENSOR 0.5-0.7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	8.0	9.8	8.1	62.2	-0.1	0.0	1530.5	3.9	0.0	0.0
1.0	9.5	10.7	10.0	83.6	-1.8	0.0	2387.8	4.5	26.9	1.7
2.0	11.0	12.0	11.9	111.5	-3.5	0.0	3407.9	5.1	27.1	1.8
3.0	12.6	13.6	13.8	147.8	-5.3	0.0	4648.4	5.7	27.2	1.8
4.0	14.1	15.4	15.6	189.6	-7.1	0.0	6019.2	6.2	27.4	1.8
5.0	15.5	17.4	17.5	238.4	-8.9	0.0	7593.9	6.8	27.5	1.9
6.0	17.0	19.3	19.3	292.6	-10.8	0.0	9338.2	7.4	27.6	1.9
7.0	18.5	21.2	21.1	351.2	-12.7	0.0	11223.6	7.9	27.8	1.9
8.0	19.9	23.2	22.9	414.2	-14.6	0.0	13277.3	8.5	27.9	2.0
9.0	21.3	25.1	24.6	481.4	-16.6	0.0	15485.1	9.0	28.0	2.0
10.0	22.7	27.0	26.3	550.8	-18.6	0.0	17784.1	9.5	28.2	2.1
11.0	24.1	28.8	27.9	622.9	-20.6	0.0	20202.2	10.1	28.3	2.1
12.0	25.4	30.6	29.6	697.7	-22.7	0.0	22729.7	10.6	28.4	2.1
13.0	26.7	32.4	31.1	772.7	-24.8	0.0	25266.7	11.1	28.5	2.2
14.0	27.9	34.1	32.6	850.0	-26.9	0.0	27879.1	11.7	28.6	2.2
15.0	29.2	35.8	34.0	927.0	-29.1	10.1	30469.6	12.2	28.7	2.2
16.0	30.4	37.6	35.4	1005.2	-31.3	23.3	33067.8	12.7	28.8	2.3
17.0	31.6	39.3	36.7	1084.9	-33.5	29.6	35698.7	13.2	28.9	2.3
18.0	32.7	41.0	38.0	1162.6	-35.8	33.3	38166.3	13.7	29.0	2.3
19.0	33.8	42.8	39.3	1242.1	-38.1	35.5	40641.9	14.2	29.1	2.4
20.0	34.9	44.6	40.5	1319.8	-40.4	36.7	42939.0	14.7	29.2	2.4

SMOKE III EGLIN AFB, FLA.

EVENT 16 TIME 1841Z DATE 081580

XM825 WP TWIN CHARGES SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 16 TIME 1841Z DATE 081580

XM825 WP TWIN CHARGES SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 16

1841 Z [illegible] STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 14.0



HEIGHT(ABOVE DETONATION PT.) =	30.0M	HEIGHT OF CENTROID=	10.M
WIDTH(MAX. HORIZONTAL EXTENT)=	82.0M	LATERAL OFFSET =	0.M
VERTICAL EXTENT =	30.0M	AXES =	70., 30.M
AREA =	895.6SQM	INCLINATION =	-0.7 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 10.M OFFSET= -15.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 61.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 61.M
SHEAR(HOR DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M

SMOKE III EVENT # 16

1841 Z 09-15-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 14.0



HEIGHT(ABOVE DETONATION PT.) =	34.0M	HEIGHT OF CENTROID=	13.M
WIDTH(MAX. HORIZONTAL EXTENT)=	48.0M	LATERAL OFFSET =	-23.M
VERTICAL EXTENT =	36.0M	AXES =	50., 29.M
AREA =	660.1SQM	INCLINATION =	34.0 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 19.M OFFSET= -32.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 38.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 18.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= -4.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA.

EVENT 17 TIME 2010Z DATE 081580

HC 6 RNDS - 24 CANISTERS SENSOR 0.5-0.7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECT			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	3.3	47.9	3.7	130.8	-1.1	0.0	672.7	1.4	0.0	0.0
1.0	4.0	33.1	4.5	101.0	-0.8	0.0	870.9	1.8	263.5	0.7
2.0	4.7	28.5	5.2	103.1	-0.6	0.0	1213.3	2.1	266.4	0.7
3.0	4.7	23.7	4.4	69.2	-0.4	0.0	814.1	2.5	269.7	0.6
4.0	6.0	19.4	6.3	91.0	-0.3	0.0	2007.2	2.8	273.2	0.6
5.0	6.6	15.0	7.0	79.5	-0.2	0.0	2477.0	3.2	277.1	0.6
6.0	7.3	11.7	7.6	68.5	-0.2	0.0	2984.1	3.5	281.2	0.6
7.0	8.0	9.7	8.3	62.3	-0.2	0.0	3565.5	3.8	285.6	0.6
8.0	8.6	9.0	8.9	63.1	-0.2	0.0	4166.4	4.2	290.3	0.5
9.0	9.3	9.5	9.5	71.4	-0.3	0.0	4828.0	4.5	295.3	0.5
10.0	9.9	10.5	10.2	84.4	-0.5	0.0	5545.8	4.8	300.3	0.5
11.0	10.6	11.6	10.9	99.2	-0.6	0.0	6317.7	5.1	305.5	0.5
12.0	11.3	12.6	11.6	114.3	-0.9	0.0	7167.4	5.5	310.7	0.5
13.0	11.9	13.3	12.2	128.0	-1.1	0.0	8064.4	5.8	315.8	0.5
14.0	12.5	13.8	12.9	139.3	-1.5	0.0	8963.3	6.1	320.7	0.5
15.0	13.2	14.1	13.5	150.1	-1.8	0.0	9974.9	6.4	325.4	0.6
16.0	13.8	14.4	14.1	160.1	-2.2	0.0	11008.6	6.7	329.9	0.6
17.0	14.4	14.8	14.8	172.4	-2.7	0.0	12176.1	7.0	334.0	0.6
18.0	15.0	15.5	15.4	187.5	-3.2	0.0	13308.6	7.3	337.9	0.6

SMOKE III EGLIN AFB, FLA.

EVENT 17 TIME 2010Z DATE 081580

HC 6 RNDS - 24 CANISTERS SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.
EVENT 17 TIME 2010Z DATE 081580
HC 6 RNDS - 24 CANISTERS SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.
++++++WIDTH
. . . . . TRANSPORT
******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 17

2010 Z 08-15-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 18.0



HEIGHT(ABOVE DETONATION PT.) =	19.0M	HEIGHT OF CENTROID=	9.M
WIDTH(MAX. HORIZONTAL EXTENT)=	104.0M	LATERAL OFFSET	= -9.M
VERTICAL EXTENT	= 19.0M	AXES	=102., 17.M
AREA	= 1105.7SQM	INCLINATION	= -0.5 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 9.M OFFSET= -31.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 96.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE=102.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
# = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 17

2010 Z 08-15-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 18.0



HEIGHT(ABOVE DETONATION PT.) =	12.0M	HEIGHT OF CENTROID=	6.M
WIDTH(MAX. HORIZONTAL EXTENT)=	44.0M	LATERAL OFFSET =	-6.M
VERTICAL EXTENT =	12.0M	AXES =	50., 12.M
AREA =	445.1SQM	INCLINATION =	1.3 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 6.M OFFSET= -17.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 42.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 42.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA.

E ENT 19 TIME 2145Z DATE 081580

XM49 FOG OIL SENSOR 0.5-0.7

TIME(SEC)	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS) HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	DIMENSIONS INDEPENDENT OF PERSPECTIVE VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
26.0	7.0	28.0	9.0	195.1	-12.7	0.0	1330.2	2.5	0.0	0.0
27.0	7.2	28.7	9.2	205.3	-13.4	0.0	1436.4	2.6	18.0	0.7
28.0	7.4	29.4	9.4	215.9	-14.2	0.0	1549.0	2.7	17.9	0.8
29.0	7.6	30.2	9.6	226.4	-15.0	0.0	1664.6	2.8	17.8	0.8
30.0	7.8	30.8	9.9	237.1	-15.8	0.0	1786.7	2.8	17.7	0.8
31.0	8.0	31.5	10.1	248.5	-16.6	0.0	1921.5	2.9	17.6	0.8
32.0	8.2	32.2	10.4	260.1	-17.5	0.0	2062.4	3.0	17.5	0.9
33.0	8.4	32.8	10.6	271.5	-18.4	0.0	2206.2	3.1	17.4	0.9
34.0	8.6	33.5	10.9	284.2	-19.3	0.0	2374.5	3.2	17.4	0.9
35.0	8.8	34.1	11.1	296.3	-20.3	0.0	2537.1	3.3	17.3	1.0
36.0	9.0	34.7	11.3	308.1	-21.2	0.0	2698.5	3.3	17.3	1.0
37.0	9.2	35.3	11.6	321.2	-22.3	0.0	2889.2	3.4	17.2	1.0
38.0	9.5	35.9	11.9	334.1	-23.3	0.0	3076.8	3.5	17.1	1.0
39.0	9.7	36.5	12.1	347.2	-24.3	0.0	3278.6	3.6	17.1	1.1
40.0	9.9	37.1	12.4	360.4	-25.4	0.0	3484.5	3.7	17.0	1.1
41.0	10.1	37.6	12.7	373.6	-26.5	0.0	3698.8	3.8	17.0	1.1
42.0	10.4	38.2	12.9	387.3	-27.7	0.0	3927.5	3.9	17.0	1.1
43.0	10.6	38.7	13.2	401.4	-28.8	0.0	4174.8	4.0	16.9	1.2
44.0	10.8	39.2	13.5	415.3	-30.0	0.0	4419.7	4.1	16.9	1.2
45.0	11.1	39.7	13.8	430.4	-31.3	1.0	4699.0	4.2	16.8	1.2
46.0	11.3	40.2	14.1	444.5	-32.5	6.2	4966.7	4.3	16.8	1.2
47.0	11.6	40.7	14.4	458.9	-33.8	8.7	5246.2	4.4	16.8	1.3
48.0	11.8	41.1	14.7	473.7	-35.1	10.6	5543.9	4.5	16.7	1.3
49.0	12.1	41.6	15.0	488.8	-36.4	12.3	5858.1	4.6	16.7	1.3
50.0	12.3	42.0	15.3	504.6	-37.8	13.7	6197.3	4.7	16.7	1.4
51.0	12.6	42.4	15.6	520.1	-39.1	14.9	6543.9	4.8	16.6	1.4
52.0	12.9	42.8	15.9	535.5	-40.5	16.1	6894.6	4.9	16.6	1.4
53.0	13.2	43.2	16.2	551.7	-42.0	17.1	7274.2	5.0	16.6	1.4
54.0	13.4	43.6	16.5	566.8	-43.4	17.9	7638.9	5.1	16.6	1.5
55.0	13.7	44.0	16.9	583.0	-44.9	18.7	8042.1	5.3	16.5	1.5
56.0	14.0	44.3	17.2	599.0	-46.4	19.4	8454.2	5.4	16.5	1.5
57.0	14.3	44.7	17.5	615.2	-48.0	20.0	8884.8	5.5	16.5	1.5
58.0	14.6	45.0	17.9	631.6	-49.6	20.5	9335.7	5.6	16.5	1.6
59.0	14.9	45.3	18.3	648.9	-51.2	20.9	9826.8	5.7	16.4	1.6
60.0	15.1	45.6	18.6	664.9	-52.8	21.0	10289.6	5.8	16.4	1.6
61.0	15.4	45.9	19.0	682.2	-54.4	21.1	10812.5	6.0	16.4	1.7
62.0	15.7	46.2	19.3	699.3	-56.1	21.0	11336.9	6.1	16.4	1.7
63.0	16.0	46.5	19.7	715.6	-57.8	20.7	11862.7	6.2	16.4	1.7
64.0	16.4	46.8	20.0	732.8	-59.5	20.1	12427.8	6.3	16.3	1.7
65.0	16.7	47.0	20.4	750.0	-61.3	19.2	13013.8	6.5	16.3	1.8
66.0	17.0	47.2	20.8	767.3	-63.1	18.0	13623.2	6.6	16.3	1.8
67.0	17.3	47.5	21.2	785.3	-64.9	16.2	14270.9	6.7	16.3	1.8
68.0	17.6	47.6	21.6	802.3	-66.7	13.5	14913.3	6.9	16.3	1.8
69.0	18.0	47.9	22.0	820.2	-68.6	9.2	15596.8	7.0	16.3	1.9
70.0	18.3	48.1	22.4	837.9	-70.5	0.0	16303.2	7.1	16.2	1.9
71.0	18.6	48.2	22.8	855.6	-72.4	0.0	17028.8	7.3	16.2	1.9
72.0	19.0	48.4	23.1	872.6	-74.4	0.0	17756.1	7.4	16.2	1.9
73.0	19.3	48.5	23.6	891.1	-76.3	0.0	18559.4	7.5	16.2	2.0
74.0	19.7	48.7	24.0	908.9	-78.3	0.0	19365.1	7.7	16.2	2.0

SMOKE III EGLIN AFB, FLA.

EVENT 19. TIME 2145Z DATE 081580

XM49 FOG OIL SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 19 TIME 2145Z DATE 081580

XM49 FOG OIL SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 19

2145 Z 08-15-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 40.0



HEIGHT(ABOVE DETONATION PT.) =	11.0M	HEIGHT OF CENTROID=	3.M
WIDTH(MAX. HORIZONTAL EXTENT)=	31.0M	LATERAL OFFSET =	-7.M
VERTICAL EXTENT =	14.0M	AXES =	29., 13 M
AREA =	176.8SQM	INCLINATION =	5.3 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= -13.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 8.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 27.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= -5 M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 19A

2145 Z 08-15-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 40.0



HEIGHT(ABOVE DETONATION PT.) =	10.0M	HEIGHT OF CENTROID=	2.M
WIDTH(MAX. HORIZONTAL EXTENT)=	41.0M	LATERAL OFFSET	= -17.M
VERTICAL EXTENT =	12.0M	AXES	= 41., 12.M
AREA =	146.3SQM	INCLINATION	= 2.6 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 3.M OFFSET= -26.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 34.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 41.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= -1.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA.

EVENT 20 TIME 2242Z DATE 081580

XM49 IR#2 SENSOR 0.5-0.7

TIME(SEC)	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS) HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	DIMENSIONS INDEPENDENT OF PERSPECTIVE VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	3.7	1.8	2.0	2.7	-6.1	0.0	3.2	2.7	0.0	0.0
1.0	4.0	3.3	2.5	6.6	-6.0	0.0	11.8	2.7	230.4	0.1
2.0	4.5	5.6	3.4	15.1	-5.9	0.0	40.6	2.7	239.2	0.1
3.0	4.9	7.8	4.2	25.6	-5.8	0.0	88.2	2.8	246.3	0.2
4.0	5.2	9.9	4.9	38.0	-5.7	2.9	155.8	2.8	251.9	0.2
5.0	5.5	12.0	5.5	51.4	-5.6	4.6	240.2	2.8	256.4	0.2
6.0	5.1	7.7	4.6	27.5	-5.5	0.0	139.5	2.8	260.1	0.2
7.0	5.3	8.5	4.9	32.4	-5.4	0.0	182.7	2.8	263.0	0.3
8.0	5.4	9.3	5.1	37.3	-5.3	0.0	228.5	2.9	265.5	0.3
9.0	5.6	10.1	5.4	43.0	-5.3	2.2	283.1	2.9	267.6	0.3
10.0	5.7	11.0	5.7	48.8	-5.2	4.0	339.5	2.9	269.3	0.3
11.0	5.9	11.9	5.9	55.4	-5.1	5.3	403.9	2.9	270.9	0.4
12.0	6.0	12.7	6.2	61.8	-5.0	6.2	467.2	2.9	272.2	0.4
13.0	6.2	13.7	6.5	69.2	-4.9	7.0	540.6	3.0	273.3	0.4
14.0	6.3	14.6	6.7	76.7	-4.8	7.7	614.9	3.0	274.3	0.4
15.0	6.5	15.6	7.0	84.7	-4.8	8.2	692.9	3.0	275.2	0.5
16.0	6.6	16.6	7.2	93.0	-4.7	8.7	771.6	3.0	276.0	0.5
17.0	6.8	17.5	7.4	101.5	-4.6	9.1	851.4	3.0	276.8	0.5
18.0	6.9	18.6	7.7	110.8	-4.5	9.4	937.1	3.1	277.4	0.5
19.0	7.1	19.6	7.9	120.6	-4.5	9.7	1027.3	3.1	278.0	0.6
20.0	7.2	20.7	8.1	130.3	-4.4	9.8	1110.1	3.1	278.5	0.6
21.0	7.3	21.8	8.4	140.8	-4.3	10.0	1199.1	3.1	279.0	0.6
22.0	7.4	22.9	8.6	151.4	-4.3	10.1	1286.5	3.1	279.5	0.6
23.0	7.6	24.1	8.8	162.6	-4.2	10.2	1376.4	3.2	279.9	0.7
24.0	7.7	25.3	9.0	174.0	-4.2	10.3	1465.6	3.2	280.3	0.7
25.0	7.8	26.5	9.2	185.6	-4.1	10.3	1550.1	3.2	280.6	0.7
26.0	7.9	27.7	9.5	198.0	-4.1	10.3	1642.8	3.2	281.0	0.7
27.0	8.1	28.9	9.7	210.5	-4.0	10.3	1731.3	3.2	281.3	0.8
28.0	8.2	30.2	9.9	223.5	-4.0	10.3	1821.2	3.2	281.6	0.8
29.0	8.3	31.5	10.1	236.6	-3.9	10.3	1908.3	3.3	281.8	0.8
30.0	8.4	32.8	10.2	249.3	-3.9	10.2	1983.4	3.3	282.1	0.8
31.0	8.5	34.1	10.4	263.7	-3.8	10.2	2082.1	3.3	282.3	0.9
32.0	8.6	35.5	10.6	276.9	-3.8	10.1	2157.1	3.3	282.5	0.9
33.0	8.7	36.9	10.8	291.6	-3.8	10.1	2251.4	3.3	282.8	0.9
34.0	8.8	38.3	10.9	305.6	-3.7	10.0	2331.3	3.3	283.0	1.0
35.0	8.9	39.7	11.0	319.6	-3.7	9.9	2410.4	3.4	283.1	1.0
36.0	9.0	41.2	11.2	334.3	-3.7	9.9	2498.6	3.4	283.3	1.0
37.0	9.0	42.7	11.3	348.9	-3.6	9.8	2583.9	3.4	283.5	1.0
38.0	9.1	44.2	11.4	362.8	-3.6	9.8	2657.8	3.4	283.7	1.1
39.0	9.2	45.7	11.5	378.7	-3.6	9.8	2765.2	3.4	283.8	1.1
40.0	9.2	47.3	11.5	392.9	-3.6	9.7	2843.7	3.4	284.0	1.1

SMOKE III EGLIN AFB, FLA.

EVENT 20 TIME 2242Z DATE 081580

XM49 IR#2 SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 20 TIME 2242Z DATE 081580

XM49 IR#2 SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 20

2242 Z 08-15-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 22.0



HEIGHT(ABOVE DETONATION PT.) =	8.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	41.0M	LATERAL OFFSET =	-4.M
VERTICAL EXTENT =	10.0M	AXES =	46., 7.M
AREA =	240.5SQM	INCLINATION =	4.5 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= -14.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 0.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 40.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 20

2242 Z 08-15-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 22.0



HEIGHT(ABOVE DETONATION PT.) =	7.0M	HEIGHT OF CENTROID=	2.M
WIDTH(MAX. HORIZONTAL EXTENT)=	31.0M	LATERAL OFFSET	= -16.M
VERTICAL EXTENT =	9.0M	AXES	= 33., 8.M
AREA =	152.0SQM	INCLINATION	= 5.6 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 3.M OFFSET= -23.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 7.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 31.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA.

EVENT 22 TIME 1850Z DATE 081680

HC 1ROUND(4CANNISTERS) SENSOR 0.5-0.7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	2.6	7.5	3.6	20.7	0.2	0.0	66.6	0.8	0.0	0.0
1.0	3.1	8.4	4.2	27.4	-0.7	0.0	100.5	1.0	54.5	1.2
2.0	3.7	9.4	4.8	34.7	-1.7	0.0	141.3	1.3	56.0	1.2
3.0	4.2	10.5	5.3	43.5	-2.6	0.0	197.3	1.5	57.3	1.3
4.0	4.7	11.6	5.9	53.5	-3.6	0.0	266.6	1.7	58.5	1.4
5.0	5.2	12.9	6.4	64.8	-4.6	0.0	353.2	1.9	59.7	1.4
6.0	5.6	14.3	7.0	77.3	-5.6	0.0	456.6	2.1	60.7	1.5
7.0	6.1	15.7	7.5	92.2	-6.7	0.0	593.0	2.3	61.6	1.5
8.0	6.5	17.2	8.1	108.2	-7.8	0.0	750.9	2.5	62.5	1.6
9.0	7.0	18.8	8.6	126.0	-8.9	0.0	939.4	2.7	63.3	1.7
10.0	7.4	20.4	9.1	145.3	-10.0	0.0	1161.3	2.8	64.0	1.7
11.0	7.8	22.3	9.6	166.7	-11.2	0.0	1419.1	3.0	64.7	1.8
12.0	8.1	24.1	10.1	189.0	-12.4	0.0	1704.0	3.1	65.3	1.9
13.0	8.5	26.1	10.6	213.8	-13.6	0.0	2039.7	3.2	65.9	1.9
14.0	8.8	28.1	11.0	239.0	-14.9	0.0	2395.3	3.3	66.5	2.0
15.0	9.1	30.3	11.4	267.2	-16.2	0.0	2815.2	3.4	67.0	2.1
16.0	9.4	32.5	11.8	296.4	-17.5	0.0	3264.5	3.5	67.5	2.1
17.0	9.7	34.8	12.2	327.1	-18.8	0.0	3752.9	3.6	67.9	2.2
18.0	9.9	37.2	12.5	358.7	-20.1	0.0	4270.6	3.6	68.3	2.3
19.0	10.1	39.7	12.8	391.0	-21.5	0.0	4809.2	3.7	68.7	2.3
20.0	10.3	42.3	13.1	425.7	-22.9	0.0	5407.0	3.7	69.1	2.4
21.0	10.4	45.0	13.3	461.5	-24.4	0.0	6033.3	3.8	69.5	2.5
22.0	10.6	47.8	13.6	498.8	-25.8	0.0	6702.9	3.8	69.8	2.5

AD-A111 759 ARMY ELECTRONICS RESEARCH AND DEVELOPMENT COMMAND WS--ETC F/G 20/6
CLOUD GEOMETRY ANALYSIS OF THE SMOKE WEEK III OBSCURATION TRIAL--ETC(U)
JAN 82 G R BLACKMAN

UNCLASSIFIED ERADCOM/ASL-TR-0103 NL




1.0
1.1
1.25
1.4
1.6
2.0
1.8
2.2
2.5

SMOKE III EGLIN AFB, FLA.

EVENT 22 TIME 1850Z DATE 081680

HC 1ROUND(4CANNISTERS) SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 22 TIME 1850Z DATE 081680

HC 1ROUND(4CANNISTERS) SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

.....TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 22

1850 Z 08-16-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 22.0



HEIGHT(ABOVE DETONATION PT.) =	9.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	55.0M	LATERAL OFFSET =	22.M
VERTICAL EXTENT =	9.0M	AXES =	58., 9.M
AREA =	401.9SQM	INCLINATION =	-3.1 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= 35.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 3.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING E[illegible] 48.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS 4.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 22

1850 Z 08-16-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 22.0



HEIGHT(ABOVE DETONATION PT.) =	10.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	26.0M	LATERAL OFFSET =	-11.M
VERTICAL EXTENT =	11.0M	AXES =	28., 11.M
AREA =	156.6SQM	INCLINATION =	7.7 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 5.M OFFSET= -17.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 22.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 22.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
# = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA.

EVENT 23 TIME 2007Z DATE 081680

M8 GRENADES MODIFIED RP FILLED SENSOR 0.5-0.7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	2.5	3.0	3.1	7.2	0.9	0.0	66.1	1.0	0.0	0.0
1.0	2.8	3.7	3.3	9.7	0.3	0.0	87.2	1.1	328.9	0.9
2.0	3.1	4.8	3.6	13.3	-0.4	0.0	111.3	1.3	332.4	1.0
3.0	3.4	6.0	3.8	17.8	-1.2	0.0	139.4	1.5	335.7	1.0
4.0	3.7	7.4	4.1	23.1	-2.0	0.0	173.1	1.6	338.9	1.0
5.0	4.0	8.8	4.4	29.2	-2.9	0.0	210.8	1.8	341.9	1.0
6.0	4.2	10.3	4.6	35.7	-3.8	0.0	252.1	1.9	344.7	1.1
7.0	4.5	11.8	4.8	43.3	-4.8	0.0	303.0	2.1	347.4	1.1
8.0	4.8	13.3	5.1	51.3	-5.8	0.0	357.6	2.2	349.9	1.1
9.0	5.1	14.9	5.3	59.8	-6.9	0.0	417.4	2.4	352.2	1.2
10.0	5.3	16.5	5.6	69.2	-8.1	0.0	485.5	2.5	354.4	1.2
11.0	5.6	18.1	5.8	79.5	-9.3	0.0	562.8	2.7	356.5	1.3
12.0	5.9	19.7	6.1	90.2	-10.5	0.0	645.0	2.8	358.4	1.3
13.0	6.1	21.3	6.3	101.5	-11.8	0.0	733.2	3.0	0.2	1.3
14.0	6.4	23.0	6.6	114.2	-13.2	0.0	837.5	3.1	1.9	1.4
15.0	6.6	24.6	6.8	127.5	-14.6	0.0	942.6	3.3	3.4	1.4
16.0	6.9	26.3	7.0	141.8	-16.0	0.0	1065.4	3.4	4.9	1.5
17.0	7.2	28.0	7.3	156.5	-17.6	0.0	1193.9	3.5	6.3	1.5
18.0	7.4	29.7	7.6	172.1	-19.1	0.0	1333.9	3.6	7.6	1.6
19.0	7.7	31.4	7.8	188.5	-20.8	0.0	1484.3	3.8	8.8	1.6
20.0	7.9	33.2	8.1	205.5	-22.4	0.0	1642.2	3.9	10.0	1.7
21.0	8.2	34.9	8.3	223.9	-24.2	0.0	1821.8	4.0	11.0	1.7
22.0	8.4	36.7	8.6	243.3	-26.0	3.2	2014.9	4.1	12.0	1.8
23.0	8.7	38.5	8.9	263.5	-27.8	6.6	2218.9	4.3	13.0	1.8
24.0	8.9	40.3	9.1	284.4	-29.7	8.4	2434.2	4.4	13.9	1.9
25.0	9.2	42.1	9.4	306.0	-31.7	9.6	2660.7	4.5	14.8	1.9
26.0	9.4	44.0	9.6	328.6	-33.7	10.5	2901.1	4.6	15.6	2.0
27.0	9.6	45.8	9.9	352.4	-35.7	11.2	3161.4	4.7	16.3	2.1
28.0	9.9	47.7	10.2	377.2	-37.8	11.6	3439.1	4.8	17.1	2.1
29.0	10.1	49.6	10.4	402.7	-40.0	11.9	3726.4	4.9	17.8	2.2
30.0	10.3	51.5	10.7	429.6	-42.2	12.1	4038.9	5.0	18.4	2.2
31.0	10.6	53.4	11.0	457.7	-44.5	12.2	4375.0	5.1	19.0	2.3
32.0	10.8	55.3	11.3	486.8	-46.8	12.1	4726.8	5.2	19.6	2.3
33.0	11.1	57.3	11.6	517.7	-49.2	11.9	5110.3	5.3	20.2	2.4
34.0	11.3	59.2	11.8	548.7	-51.6	11.6	5497.0	5.4	20.7	2.4
35.0	11.5	61.2	12.1	581.4	-54.1	11.2	5917.4	5.5	21.2	2.5
36.0	11.7	63.2	12.4	614.2	-56.7	10.6	6339.2	5.6	21.7	2.6
37.0	12.0	65.2	12.7	649.0	-59.3	9.9	6801.9	5.6	22.2	2.6
38.0	12.2	67.2	13.0	685.0	-61.9	9.0	7287.1	5.7	22.7	2.7
39.0	12.4	69.2	13.3	721.8	-64.6	7.8	7788.4	5.8	23.1	2.7
40.0	12.7	71.3	13.6	760.9	-67.4	6.1	8337.9	5.9	23.5	2.8

SMOKE III EGLIN AFB, FLA.

EVENT 23 TIME 2007Z DATE 081680

M8 GRENADES MODIFIED RP FILLED SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 23 TIME 2007Z DATE 081680

MB GRENADES MODIFIED RP FILLED SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 23

2007 Z 08-16-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 22.0



HEIGHT(ABOVE DETONATION PT.) =	9.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	48.0M	LATERAL OFFSET	= -14.M
VERTICAL EXTENT =	9.0M	AXES	= 47., 8.M
AREA =	328.4SQM	INCLINATION	= 4.1 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= -23.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 1.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 38.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)=-19.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 23

2007 Z 08-16-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 22.0



HEIGHT(ABOVE DETONATION PT.) =	9.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	51.0M	LATERAL OFFSET	= -20.M
VERTICAL EXTENT =	7.0M	AXES	= 50., 6.M
AREA =	312.78QM	INCLINATION	= 0.5 DEQ

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= -31.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 45.M
HOR. EXTENT OF LINE CONTAININQ PT. OF MAX. OFFSET OF LEADINQ EDQE= 49.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= -1.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANQE, N.M.

SMOKE III EGLIN AFB, FLA

EVENT 24 TIME 2036Z DATE 061680

5 IN ZUNI(WP) 3 EA SENSOR 0 5-0 7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	17.4	20.3	17.2	273.9	0.5	0.0	12338.4	8.8	0.0	0.0
1.0	19.6	20.5	20.0	322.0	-1.8	0.0	16500.8	9.6	32.3	2.4
2.0	21.6	22.6	22.6	401.6	-4.1	0.0	21079.3	10.2	32.1	2.4
3.0	23.4	25.4	25.0	498.3	-6.4	0.0	25807.2	10.9	32.0	2.4
4.0	25.0	28.2	27.2	602.3	-8.6	0.0	30711.7	11.4	31.9	2.4
5.0	26.4	30.8	29.1	702.7	-10.9	0.0	35535.5	11.8	31.8	2.3
6.0	27.6	32.9	30.8	794.0	-13.1	0.0	40205.0	12.2	31.7	2.3
7.0	28.6	34.5	32.2	872.8	-15.3	0.0	44641.8	12.5	31.6	2.3
8.0	29.4	35.6	33.3	931.1	-17.5	0.0	48415.0	12.8	31.4	2.3
9.0	30.0	36.2	34.2	972.8	-19.7	0.0	51763.4	12.9	31.3	2.3
10.0	30.4	36.4	34.8	996.3	-21.9	0.0	54480.4	13.0	31.2	2.3
11.0	30.6	36.2	35.2	998.0	-24.1	0.0	56284.5	13.0	31.1	2.3

SMOKE III EGLIN AFB, FLA.

EVENT 24 TIME 2036Z DATE 081680

5 IN. ZUNI(WP) 3 EA. SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 24 TIME 2036Z DATE 081680

5 IN. ZUNI(WP) 3 EA. SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.
++++++WIDTH
. . . . . TRANSPORT
******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 24

2036 Z 08-16-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 0.5



HEIGHT(ABOVE DETONATION PT.) =	22.0M	HEIGHT OF CENTROID=	11.M
WIDTH(MAX. HORIZONTAL EXTENT)=	63.0M	LATERAL OFFSET =	-1.M
VERTICAL EXTENT =	22.0M	AXES =	67., 21.M
AREA =	747.9SQM	INCLINATION =	0.0 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 11.M OFFSET= -15.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 59.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 59.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 24

2036 Z 08-16-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 0.5



HEIGHT(ABOVE DETONATION PT.) =	22.0M	HEIGHT OF CENTROID=	10.M
WIDTH(MAX. HORIZONTAL EXTENT)=	29.0M	LATERAL OFFSET =	-1.M
VERTICAL EXTENT =	23.0M	AXES =	30., 23.M
AREA =	143.5SQM	INCLINATION =	5.0 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 10.M OFFSET= -7.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 28.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 25.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
# = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA.

EVENT 25 TIME 2146Z DATE 081680

XM825 - 2 ROUNDS SENSOR 0.5-0.7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	25.2	31.3	28.4	690.8	-1.6	0.0	28287.6	11.0	0.0	0.0
1.0	26.5	32.3	30.3	761.5	-2.9	0.0	33043.8	11.4	23.0	1.3
2.0	27.8	33.4	32.0	835.3	-4.2	0.0	38164.6	11.7	23.6	1.3
3.0	29.0	34.5	33.7	909.4	-5.5	0.0	43475.3	12.1	24.1	1.3
4.0	30.1	35.6	35.3	983.4	-6.8	0.0	48964.7	12.5	24.7	1.3
5.0	31.2	36.8	36.8	1060.6	-8.1	0.0	54770.3	12.8	25.2	1.4
6.0	32.3	37.9	38.3	1138.1	-9.5	0.0	60754.0	13.2	25.7	1.4
7.0	33.3	39.1	39.6	1216.2	-10.9	0.0	66937.0	13.5	26.2	1.4
8.0	34.3	40.2	41.0	1294.9	-12.3	0.0	73288.3	13.8	26.7	1.4
9.0	35.3	41.4	42.3	1374.9	-13.7	0.0	79863.0	14.2	27.1	1.5
10.0	36.2	42.5	43.4	1451.1	-15.2	0.0	86326.4	14.5	27.6	1.5
11.0	37.1	43.6	44.6	1528.0	-16.6	0.0	93004.2	14.8	28.0	1.5
12.0	37.9	44.7	45.7	1604.0	-18.1	0.0	99757.1	15.1	28.4	1.5
13.0	38.7	45.7	46.7	1677.0	-19.7	0.0	106446.8	15.4	28.8	1.6
14.0	39.5	46.7	47.7	1746.7	-21.2	0.0	113004.9	15.7	29.2	1.6
15.0	40.2	47.6	48.6	1816.0	-22.8	0.0	119706.1	15.9	29.6	1.6
16.0	40.9	48.4	49.4	1881.5	-24.4	0.0	126280.0	16.2	29.9	1.6
17.0	41.6	49.2	50.2	1941.5	-26.0	0.0	132563.2	16.5	30.3	1.7
18.0	42.2	50.0	51.0	2002.3	-27.6	0.0	139005.4	16.7	30.6	1.7
19.0	42.8	50.6	51.6	2055.0	-29.3	0.0	144988.0	16.9	31.0	1.7
20.0	43.3	51.3	52.3	2108.0	-30.9	0.0	151127.2	17.2	31.3	1.7
21.0	45.9	96.3	56.9	4264.0	-32.6	41.8	225931.5	17.4	31.6	1.8
22.0	46.4	97.6	57.5	4365.3	-34.3	46.0	233900.4	17.6	31.9	1.8
23.0	46.9	98.7	58.1	4457.5	-36.1	49.6	241273.4	17.8	32.2	1.8
24.0	47.3	99.8	58.5	4538.1	-37.8	52.6	247818.1	18.1	32.5	1.8
25.0	47.7	100.8	59.0	4615.8	-39.6	55.4	254312.2	18.2	32.7	1.9
26.0	48.1	101.6	59.3	4678.0	-41.4	57.7	259594.0	18.4	33.0	1.9
27.0	48.4	102.4	59.7	4737.1	-43.3	59.9	264812.0	18.6	33.3	1.9
28.0	48.7	103.1	59.9	4778.9	-45.1	61.6	268634.0	18.8	33.5	2.0
29.0	49.0	103.6	60.1	4815.8	-47.0	63.2	272222.6	19.0	33.8	2.0
30.0	49.2	104.0	60.1	4835.4	-48.9	64.5	274394.7	19.1	34.0	2.0
31.0	49.4	104.3	60.2	4849.9	-50.8	65.7	276333.2	19.3	34.3	2.0
32.0	49.5	104.5	60.2	4849.7	-52.8	66.6	277103.7	19.4	34.5	2.1
33.0	49.6	104.6	60.2	4838.4	-54.7	67.3	277077.7	19.5	34.7	2.1
34.0	49.7	104.5	60.0	4815.1	-56.7	67.9	276173.3	19.7	34.9	2.1
35.0	49.7	104.3	59.9	4784.9	-58.7	68.4	274886.8	19.8	35.2	2.1
36.0	49.7	103.9	59.7	4737.3	-60.7	68.6	272222.1	19.9	35.4	2.2

SMOKE III EGLIN AFB, FLA.

EVENT 25 TIME 2146Z DATE 081680

XM825 - 2 ROUNDS SENSOR 0.5-0.7



III

SMOKE III EGLIN AFB, FLA.

EVENT 25 TIME 2146Z DATE 081680

XM825 - 2 ROUNDS SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 25

2146 Z 08-16-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 6.0



HEIGHT(ABOVE DETONATION PT.) =	51.0M	HEIGHT OF CENTROID=	16.M
WIDTH(MAX. HORIZONTAL EXTENT)=	84.0M	LATERAL OFFSET =	8.M
VERTICAL EXTENT =	52.0M	AXES =	74., 54.M
AREA =	1314.7SQM	INCLINATION =	5.5 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 14.M OFFSET= 24.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 58.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 50.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= -6.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 25

2146 Z 08-16-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 6.0



HEIGHT(ABOVE DETONATION PT.) =	46.0M	HEIGHT OF CENTROID=	18.M
WIDTH(MAX. HORIZONTAL EXTENT)=	40.0M	LATERAL OFFSET =	-8.M
VERTICAL EXTENT =	47.0M	AXES =	44., 39.M
AREA =	731.7SQM	INCLINATION =	85.3 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 27.M OFFSET= -9.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 37.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 17.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 11.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA

EVENT 26 TIME 2247Z DATE 081680

XM49 IR#2 SENSOR 0 5-0 7

TIME(SEC)	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS) HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	DIMENSIONS INDEPENDENT OF PERSPECTIVE VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	4.3	4.1	3.1	9.8	4.2	0.0	29.2	2.7	0.0	0.0
1.0	4.5	4.4	3.3	11.5	3.0	0.0	38.5	2.8	47.3	1.4
2.0	4.9	5.6	4.0	17.4	1.8	0.0	64.2	2.9	47.3	1.4
3.0	5.4	6.8	4.7	24.9	0.6	0.0	103.0	3.0	47.4	1.4
4.0	5.8	8.0	5.3	33.3	-0.6	0.0	151.9	3.1	47.4	1.4
5.0	6.2	9.3	5.9	42.8	-1.8	0.0	213.2	3.2	47.5	1.4
6.0	6.5	10.6	6.4	53.3	-2.9	0.0	286.5	3.3	47.5	1.4
7.0	6.9	11.9	7.0	65.1	-4.1	0.0	377.1	3.4	47.6	1.4
8.0	7.2	13.2	7.4	77.2	-5.3	0.0	474.2	3.5	47.6	1.4
9.0	7.6	14.6	8.0	90.8	-6.5	0.0	592.4	3.6	47.7	1.4
10.0	7.9	15.9	8.4	104.4	-7.6	0.0	714.3	3.7	47.7	1.4
11.0	8.2	17.2	8.8	119.2	-8.8	0.0	855.3	3.8	47.8	1.4
12.0	8.5	18.6	9.3	134.7	-9.9	0.0	1011.1	3.9	47.8	1.4
13.0	8.8	19.9	9.7	151.5	-11.1	0.0	1188.8	3.9	47.8	1.4
14.0	9.1	21.3	10.1	167.9	-12.2	0.0	1364.7	4.0	47.9	1.4
15.0	9.3	22.6	10.5	185.7	-13.4	0.0	1566.0	4.1	47.9	1.4
16.0	9.6	24.0	10.9	204.6	-14.5	0.0	1789.8	4.2	48.0	1.3
17.0	9.9	25.3	11.2	222.9	-15.6	0.0	2008.4	4.2	48.0	1.3
18.0	10.1	26.7	11.6	243.1	-16.7	0.0	2264.5	4.3	48.1	1.3
19.0	10.4	28.0	12.0	262.1	-17.8	0.0	2505.5	4.4	48.1	1.3
20.0	10.6	29.4	12.3	282.9	-18.9	0.0	2782.3	4.4	48.2	1.3
21.0	10.8	30.7	12.7	304.0	-20.1	0.0	3068.7	4.5	48.2	1.3
22.0	11.1	32.1	13.0	325.9	-21.1	0.0	3376.7	4.6	48.3	1.3
23.0	11.3	33.4	13.3	348.3	-22.2	0.0	3699.2	4.6	48.4	1.3
24.0	11.5	34.7	13.7	370.7	-23.3	0.0	4025.9	4.7	48.4	1.3
25.0	11.7	36.1	14.0	393.4	-24.4	0.0	4365.1	4.7	48.5	1.3
26.0	11.9	37.4	14.2	415.5	-25.5	0.0	4694.4	4.8	48.5	1.3
27.0	12.1	38.7	14.5	438.7	-26.6	0.0	5052.0	4.8	48.6	1.3
28.0	12.3	40.0	14.8	463.7	-27.6	0.0	5455.0	4.9	48.6	1.3
29.0	12.5	41.3	15.1	487.2	-28.7	0.0	5830.4	4.9	48.7	1.3
30.0	12.6	42.6	15.3	510.3	-29.7	0.0	6198.2	5.0	48.7	1.3
31.0	12.8	43.9	15.6	535.6	-30.8	0.0	6623.6	5.0	48.8	1.3
32.0	13.0	45.2	15.8	559.1	-31.8	0.0	7009.3	5.1	48.8	1.3
33.0	13.1	46.5	16.1	584.0	-32.9	0.0	7433.0	5.1	48.9	1.3
34.0	13.3	47.8	16.3	609.9	-33.9	0.0	7885.5	5.1	49.0	1.2
35.0	13.4	49.1	16.5	634.9	-34.9	0.0	8318.9	5.2	49.0	1.2
36.0	13.6	50.4	16.7	659.7	-35.9	0.0	8753.5	5.2	49.1	1.2
37.0	13.7	51.7	16.9	684.6	-37.0	1.3	9192.6	5.2	49.1	1.2
38.0	13.8	52.9	17.1	708.5	-38.0	6.9	9608.2	5.3	49.2	1.2
39.0	13.9	54.2	17.3	733.2	-39.0	9.4	10049.9	5.3	49.3	1.2
40.0	14.1	55.4	17.5	758.7	-40.0	11.4	10514.2	5.3	49.3	1.2
41.0	14.2	56.7	17.7	783.8	-41.0	12.9	10974.2	5.3	49.4	1.2
42.0	14.3	57.9	17.8	807.6	-42.0	14.1	11399.7	5.3	49.4	1.2
43.0	14.4	59.2	18.0	833.9	-42.9	15.2	11897.5	5.4	49.5	1.2
44.0	14.5	60.4	18.1	858.1	-43.9	16.1	12339.1	5.4	49.6	1.2
45.0	14.5	61.7	18.2	880.5	-44.9	16.9	12732.5	5.4	49.6	1.2
46.0	14.6	62.9	18.4	904.8	-45.9	17.6	13181.3	5.4	49.7	1.2
47.0	14.7	64.1	18.5	928.4	-46.8	18.2	13613.8	5.4	49.8	1.2
48.0	14.7	65.3	18.6	952.3	-47.8	18.8	14058.5	5.4	49.8	1.
49.0	14.8	66.6	18.7	975.2	-48.7	19.3	14474.5	5.4	49.9	1.
50.0	14.8	67.8	18.8	998.7	-49.7	19.7	14911.7	5.4	50.0	1.
51.0	14.9	69.0	18.9	1019.9	-50.6	20.0	15282.3	5.4	50.0	1.1
52.0	15.8	70.3	20.8	1145.7	-51.6	22.6	18870.2	5.4	50.1	1.1
53.0	15.8	71.5	20.8	1168.9	-52.5	22.9	19320.7	5.4	50.2	1.1
54.0	15.9	72.6	20.9	1189.6	-53.4	23.1	19706.3	5.4	50.2	1.1
55.0	15.8	73.5	20.8	1201.8	-54.3	23.2	19870.5	5.4	50.3	1.1
56.0	15.8	74.4	20.8	1213.4	-55.2	23.3	20015.8	5.4	50.4	1.1
57.0	15.7	75.4	20.7	1224.6	-56.2	23.1	20142.3	5.4	50.4	1.1
58.0	15.7	76.3	20.6	1235.3	-57.1	23.3	20250.8	5.4	50.5	1.1
59.0	15.6	77.2	20.5	1245.2	-58.0	23.2	20334.0	5.4	50.6	1.1
60.0	15.6	78.2	20.4	1254.5	-58.9	23.2	20397.1	5.3	50.7	1.1

SMOKE III EGLIN AFB, FLA.

EVENT 26 TIME 2247Z DATE 081680

XM49 IR#2 SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 26 TIME 2247Z DATE 081680

XM49 IR#2 SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 26

2247 Z 08-16-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 14.0



HEIGHT(ABOVE DETONATION PT.) =	9.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	16.0M	LATERAL OFFSET =	2.M
VERTICAL EXTENT =	12.0M	AXES =	16., 12.M
AREA =	151.3SQM	INCLINATION =-	17.8 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= 5.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 7.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 14.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 26

2247 Z 08-16-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 14.0



HEIGHT(ABOVE DETONATION PT.) =	10.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	14.0M	LATERAL OFFSET =	-8.M
VERTICAL EXTENT =	9.0M	AXES =	15., 8.M
AREA =	82.7SQM	INCLINATION =	18.1 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 5.M OFFSET= -11.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 14.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 10.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 1.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA

EVENT 27 TIME 1548Z DATE 081880

IR#1 GRENADES - 12 EA SENSOR O 5-O 7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	7.8	10.5	6.5	53.1	-1.3	0.0	236.8	4.6	0.0	0 0
1.0	8.5	11.7	7.3	66.6	0 2	0.0	345.1	4.8	156.9	2 0
2.0	9.1	12.9	8.0	81.0	1.8	0.0	478.1	5.1	157.5	2 0
3.0	9.7	14.0	8.8	96.6	3.3	0.0	641.5	5.3	158.2	2 0
4.0	10.3	15.2	9.5	113.1	4.9	0.0	834.6	5.6	158 8	2 0
5.0	10.9	16.3	10.2	131.1	6.5	0.0	1064.0	5.8	159.5	1 9
6.0	11.5	17.4	10.9	149.6	8.1	0.0	1319.2	6.1	160.2	1 9
7.0	12.1	18.6	11.7	169.9	9.7	0.0	1616.0	6.3	160.8	1 9
8.0	12.8	19.8	12.4	191.9	11.2	0.0	1958.1	6.5	161.5	1 9
9.0	13.3	20.9	13.1	214.3	12.8	1.6	2322.7	6 8	162.2	1 9
10.0	14.0	22.2	13.9	239.2	14.4	7.9	2747.1	7 0	162.9	1 9
11.0	14.5	23.4	14.6	265.2	16.0	10.6	3207.7	7.2	163 6	1 9
12.0	15.1	24.6	15.4	292.6	17.6	12.5	3713.1	7.4	164 3	1 9
13.0	15.7	25.8	16.1	320.5	19.2	13.8	4243.5	7 7	165 0	1 9
14.0	16.3	27.1	16.8	350.5	20.9	14.6	4832.8	7 9	165 8	1 9
15.0	16.9	28.3	17.6	381.8	22.5	15.1	5466.7	8.1	166.5	1 8
16.0	17.4	29.6	18.3	414.5	24.1	15.2	6151.6	8.3	167.2	1 8
17.0	18.0	30.9	19.0	449.2	25.7	15.1	6902.6	8.5	168.0	1 8
18.0	18.5	32.3	19.6	484.6	27.4	14.6	7686.0	8.7	168.7	1 8
19.0	19.0	33.6	20.3	520.9	29.0	13.6	8513.8	8.9	169.5	1 8
20.0	19.5	34.9	20.9	557.9	30.6	12.2	9380.2	9.0	170.2	1 8
21.0	20.0	36.3	21.5	597.0	32.3	10.2	10316.6	9.2	171.0	1 8
22.0	20.4	37.7	22.0	636.7	33.9	7.0	11289.5	9.4	171.8	1 8
23.0	20.9	39.1	22.6	678.0	35.6	0.0	12327.6	9.6	172.5	1 8
24.0	21.3	40.5	23.0	720.1	37.2	0.0	13399.8	9.8	173.3	1 8
25.0	21.7	41.9	23.5	762.6	38.9	0.0	14499.2	9.9	174.1	1 8
26.0	22.1	43.4	24.0	808.6	40.5	0.0	15712.3	10.1	174.9	1 8
27.0	22.5	44.8	24.5	855.0	42.2	0.0	16943.8	10.2	175.7	1 8
28.0	22.9	46.3	24.9	902.4	43.9	0.0	18208.0	10.4	176.5	1 8
29.0	23.2	47.9	25.4	952.4	45.6	0.0	19537.7	10.6	177.3	1 8
30.0	23.6	49.4	25.9	1004.2	47.2	0.0	20918.5	10.7	178.1	1 8
31.0	24.0	51.0	26.4	1058.4	48.9	0.0	22359.2	10.8	178.9	1 8
32.0	24.5	52.6	27.0	1115.6	50.6	0.0	23866.1	11.0	179.7	1 8
33.0	25.0	54.3	27.7	1175.5	52.3	0.0	25415.2	11.1	180.5	1 8
34.0	25.5	56.0	28.5	1238.9	54.0	0.0	27036.1	11.2	181.3	1 7
35.0	26.1	57.8	29.4	1306.6	55.7	0.0	28749.4	11.4	182.2	1 7
36.0	26.7	59.6	30.4	1377.6	57.4	0.0	30517.3	11.5	183.0	1 7
37.0	27.5	61.4	31.7	1453.2	59.1	0.0	32358.7	11.6	183.8	1 7
38.0	28.3	63.2	33.1	1533.7	60.8	0.0	34313.6	11.7	184.6	1 7

SMOKE III EGLIN AFB, FLA.

EVENT 27 TIME 1548Z DATE 081880

IR#1 GRENADES - 12 EA. SENSOR 0.5-0.7



EVENT 27 SMOKE III EGLIN AFB, FLA.
IR#1 GRENADES - 12 EA. TIME 1548Z DATE 081880
SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.
++++++WIDTH
. . . . . TRANSPORT
******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 27

1548 Z 08-18-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 3.0



HEIGHT(ABOVE DETONATION PT.) =	12.0M	HEIGHT OF CENTROID=	6.M
WIDTH(MAX. HORIZONTAL EXTENT)=	11.0M	LATERAL OFFSET =	4.M
VERTICAL EXTENT =	11.0M	AXES =	12., 10.M
AREA =	100.5SQM	INCLINATION =	37.8 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 5.M OFFSET= 6.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 10.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 9.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 27

1548 Z 08-18-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 3.0



HEIGHT(ABOVE DETONATION PT.) =	11.0M	HEIGHT OF CENTROID=	5.M
WIDTH(MAX. HORIZONTAL EXTENT)=	22.0M	LATERAL OFFSET =	2.M
VERTICAL EXTENT =	10.0M	AXES =	22., 9.M
AREA =	104.1SQM	INCLINATION	=-13.1 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 6.M OFFSET= 6.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 20.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 12.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA.

EVENT 28 TIME 1749Z DATE 081880

HE 105MM EQUIVALENT 5EA SENSOR 0 5-0 7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	8.3	20.6	10.4	161.4	4.0	0.0	1516.3	3.1	0 0	0 0
1.0	10.9	26.5	13.5	272.3	5.4	0.0	3258.7	4.1	255 3	2 8
2.0	13.3	32.3	16.4	407.4	6.7	9.1	5889.9	5.1	254 6	2 7
3.0	15.6	37.9	19.2	563.9	8.1	16.5	9517.8	6.0	253 8	2 6
4.0	17.8	43.3	21.9	738.6	9.4	21.6	14197.3	6.9	252.9	2.4
5.0	20.0	48.4	24.6	930.1	10.7	25.8	20014.2	7.7	252.0	2 3
6.0	22.1	53.4	27.1	1131.9	11.9	29.3	26833.2	8.6	250.9	2 2
7.0	24.1	58.1	29.4	1342.3	13.1	32.5	34648.0	9.3	249.7	2.1
8.0	26.0	62.5	31.8	1560.4	14.2	35.3	43470.3	10.1	248.4	1 9
9.0	27.8	66.7	34.0	1782.5	15.4	37.9	53155.2	10.8	246.8	1 8
10.0	29.6	70.7	36.1	2006.7	16.4	40.3	63630.5	11.5	245.0	1 7
11.0	31.3	74.4	38.2	2231.9	17.5	42.4	74823.3	12.2	243.0	1 6
12.0	32.9	77.9	40.3	2457.1	18.5	44.5	86683.3	12 8	240.6	1 4
13.0	34.5	81.1	42.1	2674.9	19.5	46.2	98702.4	13.4	237 8	1 3
14.0	36.0	84.1	44.0	2891.5	20.4	47.8	111235.0	14.0	234.4	1 2
15.0	37.4	87.0	45.7	3103.8	21.3	49.4	124031.2	14.5	230.4	1 1
16.0	38.7	89.7	47.3	3307.5	22.2	50.7	136727.1	15.0	225.6	1 0
17.0	39.9	92.2	48.9	3507.6	23.1	51.9	149617.1	15.5	219 8	0 9
18.0	38.4	42.8	45.0	1510.3	23.9	71.4	96630.1	15.9	212 8	0 8
19.0	39.4	44.0	46.1	1593.9	24.6	72.3	104661.9	16.3	204.4	0 8
20.0	40.3	45.2	47.2	1675.8	25.3	73.0	112731.9	16.7	194.8	0 7
21.0	41.1	46.2	48.2	1747.2	26.0	73.3	120087.6	17.0	184.2	0 7
22.0	41.8	47.1	49.0	1812.9	26.7	73.5	127069.5	17.3	173.3	0 7
23.0	42.5	47.9	49.7	1867.3	27.3	73.2	133118.4	17.6	162 9	0 7
24.0	43.0	48.6	50.2	1915.9	27.9	72.8	138637.2	17.9	153.4	0 8
25.0	43.4	49.2	50.7	1956.7	28.5	72.0	143341.5	18.1	145.3	0 9
26.0	43.8	49.7	51.0	1991.8	29.0	70.9	147338.7	18.3	138.5	0 9
27.0	44.0	50.1	51.2	2016.8	29.5	69.5	150106.8	18.4	132.9	1 0
28.0	44.2	50.6	51.4	2040.1	29.9	68.0	152333.0	18.5	128.2	1 1
29.0	44.3	51.0	51.4	2058.4	30.3	66.4	153656.0	18.6	124.4	1.2
30.0	44.3	51.3	51.4	2071.7	30.7	64.6	153974.3	18.7	121.1	1 4
31.0	44.4	51.7	51.4	2086.9	31.0	63.2	153874.9	18.7	118.4	1 5
32.0	44.3	52.1	51.3	2099.2	31.3	61.9	153028.3	18.7	116.1	1 6
33.0	44.2	52.4	51.2	2109.6	31.6	60.8	151543.4	18.6	114.1	1 7
34.0	44.1	52.6	51.2	2118.4	31.8	60.1	149548.4	18.5	112.3	1 8
35.0	44.0	52.8	51.2	2124.3	32.0	59.5	147052.8	18.4	110.8	2 0
36.0	43.9	52.9	51.3	2130.5	32.2	59.4	144543.6	18.3	109.5	2 1

SMOKE III EGLIN AFB, FLA.

EVENT 2B TIME 1749Z DATE 081880

HE 105MM EQUIVALENT 5EA SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 28 TIME 1749Z DATE 081880

HE 105MM EQUIVALENT 5EA SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

.....TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 28

1749 Z 08-18-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 6.0



HEIGHT(ABOVE DETONATION PT.) =	24.0M	HEIGHT OF CENTROID=	9.M
WIDTH(MAX. HORIZONTAL EXTENT)=	61.0M	LATERAL OFFSET	= -14.M
VERTICAL EXTENT =	25.0M	AXES	= 63., 26.M
AREA =	771.3SQM	INCLINATION	= -2.2 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 9.M OFFSET= -28.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 60.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 61.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= -1.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 28

1749 Z 08-18-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 6.0



HEIGHT(ABOVE DETONATION PT.) =	22.0M	HEIGHT OF CENTROID=	9.M
WIDTH(MAX. HORIZONTAL EXTENT)=	30.0M	LATERAL OFFSET =	2.M
VERTICAL EXTENT =	24.0M	AXES =	30., 22.M
AREA =	376.1SQM	INCLINATION =	18.6 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 7.M OFFSET= 8.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 30.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 30.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE FAT [illegible]

EVENT 30 TIME [illegible] CASE [illegible]

CBU 88 - LARGE PELLET [illegible]

TIME(SEC)	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO VERTICAL PATH: HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ METERS)	LATERAL OFFSET	PATH LENGTH	DIMENSIONS INDEPENDENT OF PERSPECTIVE: VOLUME (CUBIC METERS)	UNIT HEIGHT	TRANSPORT [illegible]	TRANSPORT RATE
0 0	10 1	14 5	13 5	154 3	-2 9	0 0	2159 1	1 4	[illegible]	[illegible]
1 0	11 8	17 8	15 5	216 4	-5 5	[illegible]	3113 9	4 3	[illegible]	[illegible]
2 0	13 9	20 8	17 6	287 7	-8 2	[illegible]	4476 1	4 2	[illegible]	[illegible]
3 0	15 2	23 7	19 7	366 6	-10 7	[illegible]	6251 9	5 3	[illegible]	[illegible]
4 0	16 8	26 4	21 7	450 2	-13 5	[illegible]	8 251 5	[illegible]	[illegible]	[illegible]
5 0	18 5	28 9	23 8	539 7	-16 2	[illegible]	10696 3	6 6	28 [illegible]	[illegible]
6 0	20 1	31 3	25 8	632 8	-18 6	[illegible]	13467 7	7 0	29 0	[illegible]
7 0	21 7	33 5	27 8	728 1	-21 4	[illegible]	16436 9	7 9	28 1	[illegible]
8 0	23 3	35 6	29 6	826 0	-24 1	[illegible]	19830 8	8 5	28 2	[illegible]
9 0	24 3	37 5	31 5	925 1	-26 7	[illegible]	23388 7	9 1	28 [illegible]	[illegible]
10 0	26 3	39 4	33 2	1023 0	-29 3	[illegible]	27058 1	9 7	28 4	[illegible]
11 0	27 7	41 1	34 9	1122 0	-31 9	[illegible]	30968 8	10 3	28 4	[illegible]
12 0	29 1	42 7	36 5	1219 6	-34 5	[illegible]	34958 7	11 9	28 5	[illegible]
13 0	30 5	44 3	38 0	1317 2	-37 1	[illegible]	39138 9	11 5	28 6	[illegible]
14 0	31 8	45 7	39 4	1409 9	-39 7	12 3	43169 6	12 1	28 7	[illegible]
15 0	33 0	47 0	40 8	1501 4	-42 3	39 0	47310 5	12 8	28 8	[illegible]
16 0	34 2	48 2	42 0	1591 5	-44 9	71 4	51563 7	13 2	28 9	[illegible]
17 0	35 4	49 4	43 2	1674 8	-47 4	99 3	55556 2	13 9	28 9	[illegible]
18 0	36 5	50 4	44 4	1754 4	-50 0	64 9	59523 5	14 4	29 0	[illegible]
19 0	37 6	51 4	45 4	1830 4	-52 6	68 8	107507 3	14 9	29 1	[illegible]
20 0	38 7	52 1	46 4	1899 6	-55 1	71 4	113255 4	15 5	29 2	[illegible]
21 0	39 7	52 8	47 3	1963 4	-57 7	73 1	118937 2	16 0	29 3	[illegible]
22 0	40 7	53 3	48 2	2021 7	-60 2	73 8	124576 8	16 6	29 4	[illegible]
23 0	41 7	53 8	49 1	2073 8	-62 7	73 7	130081 0	17 1	29 5	[illegible]
24 0	42 6	54 0	49 9	2118 1	-65 3	72 7	135445 7	17 7	29 5	[illegible]
25 0	43 5	54 1	50 6	2154 7	-67 8	70 5	140611 8	18 2	29 6	[illegible]
26 0	44 4	54 1	51 4	2186 8	-70 3	66 9	145845 1	18 7	29 7	[illegible]
27 0	45 3	54 0	52 1	2212 4	-72 8	61 2	150883 4	19 3	29 8	[illegible]
28 0	46 2	53 9	52 9	2238 6	-75 3	52 4	156306 8	19 8	29 9	[illegible]
29 0	47 1	53 8	53 5	2260 2	-77 8	37 3	161537 6	20 3	30 0	[illegible]
30 0	47 9	53 7	54 2	2284 8	-80 3	0 0	166949 4	20 8	30 1	[illegible]
31 0	48 7	53 8	54 8	2312 8	-82 8	0 0	172431 3	21 3	30 2	[illegible]
32 0	49 5	54 1	55 4	2355 3	-85 3	0 0	178524 2	21 8	30 2	[illegible]
33 0	50 2	54 9	55 9	2406 4	-87 7	0 0	184448 7	22 3	30 3	[illegible]
34 0	50 9	56 2	56 3	2478 9	-90 2	0 0	190948 4	22 8	30 4	[illegible]

SMOKE TEST EGLIN AFB, FLA

EVENT 30 TIME 2226Z DATE 081980

CBU 88 - LARGE PELLET SENSOR 0 5-0 7



SMOKE III EGLIN AFB, FLA

EVENT 20 TIME 2226Z DATE 061090

CBU 88 LARGE PELLET SENSOR [illegible]

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



-------HEIGHT ABOVE DET PT.
++++++WIDTH
TRANSPORT
******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 30

2226 Z 08-18-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 0.5



HEIGHT(ABOVE DETONATION PT.) = 12.0M HEIGHT OF CENTROID= 5.M
WIDTH(MAX. HORIZONTAL EXTENT)= 59.0M LATERAL OFFSET = 0.M
VERTICAL EXTENT = 13.0M AXES = 57., 12.M
AREA = 126.7SQM INCLINATION = -0.4 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 5.M OFFSET= -12.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 29.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 59.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)=-11.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 30

2226 Z 08-18-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 0.5



HEIGHT(ABOVE DETONATION PT.) =	8.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	41.0M	LATERAL OFFSET =	-2.M
VERTICAL EXTENT =	8.0M	AXES =	38., 8.M
AREA =	329.0SQM	INCLINATION =	1.7 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= -10.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 32.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 38.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= -3.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA

EVENT 34 TIME 23257 DATE 081980

ALKALI HAILIDE 33 LBS SENSOR 0 5 0 7

TIME(SEC)	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS) HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	DIMENSIONS INDEPENDENT OF PERSPECTIVE VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
15.0	7.1	14.8	8.7	92.5	-9.9	0.0	1122.3	2.7	0.0	0.0
16.0	7.7	15.2	9.3	102.7	-10.3	0.0	1371.9	3.0	81.1	1.1
17.0	8.2	15.6	9.9	111.9	-10.7	0.0	1625.5	3.3	81.0	1.0
18.0	8.8	15.9	10.4	121.2	-11.1	0.0	1913.2	3.6	81.0	1.0
19.0	9.4	16.2	11.0	131.0	-11.6	0.0	2241.6	3.9	80.9	1.0
20.0	9.9	16.4	11.5	140.1	-12.0	0.0	2586.4	4.2	80.9	1.0
21.0	10.4	16.6	12.0	148.5	-12.4	0.0	2943.6	4.4	80.8	1.0
22.0	11.0	16.8	12.5	156.9	-12.8	0.0	3328.9	4.7	80.8	1.0
23.0	11.5	16.9	12.9	165.2	-13.3	0.0	3736.7	5.0	80.7	1.0
24.0	12.0	17.0	13.4	172.9	-13.7	0.0	4152.5	5.3	80.7	1.0
25.0	12.5	17.1	13.8	180.7	-14.1	0.0	4591.6	5.6	80.6	1.0
26.0	13.0	17.3	14.3	189.6	-14.5	0.0	5093.3	5.9	80.6	1.0
27.0	13.5	17.4	14.7	197.2	-15.0	0.0	5567.4	6.1	80.5	1.0
28.0	14.0	17.6	15.2	206.5	-15.4	0.0	6119.6	6.4	80.5	1.0
29.0	14.5	17.8	15.5	214.5	-15.8	0.0	6643.4	6.7	80.4	1.0
30.0	15.0	18.0	16.0	223.7	-16.2	0.0	7224.5	7.0	80.4	1.0
31.0	15.5	18.2	16.4	233.3	-16.6	0.0	7835.4	7.3	80.3	1.0
32.0	16.0	18.5	16.8	243.2	-17.1	0.0	8469.7	7.5	80.3	1.0
33.0	16.5	18.8	17.3	254.4	-17.5	0.0	9174.7	7.8	80.2	1.0
34.0	16.9	19.1	17.7	264.3	-17.9	0.0	9828.6	8.1	80.1	1.0
35.0	17.4	19.4	18.2	275.8	-18.3	0.0	10560.4	8.4	80.1	1.0
36.0	17.	19.7	18.6	288.2	-18.7	0.0	11340.6	8.6	80.0	1.0
37.0	18.4	20.1	19.0	300.1	-19.1	0.0	12112.1	8.9	80.0	1.0
38.0	18.9	20.5	19.5	313.6	-19.6	0.0	12967.2	9.2	79.9	1.0
39.0	19.4	20.9	20.0	327.0	-20.0	0.0	13820.4	9.4	79.9	1.0
40.0	19.9	21.2	20.4	339.8	-20.4	0.0	14654.2	9.7	79.8	1.0
41.0	20.4	21.6	20.8	354.1	-20.8	0.0	15569.3	10.0	79.7	1.0
42.0	22.2	51.9	23.9	974.1	-21.2	0.0	23704.2	10.2	79.7	1.0
43.0	22.7	52.8	24.5	1013.8	-21.6	0.0	25166.9	10.5	79.6	1.0
44.0	23.2	53.7	25.0	1051.4	-22.1	0.0	26570.6	10.8	79.6	1.0
45.0	23.8	54.5	25.5	1091.4	-22.5	0.0	28110.4	11.0	79.5	1.0
46.0	24.3	55.4	26.1	1130.0	-22.9	0.0	29619.6	11.3	79.5	1.0
47.0	24.8	56.2	26.6	1168.6	-23.3	0.0	31158.5	11.5	79.4	1.0
48.0	25.4	57.0	27.1	1209.1	-23.7	0.0	32817.5	11.8	79.3	1.0
49.0	25.9	57.7	27.7	1246.9	-24.1	0.0	34375.8	12.0	79.3	0.9
50.0	26.4	58.5	28.2	1287.4	-24.5	0.0	36092.7	12.3	79.2	0.9
51.0	26.9	59.2	28.7	1324.2	-24.9	0.0	37657.7	12.5	79.2	0.9
52.0	27.4	59.9	29.3	1365.4	-25.3	0.0	39464.5	12.8	79.1	0.9
53.0	27.9	60.7	29.8	1403.8	-25.8	0.0	41163.5	13.0	79.0	0.9
54.0	28.4	61.3	30.3	1439.8	-26.2	0.0	42759.3	13.3	79.0	0.9
55.0	29.0	62.0	30.9	1480.5	-26.6	0.0	44620.1	13.5	78.9	0.9
56.0	29.5	62.6	31.4	1518.4	-27.0	0.0	46358.2	13.8	78.8	0.9
57.0	30.0	63.3	31.9	1555.6	-27.4	0.0	48079.2	14.0	78.8	0.9
58.0	30.5	63.9	32.4	1594.2	-27.8	0.0	49897.1	14.3	78.7	0.9
59.0	31.0	64.5	32.9	1631.5	-28.2	0.0	51654.9	14.5	78.7	0.9
60.0	31.5	65.1	33.4	1667.6	-28.6	0.0	53369.2	14.8	78.6	0.9
61.0	32.0	65.6	34.0	1706.3	-29.0	0.0	55234.0	15.0	78.5	0.9
62.0	32.5	66.2	34.5	1743.1	-29.4	0.0	57011.9	15.2	78.5	0.9
63.0	33.0	66.7	35.0	1778.6	-29.8	0.0	58721.7	15.5	78.4	0.9
64.0	33.5	67.3	35.5	1816.0	-30.2	0.0	60549.3	15.7	78.3	0.9
65.0	34.0	67.8	36.0	1853.3	-30.7	0.0	62374.1	16.0	78.3	0.9
66.0	34.4	68.3	36.5	1889.1	-31.1	0.0	64118.0	16.2	78.2	0.9

SMOKE III EGLIN AFB, FLA.

EVENT 34 TIME 2325Z DATE 081980

ALKALI HAILIDE 33 LBS SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 34 TIME 2325Z DATE 081980

ALKALI HAILIDE 33 LBS SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 34

2325 Z 08-19-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 22.0



HEIGHT(ABOVE DETONATION PT.) =	13.0M	HEIGHT OF CENTROID=	5.M
WIDTH(MAX. HORIZONTAL EXTENT)=	41.0M	LATERAL OFFSET =	14.M
VERTICAL EXTENT =	15.0M	AXES =	39., 13.M
AREA =	296.6SQM	INCLINATION =	-3.2 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 5.M OFFSET= 22.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 20.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 38.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 8.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III

EVENT # 34

2325 Z 08-19-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 22.0



HEIGHT(ABOVE DETONATION PT.) =	12.0M	HEIGHT OF CENTROID=	5.M
WIDTH(MAX. HORIZONTAL EXTENT)=	12.0M	LATERAL OFFSET =	-3.M
VERTICAL EXTENT =	12.0M	AXES =	14., 11.M
AREA =	83.9SQM	INCLINATION =-	44.8 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 3.M OFFSET= -5.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 10.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 11.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= -1.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA

EVENT 35 TIME 1532Z DATE 082080

HALF SIZE GRENADES IR#2 SENSOR 0 5-0 7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	3.5	12.7	4.2	41.5	2.3	0.0	131.6	1.5	0 0	0 0
1.0	4.3	14.6	5.1	58.0	2.9	0.0	225.9	1.8	222 2	0 6
2.0	5.1	16.5	6.0	77 6	3 5	0 0	359 8	2 1	219 3	0 6
3.0	5 8	18.3	6.9	98.7	4.0	0 0	525 4	2 4	216 2	0 6
4 0	5 6	12.9	5 8	58.0	4 5	0 0	282 5	2 7	212 7	0 6
5.0	6.3	13.7	6.4	68.6	5 0	0 0	380.7	3.0	208 9	0 5
6.0	6.9	14.5	7.1	80.2	5.5	0.0	501.4	3.4	204 7	0 5
7.0	7.6	15.2	7.8	92.4	6.0	0.0	641.8	3.7	200 2	0 5
8.0	8.2	16.0	8.4	104.9	6.5	0.0	801.0	4.0	195 3	0 5
9.0	8.8	16.7	9.1	118.7	7.0	0.0	990.1	4.3	190 1	0 5
10.0	9.5	17.5	9.7	132.6	7.4	0.0	1197.5	4.6	184 6	0 4
11.0	10.1	18.2	10.4	146.5	7.8	0.0	1420.3	4.9	179 0	0 4
12.0	10.7	18.9	11.0	162.0	8.2	0.0	1683.1	5.2	173 3	0 4
13.0	11 4	19.6	11.6	177 3	8.6	0 0	1961 2	5.5	167 7	0 4
14.0	12.0	20.3	12.2	193.1	9.0	0.0	2263.2	5.9	162 2	0 5
15.0	12.6	20.9	12.9	209.2	9.4	0.0	2588.8	6.2	157 0	0 5
16.0	13.2	21.6	13.5	225.5	9.7	0 0	2935.7	6.5	152 0	0 5
17.0	13.9	22.1	14.2	241.7	10.1	0 0	3296 9	6.8	147 4	0 5
18.0	14.5	22.7	14.8	258.6	10.4	0.0	3690.0	7.1	143 2	0 5
19.0	15.1	23.3	15.4	276.4	10.7	0 0	4117.7	7 4	139 4	0 6
20.0	15.7	23.8	16.0	293.3	11.0	0 0	4545 4	7.7	135 8	0 6
21.0	16.3	24.4	16.6	310.9	11.3	0 0	5003.7	8.0	132 7	0 6
22.0	16.9	24.9	17.2	329.1	11.5	0 0	5493 0	8 3	129 8	0 6
23.0	17.5	25.4	17.8	347.3	11.8	0 0	5999.6	8.7	127 2	0 7
24.0	18 1	25.9	18.3	364 6	12 0	0 0	6496 5	9 0	124 8	0 7
25.0	18.7	26.3	18.9	382.6	12.3	0 0	7030.0	9 3	122 6	0 7
26 0	19.3	26.8	19 5	400.7	12 5	0 0	7578.7	9.6	120 7	0 8
27.0	19.9	27.2	20.1	418.8	12 7	0.0	8142.8	9.9	118 9	0 8
28 0	20 5	27 7	20.7	437.6	12.8	0 0	8738 3	10 2	117 3	0 8
29 0	21.1	28.1	21.2	455 4	13.0	0 0	9320.6	10.5	115 8	0 9
30 0	21.7	28.5	21.8	473 8	13.2	0 0	9933.2	10 8	114 4	0 9
31 0	22 3	28.8	22.3	491.6	13 3	0 0	10536 1	11 1	113 2	1 0
32 0	22 9	29.2	22 9	509 8	13.4	0 0	11162 7	11 4	112 0	1 0
33 0	23.5	29.5	23.5	528.3	13.5	0 0	11809 9	11 7	111 0	1 0
34 0	24 1	29 8	24.0	545 9	13.6	0 0	12438 5	12 1	110 0	1 1
35 0	24.6	30 1	24.6	562 8	13 7	0 0	13048 8	12 4	109 0	1 1
36 0	25 2	30.4	25 1	580.4	13.7	0 0	13692 4	12 7	108 3	1 2
37 0	25 8	30 7	25.7	598 8	13.8	0 0	14367 6	13 0	107 4	1 2
38 0	26.4	30.9	26 2	615 2	13 8	0 0	14978 2	13 3	106 6	1 2
39 0	27 0	31 2	26.8	633 2	13 8	0 0	15653 3	13 6	105 9	1 3
40 0	27 6	31.4	27.3	650 2	13 8	0 0	16292 1	13 9	105 3	1 3
41 0	28 1	31 6	27.9	667.1	13 8	0 0	16931 7	14 2	104 7	1 4
42 0	28 7	31.8	28.4	683.6	13.8	0 0	17557 5	14.5	104 1	1 4
43 0	29 3	31 9	28.9	699 8	13 8	0 0	18176 2	14 8	103	1 5
44 0	29 8	32 1	29 4	715 5	13 7	0 0	18770 2	15 1	103 0	1 5
45 0	30 4	32 2	30 0	731 8	13 6	0 0	19389 5	15 4	102 6	1 5
46 0	31 0	32 4	30.5	747.5	13 5	0 0	19981 7	15 7	102 1	1 6
47 0	31.5	32 5	31.0	762 8	13 4	0 0	20558 2	16 0	101 7	1 6
48 0	32 1	32 6	31.5	777 8	13 3	0 0	21118 2	16 3	101 2	1 7
49 0	32 6	32 7	31 9	791 1	13 2	0 0	21605 4	16 6	100 8	1 7
50 0	33 1	32 7	32 4	805 7	13 1	0 0	22140 5	16 9	100 5	1 7

SMOKE III EGLIN AFB, FLA.

EVENT 35 TIME 1532Z DATE 082080

HALF SIZE GRENADES IR#2 SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 35 TIME 1532Z DATE 082080

HALF SIZE GRENADES IR#2 SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.
++++++WIDTH
. . . . . TRANSPORT
******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 35

1531 Z 08-20-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 6.0



HEIGHT(ABOVE DETONATION PT.) =	6.0M	HEIGHT OF CENTROID=	2.M
WIDTH(MAX. HORIZONTAL EXTENT)=	18.0M	LATERAL OFFSET =	2.M
VERTICAL EXTENT =	8.0M	AXES =	17., 8.M
AREA =	117.3SQM	INCLINATION =	11.6 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 2.M OFFSET= 6.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 0.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 14.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 35

1532 Z 08-20-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 6.0



HEIGHT(ABOVE DETONATION PT.) =	6.0M	HEIGHT OF CENTROID=	3.M
WIDTH(MAX. HORIZONTAL EXTENT)=	22.0M	LATERAL OFFSET =	6.M
VERTICAL EXTENT =	6.0M	AXES =	23., 6.M
AREA =	104.2SQM	INCLINATION =	-3.3 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 3.M OFFSET= 11.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 20.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 21.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. A. 7 METERS)= 1.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA.

EVENT 36 TIME 1624Z DATE 082080

ALKALI HAILIDE 4 CANNISTERS SENSOR 0.5-0.7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
5.0	5.3	17.1	5.9	78.8	9.8	0.0	581.1	2.4	0.0	0.0
6.0	6.0	17.4	6.6	89.6	9.5	0.0	751.7	2.7	84.8	0.9
7.0	6.6	17.7	7.3	100.5	9.2	0.0	944.6	2.9	87.2	0.9
8.0	7.2	18.0	7.9	111.3	9.0	0.0	1158.2	3.2	89.7	0.8
9.0	7.7	18.3	8.6	122.9	8.8	0.0	1406.3	3.4	92.4	0.8
10.0	8.3	18.6	9.3	134.3	8.7	0.0	1674.6	3.7	95.3	0.8
11.0	8.9	18.9	9.9	146.1	8.6	0.0	1973.0	3.9	98.5	0.8
12.0	9.5	19.2	10.6	158.0	8.5	0.0	2299.0	4.2	101.8	0.7
13.0	10.0	19.5	11.2	169.5	8.5	0.0	2637.5	4.4	105.3	0.7
14.0	10.6	19.8	11.8	182.1	8.6	0.0	3025.4	4.7	109.1	0.7
15.0	11.1	20.1	12.4	194.5	8.7	0.0	3433.4	4.9	113.0	0.7
16.0	11.7	20.4	13.0	207.2	8.8	0.0	3872.4	5.1	117.1	0.7
17.0	12.2	20.7	13.6	219.5	9.0	0.0	4326.7	5.4	121.3	0.7
18.0	12.7	21.0	14.2	232.5	9.2	0.0	4824.8	5.6	125.6	0.7
19.0	13.2	21.2	14.8	245.4	9.5	0.0	5345.9	5.8	130.0	0.6
20.0	13.8	21.6	15.4	258.9	9.8	0.0	5909.3	6.1	134.3	0.7
21.0	14.3	21.8	16.0	272.2	10.2	0.0	6492.0	6.3	138.5	0.7
22.0	14.8	22.1	16.5	285.6	10.6	0.0	7104.5	6.5	142.7	0.7
23.0	15.2	22.4	17.1	298.3	11.0	0.0	7720.1	6.7	146.7	0.7
24.0	15.7	22.7	17.7	312.3	11.5	0.0	8401.3	6.9	150.5	0.7
25.0	16.2	23.0	18.2	325.9	12.1	0.0	9096.5	7.1	154.2	0.7
26.0	16.7	23.2	18.7	339.4	12.7	0.0	9819.3	7.3	157.6	0.7
27.0	17.1	23.5	19.3	353.0	13.3	0.0	10562.1	7.5	160.8	0.8
28.0	17.6	23.8	19.8	366.8	14.0	0.0	11345.0	7.7	163.8	0.8
29.0	18.0	24.0	20.3	380.5	14.7	0.0	12146.6	7.9	166.6	0.8
30.0	18.5	24.3	20.8	393.9	15.5	0.0	12963.8	8.1	169.3	0.9
31.0	18.9	24.5	21.3	407.7	16.3	0.0	13815.5	8.3	171.7	0.9
32.0	19.3	24.8	21.7	420.8	17.1	0.0	14672.9	8.4	173.9	0.9
33.0	19.7	25.0	22.2	435.3	18.0	0.0	15598.9	8.6	176.0	1.0
34.0	20.1	25.3	22.7	448.2	19.0	0.0	16494.4	8.8	177.9	1.0
35.0	20.5	25.5	23.1	461.4	20.0	0.0	17422.2	9.0	179.7	1.0
36.0	20.9	25.7	23.6	475.4	21.0	0.0	18408.4	9.1	181.4	1.1
37.0	21.3	26.0	24.1	489.4	22.1	0.0	19417.8	9.3	182.9	1.1
38.0	21.7	26.2	24.5	502.3	23.2	0.0	20398.9	9.5	184.3	1.1
39.0	22.1	26.4	24.9	516.5	24.4	0.0	21460.4	9.6	185.7	1.2
40.0	22.4	26.7	25.3	529.1	25.6	0.0	22462.1	9.8	186.9	1.2
41.0	22.8	26.9	25.7	542.4	26.9	0.0	23533.4	9.9	188.1	1.3
42.0	23.1	27.1	26.1	555.5	28.2	0.0	24604.5	10.1	189.2	1.3
43.0	23.5	27.3	26.5	568.0	29.5	0.0	25663.7	10.2	190.2	1.4
44.0	23.8	27.5	26.9	581.7	30.9	0.0	26810.1	10.4	191.2	1.4
45.0	24.2	27.8	27.3	595.6	32.4	0.0	27976.2	10.5	192.1	1.4
46.0	24.5	28.0	27.7	607.2	33.9	0.0	29042.7	10.6	192.9	1.5
47.0	24.8	28.2	28.0	621.4	35.4	0.0	30264.8	10.8	193.7	1.5
48.0	25.1	28.4	28.4	633.2	37.0	0.0	31371.9	10.9	194.5	1.6
49.0	25.4	28.6	28.7	645.6	38.6	0.0	32525.7	11.0	195.2	1.6
50.0	25.7	28.9	29.1	658.8	40.3	0.0	33724.8	11.1	195.9	1.7
51.0	25.9	29.1	29.4	671.3	42.0	0.0	34906.9	11.2	196.5	1.7
52.0	26.2	29.3	29.7	682.6	43.7	0.0	36044.3	11.4	197.1	1.8
53.0	26.5	29.5	30.0	695.4	45.6	0.0	37272.3	11.5	197.7	1.8
54.0	26.7	29.7	30.3	708.4	47.4	0.0	38498.3	11.6	198.2	1.9

SMOKE III EGLIN AFB, FLA.

EVENT 36 TIME 1624Z DATE 082080

ALKALI HAILIDE 4 CANNISTERS SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 36 TIME 1624Z DATE 082080

ALKALI HAILIDE 4 CANNISTERS SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 36

1624 Z 08-20-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 10.0



HEIGHT(ABOVE DETONATION PT.) =	9.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	41.0M	LATERAL OFFSET =	4.M
VERTICAL EXTENT =	8.0M	AXES =	44., 7.M
AREA =	213.9SQM	INCLINATION =	-1.7 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= 14.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE=-59.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 39.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 65.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 36

1625 Z 08-20-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 10.0



HEIGHT(ABOVE DETONATION PT.) =	8.0M	HEIGHT OF CENTROID=	3.M
WIDTH(MAX. HORIZONTAL EXTENT)=	39.0M	LATERAL OFFSET =	8.M
VERTICAL EXTENT =	10.0M	AXES =	38., 10.M
AREA =	120.3SQM	INCLINATION =	-1.2 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 3.M OFFSET= 16.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 25.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 33.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 5.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB FLA

EVENT 37 TIME 1832Z DATE 082080

155MM HE 27LBS 3 RNDS SENSOR 0 5 0 7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH/METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	14.9	14.0	15.3	16 3	-1 9	0 0	2849.3	7 2	0 0	0 0
1 0	17.8	16.7	18.3	240.8	-2.3	0 0	4786 5	8 6	294 3	2 7
2.0	20 6	19.5	21.2	325 2	-2 8	0 0	7395 2	10 0	295 3	2 6
3.0	23.5	22.2	24.2	421.2	-3 3	0 0	10759 5	11 4	296 3	2 4
4.0	26.2	24.8	27.0	526.3	-3 8	0.0	14854 8	12 7	297 3	2 2
5 0	28.8	27.3	29.7	638.3	-4 3	0 0	19654 5	14 0	298 6	2 0
6.0	31.5	29.9	32.5	761.7	-4 8	0 0	25337.4	15 2	299 9	2 1
7 0	34.0	32.3	35.1	890.1	-5.4	0 0	31677 1	16 5	301 4	2 0
8.0	36.5	34.7	37.7	1026.3	-6.0	0.0	38800.3	17 6	303 1	1 9
9 0	38.9	37.1	40.2	1170.4	-6 6	0 0	46704 0	18 8	304 9	1 8
10 0	41.3	39.4	42.7	1316.0	-7 2	0 0	55070 1	19 9	307 1	1 7
11.0	43.6	41.6	45.1	1469 3	-7.8	0.0	64171.2	21 0	309 5	1 6
12.0	45.8	43.7	47.4	1622.4	-8 5	0 0	73541 4	22 1	312 2	1 5
13.0	48.0	45.8	49.7	1781 0	-9 2	0 0	83464 1	23 1	315 3	1 4
14.0	50.1	47.8	52.0	1941.2	-9 9	0 0	93674 8	24 1	318 9	1 3
15.0	52.1	49.7	54.1	2099.4	-10 7	0 0	103917 3	25 0	323 1	1 2
16 0	54.1	51.5	56.3	2261.3	-11 4	0 0	114459 1	26 0	327 9	1 1
17.0	56.0	53.2	58.3	2418.2	-12.2	0 0	124669.5	26 8	333 3	1 0
18.0	57.8	54.8	60.3	2573.7	-13 0	0 0	134766 3	27 7	339 5	1 0
19.0	59.6	56.3	62.2	2727.5	-13.8	0.0	144635 8	28 5	346 4	0 9
20.0	61.4	57.7	64.1	2880.2	-14.6	0 0	154277.5	29 3	353 9	0 9
21.0	63.0	58.9	65.9	3025.2	-15.5	0 0	163162.4	30 1	1 8	0 9
22.0	64.6	60.1	67.6	3164.3	-16.4	0 0	171356 6	30 8	9 8	0 9
23.0	66.1	61.2	69.3	3301.9	-17.3	0.0	179132.0	31 5	17 6	0 9
24.0	67.6	62.0	70.9	3426.7	-18.2	0 0	185660.3	32 1	25 0	0 9
25.0	69.0	62.9	72.5	3552.5	-19.1	0 0	191894.2	32 7	31 8	1 0
26.0	70.2	63.6	73 8	3664.9	-20.1	0 0	196788 7	33 3	37 9	1 0
27.0	71.5	64.2	75.2	3773.7	-21 1	0 0	201031 8	33 9	43 2	1 1
28.0	72.6	64.8	76.4	3871.1	-22.1	0 0	204106 5	34 4	47 9	1 2
29.0	73.7	64.7	77.7	3950.9	-23.1	0 0	205762.2	34 9	51 9	1 3
30.0	69.0	89.4	67.4	4731.1	-24.2	0.0	309054.9	35 3	55 4	1 4
31.0	69.7	90.4	67.9	4818.0	-25.3	0 0	314276.9	35 8	58 5	1 5
32.0	70.3	91.3	68.2	4897.5	-26.3	0 0	317916.3	36 2	61 2	1 6

SMOKE III EGLIN AFB, FLA.

EVENT 37 TIME 1832Z DATE 082080

155MM HE 27LBS. 3 RNDS. SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 37 TIME 1832Z DATE 082080

155MM HE 27LBS. 3 RNDS. SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.
++++++WIDTH
. . . . . TRANSPORT
******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 37

1832 Z 08-20-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 1.0



HEIGHT(ABOVE DETONATION PT.) =	19.0M	HEIGHT OF CENTROID=	8.M
WIDTH(MAX. HORIZONTAL EXTENT)=	22.0M	LATERAL OFFSET =	2.M
VERTICAL EXTENT =	20.0M	AXES =	22., 17.M
AREA =	240.9SQM	INCLINATION =	34.0 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 6.M OFFSET= 6.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 12.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 22.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 7.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 37

1832 Z 08-20-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 1.0



HEIGHT(ABOVE DETONATION PT.) =	17.0M	HEIGHT OF CENTROID=	7.M
WIDTH(MAX. HORIZONTAL EXTENT)=	15.0M	LATERAL OFFSET =	-3.M
VERTICAL EXTENT =	18.0M	AXES =	18., 15.M
AREA =	135.7SQM	INCLINATION =	72.0 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 11.M OFFSET= -4.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 12.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 9.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
# = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB,FLA

EVENT 38 TIME 1405Z DATE 082180

XM38 GRENADES IR#1 12 EA SENSOR 0 5-0 7

TIME(SEC)	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS) HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	DIMENSIONS INDEPENDENT OF PERSPECTIVE VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0 0	5 1	17 3	5 2	70 2	1 3	0 0	411 5	2 5	0 0	0 0
1 0	6 1	18 2	6.1	86.7	2.5	0 0	586 5	3 1	141 5	2 1
2 0	7.1	19 1	7 0	104 2	3 8	0 0	795 1	3 6	142 0	2 1
3 0	8 0	19 9	7 8	122 4	5.0	0 0	1035 3	4 1	142 6	2 1
4.0	9 0	20.7	8.7	142.0	6 3	0 0	1320 2	4 6	143 1	2 0
5.0	9.9	21.5	9 6	161 8	7.5	0 0	1630.4	5 1	143.6	2 0
6 0	10.8	22 3	10 5	182.4	8.8	0 0	1977 5	5 5	144.2	2 0
7 0	11.7	23 1	11 3	203.6	10.1	0 0	2358 5	6 0	144 7	2 0
8 0	12 5	23.8	12 2	225 3	11.4	0 0	2774 5	6 4	145 2	2 0
9.0	13.4	24.6	13 0	247 4	12.7	0 0	3222 1	6 9	145 [illegible]	2 0
10.0	14 2	25.3	13 8	270.0	14.0	0 0	3703 3	7 3	146 4	2 0
11.0	15.0	25.9	14.6	292 3	15.3	0 0	4202 6	7 7	146 9	2 0
12 0	15.7	26.6	15 4	315 7	16 6	0 0	4752 8	8 1	147 5	2 0
13 0	16 5	27.2	16 1	339.0	17 9	4 9	5322 1	8 4	148 1	1 9
14.0	17 2	27.8	16 9	363.0	19.2	9 1	5936 7	8 8	148 7	1 9
15.0	18 0	28.5	17 6	387 2	20 6	11 8	6578 1	9 1	149 3	1 9
16 0	18 8	28 9	18.7	411 3	21 9	13 8	7242.7	9 5	149 9	1 9
17.0	19 5	29.5	19.4	434.5	23.3	15 2	7906 2	9 8	150 5	1 9
18.0	20.1	30.0	20.1	459.1	24.6	16 4	8635 0	10 1	151 1	1 9
19 0	20.8	30.5	20 9	483.1	26.0	17 2	9371 2	10 4	151 7	1 9
20.0	21.4	31.0	21.6	507.0	27.4	17.7	10124.5	10 6	152 4	1 9
21.0	22.0	31.5	22.3	530.8	28.7	17 8	10901 7	10 9	153 0	1 9
22 0	22.6	31 9	23 0	553 8	30.1	17 6	11674 6	11 1	153 6	1 9
23 0	23 2	32.3	23.7	578.3	31.5	16 9	12517.1	11 4	154 3	1 8
24 0	23 8	32.7	24.4	600.7	32.9	15 6	13314.2	11 6	154 9	1 8
25 0	24 3	33.1	25 0	624.7	34.3	13 7	14186 5	11 8	155 6	1 8
26 0	24 8	33 5	25.7	647 5	35.7	10 4	15040 7	12 0	156 2	1 8
27.0	25 3	33.9	26.3	669 4	37.2	2 4	15881.6	12 1	156 9	1 8
28.0	25.8	34 2	27.0	691 6	38.6	0 0	16755.2	12 3	157 6	1 8
29 0	26 3	34.5	27 6	713 3	40.0	0 0	17628.6	12 4	158 3	1 8
30 0	26 7	34.8	28 2	734 9	41 5	0 0	18517 4	12 6	158 9	1 8
31 0	27 1	35 1	28 9	756 7	42 9	0 0	19432 7	12 7	159 6	1 8
32 0	27 6	35.3	29 5	777 3	44.4	0 0	20317 3	12 8	160 3	1 8

SMOKE III ECLIN AFB, FLA.

EVENT 38 TIME 1405Z DATE 082180

XM38 GRENADES IR#1 12 EA SENSOR 0 5-0 7



SMOKE III EGLIN AFB, FLA.

EVENT 38 TIME 1405Z DATE 082180

XM38 GRENADES IR#1 12 EA SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 38

1405 Z 08-21-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 3.0



HEIGHT(ABOVE DETONATION PT.) =	9.0M	HEIGHT OF CENTROID=	5.M
WIDTH(MAX. HORIZONTAL EXTENT)=	32.0M	LATERAL OFFSET =	5.M
VERTICAL EXTENT =	8.0M	AXES =	34., 8.M
AREA =	146.7SQM	INCLINATION =	0.0 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 5.M OFFSET= 12.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 25.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 31.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 4.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 38

1405 Z 08-21-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 3.0



HEIGHT(ABOVE DETONATION PT.) =	9.0M	HEIGHT OF CENTROID=	5.M
WIDTH(MAX. HORIZONTAL EXTENT)=	32.0M	LATERAL OFFSET =	7.M
VERTICAL EXTENT =	8.0M	AXES =	31., 9.M
AREA =	115.3SQM	INCLINATION =	-0.7 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 5.M OFFSET= 14.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 31.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 30.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA.

EVENT 39 TIME 1442Z DATE 082180

LB(RP) 6 EA. AND XM76 IR#2 6 EA SENSOR 0.5-0.7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	5.4	5.9	5.9	27.6	-1.3	0.0	106.9	2.4	0 0	0 0
1.0	5.6	7.2	6.2	34.7	-0.1	0.0	164.5	2.6	168 3	1 3
2.0	5.9	9.0	6.4	45.7	1.1	0.0	232.8	2.7	169 0	1 3
3.0	6.3	11.1	6.8	58.8	2.3	0.0	313.2	2.9	169.6	1 3
4.0	6.5	13.2	7.0	72.6	3.5	0.0	400.5	3.0	170 2	1 3
5.0	6.9	15.3	7.4	87.9	4.7	0.0	504.6	3.2	170.8	1 4
6.0	7.2	17.3	7.7	103.8	6.0	0.0	619.4	3.3	171.4	1 4
7.0	7.5	19.2	8.0	119.9	7.3	0.0	742.3	3.5	172.0	1 4
8.0	7.8	21.1	8.3	136.9	8.6	0.0	882.8	3.6	172.5	1 4
9.0	8.1	22.8	8.7	154.8	9.9	0.0	1041.1	3.8	173.1	1 4
10.0	8.4	24.5	9.0	172.6	11.3	0.0	1206.6	3.9	173.6	1 5
11.0	8.8	26.2	9.4	191.4	12.6	0.0	1396.9	4.1	174.1	1 5
12.0	9.1	27.7	9.7	209.8	14.0	0.0	1591.2	4.2	174.6	1 5
13.0	9.4	29.1	10.1	229.3	15.5	0.0	1814.6	4.4	175.1	1 5
14.0	9.7	30.5	10.5	248.3	16.9	0.0	2045.0	4.5	175.6	1 5
15.0	10.1	31.7	10.8	268.2	18.4	0.0	2305.4	4.6	176.1	1 5
16.0	10.4	32.9	11.2	288.0	19.8	0.0	2579.0	4.8	176.5	1 6
17.0	10.7	33.9	11.6	307.4	21.3	0.0	2863.7	4.9	177.0	1 6
18.0	11.0	34.9	12.0	326.8	22.9	0.0	3169.3	5.0	177.4	1 6
19.0	11.4	35.8	12.4	346.6	24.4	0.0	3504.1	5.2	177.9	1 6
20.0	11.7	36.6	12.8	366.5	26.0	0.0	3861.7	5.3	178.3	1 6
21.0	12.0	37.3	13.2	385.4	27.6	0.0	4231.0	5.4	178.7	1 7
22.0	12.4	38.0	13.6	404.6	29.2	0.0	4628.2	5.5	179.1	1 7
23.0	12.7	38.5	14.1	423.6	30.8	0.0	5054.9	5.7	179.5	1 7
24.0	13.0	39.0	14.5	442.1	32.5	0.0	5501.2	5.8	179.9	1 7
25.0	13.4	39.3	14.9	459.9	34.1	0.0	5972.2	5.9	180.2	1 7
26.0	13.7	39.7	15.4	478.3	35.8	0.0	6490.3	6.0	180.6	1 8
27.0	14.1	39.9	15.9	494.9	37.5	0.0	7009.3	6.2	181.0	1 8
28.0	14.4	40.0	16.3	511.0	39.3	5.0	7554.1	6.3	181.3	1 8
29.0	14.8	40.1	16.8	527.2	41.0	10.2	8154.3	6.4	181.6	1 8
30.0	15.1	40.1	17.3	541.4	42.8	13.7	8751.1	6.5	182.0	1 8
31.0	15.5	40.0	17.8	556.1	44.6	16.7	9413.2	6.6	182.3	1 8
32.0	15.8	39.8	18.2	568.7	46.5	19.3	10075.8	6.7	182.6	1 9
33.0	16.2	39.6	18.7	581.6	48.3	21.7	10804.1	6.8	182.9	1 9
34.0	16.6	39.3	19.3	593.2	50.2	24.0	11558.0	6.9	183.3	1 9
35.0	16.9	39.0	19.7	602.9	52.1	26.0	12319.5	7.0	183.6	1 9
36.0	17.3	38.5	20.3	612.3	54.0	27.9	13142.6	7.2	183.8	1 9
37.0	17.7	38.1	20.8	620.8	55.9	29.6	14004.9	7.3	184.1	2 0
38.0	18.0	37.6	21.4	629.0	57.9	30.9	14936.4	7.4	184.4	2 0
39.0	18.4	37.1	21.9	635.0	59.8	31.9	15870.3	7.5	184.7	2 0
40.0	18.8	36.5	22.5	640.6	61.8	32.1	16862.6	7.6	185.0	2.0
41.0	19.1	35.9	23.0	645.3	63.9	31.5	17904.3	7.6	185.2	2 0
42.0	19.5	35.3	23.6	649.6	65.9	29.3	19011.3	7.7	185.5	2 1

SMOKE III EGLIN AFB, FLA.

EVENT 39 TIME 1442Z DATE 082180

LB(RP) 6 EA. AND XM76 IR#2 6 EA SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.
EVENT 39 TIME 1442Z DATE 082180
L8(RP) 6 EA. AND XM76 IR#2 6 EA SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.
++++++WIDTH
. . . . . TRANSPORT
******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 39

1442 Z 08-21-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 10.0



HEIGHT(ABOVE DETONATION PT.) =	9.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	22.0M	LATERAL OFFSET =	14.M
VERTICAL EXTENT =	8.0M	AXES =	20., 9.M
AREA =	144.6SQM	INCLINATION =	2.7 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= 18.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 9.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 19.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 2.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 39

1442 Z 08-21-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 10.0



HEIGHT(ABOVE DETONATION PT.) =	9.0M	HEIGHT OF CENTROID=	3.M
WIDTH(MAX. HORIZONTAL EXTENT)=	34.0M	LATERAL OFFSET =	12.M
VERTICAL EXTENT =	10.0M	AXES =	33., 10.M
AREA =	152.5SQM	INCLINATION =	-4.6 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= 19.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 28.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 28.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLA

EVENT 40 TIME 1521Z DATE 082180

L8(RP) 6 EA AND XM76 IR#2 6 EA SENSOR 0 5-0 7

	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS)						DIMENSIONS INDEPENDENT OF PERSPECTIVE			
TIME(SEC)	HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0 0	4.8	34.2	5.5	147.1	-2.1	0 0	555 6	2 1	0 0	0 0
1.0	5.6	34.4	6.5	173.5	-1.2	0.0	772 7	2 4	144 7	1 4
2.0	6.4	34.6	7.4	199.0	-0.3	0 0	1018 7	2 7	144 5	1 4
3.0	7.2	34.8	8.3	224.0	0.5	0 0	1299.8	3 1	144 3	1 4
4.0	8.0	34.9	9 2	248.9	1.4	0 0	1617.7	3 4	144 0	1 4
5.0	8.7	34.9	10.1	272.4	2.3	0.0	1959.7	3 7	143 8	1 4
6.0	9.4	34.9	11.0	294.5	3.2	0 0	2327 1	4 0	143 6	1 4
7.0	10.1	34.9	11.8	315.8	4.1	0 0	2724 8	4 2	143 4	1 4
8.0	10.8	34.8	12.6	336.7	5.0	0 0	3163.3	4 5	143 2	1 4
9.0	11 4	34.7	13.4	356.0	5.8	0 0	3624.8	4 7	142 9	1 4
10.0	12.1	34.6	14.1	373.6	6.7	0 0	4102 4	5 0	142 7	1 4
11.0	12.7	34.4	14.9	390.5	7.6	0 0	4626.5	5 2	142 5	1 4
12.0	13.2	34.2	15.5	405.4	8.5	0.0	5164.0	5 5	142 3	1 5
13.0	13.8	33.9	16.2	419.9	9.4	0.0	5756 8	5.7	142 1	1 5
14.0	14.3	33.6	16.8	431.2	10.2	0.0	6345.5	5.9	141.9	1 5
15.0	14.8	33.3	17.4	442.2	11.1	0 0	6995 1	6 1	141 7	1 5
16.0	15.2	32.9	17.9	451.0	12.0	0 0	7669.9	6.3	141 5	1 5
17.0	15.7	32 4	18.6	457.9	12.9	0.0	8370.7	6.4	141 3	1 5
18 0	16.1	31.8	19.1	462.6	13.7	0.0	9096.5	6.6	141 1	1 5
19.0	16.5	31.3	19.5	465.2	14.6	0.0	9845.6	6.8	140 9	1 5
20.0	16.9	30.7	19.9	466.8	15.5	0.0	10663.7	6.9	140 7	1 5
21.0	17.2	30.0	20.3	465.3	16.4	0.0	11475.7	7 0	140.5	1 5
22.0	17.5	29.3	20.6	462.9	17.3	0.0	12354.7	7.2	140.3	1 5
23.0	17.7	28.6	20.9	457.9	18.1	0.0	13242 1	7 3	140.1	1 5
24.0	17.9	27.8	21.1	451.9	19.0	0.0	14192.2	7 4	139 9	1 5
25.0	18.1	27.0	21.3	443.5	19.9	0 0	15142.5	7 5	139 7	1 5
26.0	18.3	26.1	21.4	433.3	20.8	0.0	16096 2	7 6	139 5	1 5
27.0	18.4	25.3	21.6	422.9	21.6	0 0	17127 4	7.6	139 3	1 6
28.0	18.5	24.4	21.6	411.6	22.5	0.0	18169 1	7.7	139 2	1 6
29.0	18.6	23.6	21.6	399.5	23.4	0.0	19212.2	7.8	139 0	1 6
30.0	18.6	22.9	21.6	387.4	24.3	0 0	20258.8	7 8	138 8	1 6
31 0	18 6	22.2	21.6	375.8	25.1	0 0	21287 4	7 8	138 6	1 6
32 0	18.6	21.7	21.5	367.3	26.0	0 0	22415 3	7.9	138 4	1 6
33.0	18 6	21.4	21.4	360.0	26.9	0 0	23446.2	7.9	138 3	1 6
34 0	18 5	21.2	21.3	355.5	27.8	0 0	24439 4	7 9	138 1	1 6
35 0	18.5	21.3	21.2	355.4	28.6	0.0	25410 3	7 9	137 9	1 6
36 0	18 4	21.7	21 1	360.1	29.5	0 0	26331 1	7 9	137 8	1 6

SMOKE III EGLIN AFB, FLA.

EVENT 40 TIME 1521Z DATE 082180

L8(RP) 6 EA AND XM76 IR#2 6 EA SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLA.

EVENT 40 TIME 1521Z DATE 082180

L8(RP) 6 EA AND XM76 IR#2 6 EA SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 40

1521 Z 08-21-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 6.0



HEIGHT(ABOVE DETONATION PT.) =	11.0M	HEIGHT OF CENTROID=	5.M
WIDTH(MAX. HORIZONTAL EXTENT)=	31.0M	LATERAL OFFSET =	12.M
VERTICAL EXTENT =	11.0M	AXES =	28., 11.M
AREA =	214.6SQM	INCLINATION =	-5.6 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 5.M OFFSET= 18.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 15.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 22.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 1.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
# = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 40

1521 Z 08-21-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 6.0



HEIGHT(ABOVE DETONATION PT.) =	10.0M	HEIGHT OF CENTROID=	4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	37.0M	LATERAL OFFSET =	10.M
VERTICAL EXTENT =	11.0M	AXES =	39., 11.M
AREA =	284.2SQM	INCLINATION =	-1.7 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= 4.M OFFSET= 18.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 34.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 34.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 1.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EGLIN AFB, FLORIDA

EVENT 42 TIME 1633Z DATE 092180

IR#2 WITH FOG OIL SENSOR 0.5-0.7

TIME(SEC)	DIMENSIONS OF OBJECT CROSSECTION NORMAL TO OPTICAL PATH(METERS) HEIGHT (REF DET PT)	HORIZONTAL EXTENT	VERTICAL EXTENT	AREA (SQ. METERS)	LATERAL OFFSET	PATH LENGTH	DIMENSIONS INDEPENDENT OF PERSPECTIVE VOLUME (CUBIC METERS)	CENTROID HEIGHT	TRANSPORT DIRECTION	TRANSPORT RATE
0.0	1.9	35.9	5.2	145.1	14.9	0.0	1124.4	-0.7	0.0	0.0
1.0	2.3	32.6	7.6	193.5	14.3	0.0	2665.3	-1.5	296.3	2.8
2.0	2.5	28.8	9.2	206.3	14.5	0.0	4260.8	-2.1	281.0	3.1
3.0	2.8	24.7	10.7	202.1	15.5	0.0	6005.7	-2.6	268.5	3.5
4.0	6.4	71.5	18.3	1021.7	17.3	13.2	20148.0	-2.8	259.0	4.0
5.0	7.4	79.0	20.6	1275.0	19.8	15.8	27716.2	-2.9	251.9	4.6
6.0	8.8	86.1	23.1	1562.2	23.1	16.9	37473.1	-2.8	246.5	5.3

SMOKE III EGLIN AFB, FLORIDA

EVENT 42 TIME 1633Z DATE 082180

IR#2 WITH FOG OIL SENSOR 0.5-0.7



SMOKE III EGLIN AFB, FLORIDA

EVENT 42 TIME 1633Z DATE 082180

IR#2 WITH FOG OIL SENSOR 0.5-0.7

PERSPECTIVE FROM PRIMARY INSTRUMENTATION SITE

SUMMARY GRAPIC



------HEIGHT ABOVE DET. PT.

++++++WIDTH

. . . . . TRANSPORT

******HEIGHT OF CENTER OF MASS ABOVE DET. PT.

SMOKE III EVENT # 42

1633 Z 08-21-80 STATION # 1 SENSOR= 0.5-0.7 MICRON

T+ 6.0



HEIGHT(ABOVE DETONATION PT.) =	5.0M	HEIGHT OF CENTROID=	-4.M
WIDTH(MAX. HORIZONTAL EXTENT)=	98.0M	LATERAL OFFSET =	-32.M
VERTICAL EXTENT =	19.0M	AXES =	91., 16.M
AREA =	973.4SQM	INCLINATION =	4.4 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= -2.M OFFSET= -52.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 0.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 80.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)= 0.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
# = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

SMOKE III EVENT # 42

1633 Z 08-21-80 STATION # 2 SENSOR= 0.5-0.7 MICRON

T+ 6.0



HEIGHT(ABOVE DETONATION PT.) =	5.0M	HEIGHT OF CENTROID=	-3.M
WIDTH(MAX. HORIZONTAL EXTENT)=	49.0M	LATERAL OFFSET =	-4.M
VERTICAL EXTENT =	17.0M	AXES =	49., 14.M
AREA =	211.3SQM	INCLINATION =	7.7 DEG

CENTROID OF BUOYANT PORTION OF CLOUD: HEIGHT= -2.M OFFSET= -14.M
HORIZONTAL EXTENT AT 7 METERS ABOVE SURFACE= 17.M
HOR. EXTENT OF LINE CONTAINING PT. OF MAX. OFFSET OF LEADING EDGE= 32.M
SHEAR(HOR. DISTANCE BETWEEN PT. OF MAX. OFFSET AND PT. AT 7 METERS)=-12.M

** = DETONATION POINT
+ = CENTROID OF PRIMARY ELLIPSE
* = CENTROID OF BOUYANT PORTION OF CLOUD

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, N.M.

ELECTRO-OPTICS DISTRIBUTION LIST

Commander
US Army Aviation School
Fort Rucker, AL 36362

Commander
US Army Aviation Center
ATTN: ATZQ-D-MA (Mr. Oliver N. Heath)
Fort Rucker, AL 36362

Commander
US Army Aviation Center
ATTN: ATZQ-D-MS (Mr. Donald Wagner)
Fort Rucker, AL 36362

NASA/Marshall Space Flight Center
ATTN: ES-83 (Otha H. Vaughan, Jr.)
Huntsville, AL 35812

NASA/Marshall Space Flight Center
Atmospheric Sciences Division
ATTN: Code ES-81 (Dr. William W. Vaughan)
Huntsville, AL 35812

Nichols Research Corporation
ATTN: Dr. Lary W. Pinkley
4040 South Memorial Parkway
Huntsville, AL 35802

John M. Hobbie
c/o Kentron International
2003 Byrd Spring Road
Huntsville, AL 35802

Mr. Ray Baker
Lockheed-Missile & Space Company
4800 Bradford Blvd
Huntsville, AL 35807

Commander
US Army Missile Command
ATTN: DRSMI-OG (Mr. Donald R. Peterson)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-OGA (Dr. Bruce W. Fowler)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REL (Dr. George Emmons)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Huey F. Anderson)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Mr. Maxwell W. Harper)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Mr. Gene Widenhofer)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RHC (Dr. Julius Q. Lilly)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
Redstone Scientific Information Center
ATTN: DRSMI-RPRD (Documents Section)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRA (Dr. Oskar Essenwanger)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRO (Mr. Charles Christensen)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRO (Dr. George A. Tanton)
Redstone Arsenal, AL 35809

Commander
US Army Communications Command
ATTN: CC-OPS-PP
Fort Huachuca, AZ 85613

Commander
US Army Intelligence Center & School
ATTN: ATSI-CD-CS (Mr. Richard G. Cundy)
Fort Huachuca, AZ 85613

Commander
US Army Intelligence Center & School
ATTN: ATSI-CD-MD (Mr. Harry Wilder)
Fort Huachuca, AZ 85613

Commander
US Army Intelligence Center & School
ATTN: ATSI-CS-C (2LT Coffman)
Fort Huachuca, AZ 85613

Commander
US Army Yuma Proving Ground
ATTN: STEYP-MSA-TL
Bldg 2105
Yuma, AZ 85364

Northrop Corporation
Electro-Mechanical Division
ATTN: Dr. Richard D. Tooley
500 East Orangethorpe Avenue
Anaheim, CA 92801

Commander
Naval Weapons Center
ATTN: Code 3918 (Dr. Alexis Shlanta)
China Lake, CA 93555

Hughes Helicopters
Army Advanced Attack Helicopter Weapons
ATTN: Mr. Charles R. Hill
Centinela and Teale Streets
Bldg 305, MS T-73A
Culter City, CA 90230

Commander
US Army Combat Developments
Experimentation Command
ATTN: ATEC-PL-M (Mr. Gary G. Love)
Fort Ord, CA 93941

SRI International
ATTN: K2060/Dr. Edward E. Uthe
333 Ravenswood Avenue
Menlo Park, CA 94025

SRI International
ATTN: Mr. J. E. Van der Laan
333 Ravenswood Avenue
Menlo Park, CA 94025

Joane May
Naval Environmental Prediction
Research Facility (NEPRF)
ATTN: Library
Monterey, CA 93940

Sylvania Systems Group,
Western Division
GTE Products Corporation
ATTN: Technical Reports Library
P.O. Box 205
Mountain View, CA 94042

Sylvania Systems Group
Western Division
GTE Products Corporation
ATTN: Mr. Lee W. Carrier
P.O. Box 188
Mountain View, CA 94042

Pacific Missile Test Center
Geophysics Division
ATTN: Code 3250-3 (R. de Violini)
Point Mugu, CA 93042

Pacific Missile Test Center
Geophysics Division
ATTN: Code 3253 (Terry E. Battalino)
Point Mugu, CA 93042

Effects Technology Inc.
ATTN: Mr. John D. Carlyle
5383 Hollister Avenue
Santa Barbara, CA 93111

Commander
Naval Ocean Systems Center
ATTN: Code 532 (Dr. Juergen Richter)
San Diego, CA 92152

Commander
Naval Ocean Systems Center
ATTN: Code 5322 (Mr. Herbert G. Hughes)
San Diego, CA 92152

Commander
Naval Ocean Systems Center
ATTN: Code 4473 (Tech Library)
San Diego, CA 92152

The RAND Corporation
ATTN: Ralph Huschke
1700 Main Street
Santa Monica, CA 90406

Particle Measuring Systems, Inc.
ATTN: Dr. Robert G. Knollenberg
1855 South 57th Court
Boulder, CO 80301

US Department of Commerce
National Oceanic and Atmospheric Admin
Environmental Research Laboratories
ATTN: Library, R-51, Technical Reports
325 Broadway
Boulder, CO 80303

US Department of Commerce
National Oceanic and Atmospheric Admin
Environmental Research Laboratories
ATTN: R45X3 (Dr. Vernon E. Derr)
Boulder, CO 80303

US Department of Commerce
National Telecommunications and
Information Administration
Institute for Telecommunication Sciences
ATTN: Code 1-3426 (Dr. Hans J. Liebe)
Boulder, CO 80303

AFATL/DLODL
Technical Library
Eglin AFB, FL 32542

Commanding Officer
Naval Training Equipment Center
ATTN: Technical Information Center
Orlando, FL 32813

Georgia Institute of Technology
Engineering Experiment Station
ATTN: Dr. Robert W. McMillan
Atlanta, GA 30332

Georgia Institute of Technology
Engineering Experiment Station
ATTN: Dr. James C. Wiltse
Atlanta, GA 30332

Commandant
US Army Infantry Center
ATTN: ATSH-CD-MS-E (Mr. Robert McKenna)
Fort Benning, GA 31805

Commander
US Army Signal Center & Fort Gordon
ATTN: ATZHCD-CS
Fort Gordon, GA 30905

Commander
US Army Signal Center & Fort Gordon
ATTN: ATZHCD-O
Fort Gordon, GA 30905

USAFETAC/DNE
ATTN: Mr. Charles Glauber
Scott AFB, IL 62225

Commander
Air Weather Service
ATTN: AWS/DNDP (LTC Kit G. Cottrell)
Scott AFB, IL 62225

Commander
Air Weather Service
ATTN: AWS/DOOF (MAJ Robert Wright)
Scott AFB, IL 62225

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-CAA-Q (Mr. H. Kent Pickett)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-SAN (Robert DeKinder, Jr.)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-SAN (Mr. Kent I. Johnson)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-WE (LTC Darrell Holland)
Fort Leavenworth, KS 66027

President
USAARENBD
ATTN: ATZK-AE-TA (Dr. Charles R. Leake)
Fort Knox, KY 40121

Commander
US Army Armor Center and Fort Knox
ATTN: ATZK-CD-MS
Fort Knox, KY 40121

Commander
US Army Armor Center and Fort Knox
ATTN: ATZK-CD-SD
Fort Knox, KY 40121

Aerodyne Research Inc.
ATTN: Dr. John F. Ebersole
Crosby Drive
Bedford, MA 01730

Commander
Air Force Geophysics Laboratory
ATTN: OPA (Dr. Robert W. Fenn)
Hanscom AFB, MA 01731

Commander
Air Force Geophysics Laboratory
ATTN: OPI (Dr. Robert A. McClatchey)
Hanscom AFB, MA 01731

Massachusetts Institute of Technology
Lincoln Laboratory
ATTN: Dr. T. J. Goblick, B-370
P.O. Box 73
Lexington, MA 02173

Massachusetts Institute of Technology
Lincoln Laboratory
ATTN: Dr. Michael Gruber
P.O. Box 73
Lexington, MA 02173

Raytheon Company
Equipment Division
ATTN: Dr. Charles M. Sonnenschein
430 Boston Post Road
Wayland, MA 01778

Commander
US Army Ballistic Research Laboratory/
ARRADCOM
ATTN: DRDAR-BLB (Mr. Richard McGee)
Aberdeen Proving Ground, MD 21005

Commander/Director
Chemical Systems Laboratory
US Army Armament Research
& Development Command
ATTN: DRDAR-CLB-PS (Dr. Edward Stuebing)
Aberdeen Proving Ground, MD 21010

Commander/Director
Chemical Systems Laboratory
US Army Armament Research
& Development Command
ATTN: DRDAR-CLB-PS (Mr. Joseph Vervier)
Aberdeen Proving Ground, MD 21010

Commander/Director
Chemical Systems Laboratory
US Army Armament Research
& Development Command
ATTN: DRDAR-CLY-A (Mr. Ronnald Pennsyle)
Aberdeen Proving Ground, MD 21010

Commander
US Army Ballistic Research Laboratory/
ARRADCOM
ATTN: DRDAR-TSB-S (STINFO)
Aberdeen Proving Ground, MD 21005

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-CCM (W. H. Pepper)
Adelphi, MD 20783

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-CG/DRDEL-DC/DRDEL-CS
2800 Powder Mill Road
Adelphi, MD 20783

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-CT
2800 Powder Mill Road
Adelphi, MD 20783

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-PAO (M. Singleton)
2800 Powder Mill Road
Adelphi, MD 20783

Project Manager
Smoke/Obscurants
ATTN: DRDPM-SMK
(Dr. Anthony Van de Wal, Jr.)
Aberdeen Proving Ground, MD 21005

Project Manager
Smoke/Obscurants
ATTN: DRDPM-SMK-T (Mr. Sidney Gerard)
Aberdeen Proving Ground, MD 21005

Commander
US Army Test & Evaluation Command
ATTN: DRSTE-AD-M (Mr. Warren M. Baity)
Aberdeen Proving Ground, MD 21005

Commander
US Army Test & Evaluation Command
ATTN: DRSTE-AD-M (Dr. Norman E. Pentz)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-AAM (Mr. William Smith)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-CS (Mr. Philip H. Beavers)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GB (Wilbur L. Warfield)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GP (Mr. Fred Campbell)
Aberdeen Proving Ground, MD 21005

Director
US Army Material Systems Analysis Activity
ATTN: DRXSY-GP (H. Stamper)
Aberdeen Proving Grounds, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GS
(Mr. Michael Starks/Mr. Julian Chernick)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-J (Mr James F. O'Bryon)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-LM (Mr. Robert M. Marchetti)
Aberdeen Proving Ground, MD 21005

Commander
Harry Diamond Laboratories
ATTN: Dr. William W. Carter
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM (Mr. Robert McCoskey)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM-NM (Dr. Robert Humphrey)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM-NM (Dr. Z. G. Sztankay)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM-NM (Dr. Joseph Nemarich)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Air Force Systems Command
ATTN: WER (Mr. Richard F. Picanso)
Andrews AFB, MD 20334

Martin Marietta Laboratories
ATTN: Jar Mo Chen
1450 South Rolling Road
Baltimore, MD 21227

Commander
US Army Concepts Analysis Agency
ATTN: CSCA-SMC (Mr. Hal E. Hock)
8120 Woodmont Avenue
Bethesda, MD 20014

Director
National Security Agency
ATTN: R52/Dr. Douglas Woods
Fort George G. Meade, MD 20755

Chief
Intelligence Materiel Development
& Support Office
US Army Electronic Warfare Laboratory
ATTN: DELEW-I (LTC Kenneth E. Thomas)
Fort George G. Meade, MD 20755

The Johns Hopkins University
Applied Physics Laboratory
ATTN: Dr. Michael J. Lun
John Hopkins Road
Laurell, MD 20810

Dr. Stephen T. Hanley
1720 Rhodesia Avenue
Oxon Hill, MD 20022

Science Applications Inc.
ATTN: Mr. G. D. Currie
15 Research Drive
Ann Arbor, MI 48103

Science Applications Inc.
ATTN: Dr. Robert E. Turner
15 Research Drive
Ann Arbor, MI 48103

Commander
US Army Tank-Automotive Research
& Development Command
ATTN: DRDTA-ZSC (Mr. Harry Young)
Warren, MI 48090

Commander
US Army Tank Automotive Research
& Development Command
ATTN: DRDTA-ZSC (Mr. Wallace Mick, Jr.)
Warren, MI 48090

Dr. A. D. Belmont
Research Division
Control Data Corporation
P.O. Box 1249
Minneapolis, MN 55440

Director
US Army Engr Waterways Experiment Station
ATTN: WESEN (Mr. James Mason)
P.O. Box 631
Vicksburg, MS 39180

Dr. Jerry Davis
Department of Marine, Earth
and Atmospheric Sciences
North Carolina State University
Raleigh, NC 27650

Commander
US Army Research Office
ATTN: DRXRO-GS (Dr. Leo Alpert)
P.O. Box 12211
Research Triangle Park, NC 27709

Commander
US Army Research Office
ATTN: DRXRO-PP (Brenda Mann)
P.O. Box 12211
Research Triangle Park, NC 27709

Commander
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RD (Dr. K. F. Sterrett)
Hanover, NH 03755

Commander/Director
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RG (Mr. George Aitken)
Hanover, NH 03755

Commander
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RG (Mr. Roger H. Berger)
Hanover, NH 03755

Commander
US Army Armament Research
& Development Command
ATTN: DRDAR-AC (Mr. James Greenfield)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRDAR-TSS (Bldg #59)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRCPM-CAWS-EI (Mr. Peteris Jansons)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRCPM-CAWS-EI (Mr. G. H. Waldron)
Dover, NJ 07801

Deputy Joint Project Manager
for Navy/USMC SAL GP
ATTN: DRCPM-CAWS-NV (CPT Joseph Miceli)
Dover, NJ 07801

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELCS-I (Mr. David Longinotti)
Fort Monmouth, NJ 07703

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELCS-PE (Mr. Ben A. Di Campli)
Fort Monmouth, NJ 07703

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELCS-R-S (Mr. Donald L. Foiani)
Fort Monmouth, NJ 07703

Director
US Army Electronics Technology &
Devices Laboratory
ATTN: DELET-DD (S. Danko)
Fort Monmouth, NJ 07703

Project Manager
FIREFINDER/REMBASS
ATTN: DRCPM-FFR-TM (Mr. John M. Bialo)
Fort Monmouth, NJ 07703

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-SA (Dr. Walter S. McAfee)
Fort Monmouth, NJ 07703

OLA, 2WS (MAC)
Holloman AFB, NM 88330
Commander
Air Force Weapons Laboratory
ATTN: AFWL/WE (MAJ John R. Elrick)
Kirtland, AFB, NM 87117

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-SL
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-SL (Dolores Anguiano)
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-TDB (Mr. Louie Dominguez)
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-TDB (Mr. William J. Leach)
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-TGP (Mr. Roger F. Willis)
White Sands Missile Range, NM 88002

Director
Office of Missile Electronic Warfare
ATTN: DELEW-M-STO (Dr. Steven Kovel)
White Sands Missile Range, NM 88002

Office of the Test Director
Joint Services EO GW CM Test Program
ATTN: DRXDE-TD (Mr. Weldon Findley)
White Sands Missile Range, NM 88002

Commander
US Army White Sands Missile Range
ATTN: STEWS-PT-AL (Laurel B. Saunders)
White Sands Missile Range, NM 88002

Commander
US Army R&D Coordinator
US Embassy - Bonn
Box 165
APO New York 09080

Grumman Aerospace Corporation
Research Department - MS A08-35
ATTN: John E. A. Selby
Bethpage, NY 11714

Rome Air Development Center
ATTN: Documents Library
TSLD (Bette Smith)
Griffiss AFB, NY 13441

Dr. Roberto Vaglio-Laurin
Faculty of Arts and Science
Dept. of Applied Science
26-36 Stuyvesant Street
New York, NY 10003

Air Force Wright Aeronautical Laboratories/
Avionics Laboratory
ATTN: AFWAL/AARI-3 (Mr. Harold Geltmacher)
Wright-Patterson AFB, OH 45433

Air Force Wright Aeronautical Laboratories/
Avionics Laboratory
ATTN: AFWAL/AARI-3 (CPT William C. Smith)
Wright-Patterson AFB, OH 45433

Commandant
US Army Field Artillery School
ATTN: ATSF-CF-R (CPT James M. Watson)
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: ATSF-CD-MS
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: ATSF-CF-R
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: NOAA Liaison Officer
(CDR Jeffrey G. Carlen)
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
Morris Swett Library
ATTN: Reference Librarian
Fort Sill, OK 73503

Commander
Naval Air Development Center
ATTN: Code 301 (Mr. George F. Eck)
Warminster, PA 18974

The University of Texas at El Paso
Electrical Engineering Department
ATTN: Dr. Joseph H. Pierluissi
El Paso, TX 79968

Commandant
US Army Air Defense School
ATTN: ATSA-CD-SC-A (CPT Charles T. Thorn)
Fort Bliss, TX 79916

Commander
HQ, TRADOC Combined Arms Test Activity
ATTN: ATCAT-OP-Q (CPT Henry C. Cobb, Jr.)
Fort Hood, TX 76544

Commander
HQ, TRADOC Combined Arms Test Activity
ATTN: ATCAT-SCI (Dr. Darrell W. Collier)
Fort Hood, TX 76544

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-L
Dugway, UT 84022

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-M (Mr. Paul E. Carlson)
Dugway, UT 84022

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-T (Mr. John Trethewey)
Dugway, UT 84022

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-T (Mr. William Peterson)
Dugway, UT 84022

Defense Documentation Center
ATTN: DDC-TCA
Cameron Station Bldg 5
Alexandria, VA 22314
12

Ballistic Missile Defense Program Office
ATTN: DACS-BMT (Colonel Harry F. Ennis)
5001 Eisenhower Avenue
Alexandria, VA 22333

Defense Technical Information Center
ATTN: DDA-2 (Mr. James E. Shafer)
Cameron Station, Bldg 5
Alexandria, VA 22314

Commander
US Army Materiel Development
& Readiness Command
ATTN: DRCBSI-EE (Mr. Albert Giambalvo)
5001 Eisenhower Avenue
Alexandria, VA 22333

Commander
US Army Materiel Development
& Readiness Command
ATTN: DRCLDC (Mr. James Bender)
5001 Eisenhower Avenue
Alexandria, VA 22333

Defense Advanced Rsch Projects Agency
ATTN: Steve Zakanyez
1400 Wilson Blvd
Arlington, VA 22209

Defense Advanced Rsch Projects Agency
ATTN: Dr. James Tegnelia
1400 Wilson Blvd
Arlington, VA 22209

Institute for Defense Analyses
ATTN: Mr. Lucien M. Biberman
400 Army-Navy Drive
Arlington, VA 22202

Institute for Defense Analyses
ATTN: Dr. Ernest Bauer
400 Army-Navy Drive
Arlington, VA 22202

Institute for Defense Analyses
ATTN: Dr. Hans G. Wolfhard
400 Army-Navy Drive
Arlington, VA 22202

System Planning Corporation
ATTN: Mr. Daniel Friedman
1500 Wilson Boulevard
Arlington, VA 22209

System Planning Corporation
ATTN: COL Hank Shelton
1500 Wilson Boulevard
Arlington, VA 22209

US Army Intelligence & Security Command
ATTN: Edwin Speakman, Scientific Advisor
Arlington Hall Station
Arlington, VA 22212

Commander
US Army Operational Test
& Evaluation Agency
ATTN: CSTE-ED (Mr. Floyd I. Hill)
5600 Columbia Pike
Falls Church, VA 22041

Commander and Director
US Army Engineer Topographic Laboratories
ATTN: ETL-GS-A (Mr. Thomas Neidringhaus)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-L (Dr. Rudolf G. Buser)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-L (Dr. Robert S. Rodhe)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Mr. Joseph R. Moulton)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Luanne P. Obert)
Fort Belvoir, VA 22060

Director
US Army Night Vision
& Electro-Optics Laboratory
ATTN: DELNV-VI (Mr. Thomas W. Cassidy)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Mr. Richard J. Bergemann)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Dr. James A. Ratches)
Fort Belvoir, VA 22060

Commander
US Army Training & Doctrine Command
ATTN: ATCD-AN
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-AN-M
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-F-A (Mr. Chris O'Connor, Jr.)
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-IE-R (Mr. David M. Ingram)
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-M-I/ATCD-M-A
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATDOC-TA (Dr. Marvin P. Pastel)
Fort Monroe, VA 23651

Department of the Air Force
OL-I, AWS
Fort Monroe, VA 23651

Department of the Air Force
HQS 5 Weather Wing (MAC)
ATTN: 5 WW/DN
Langley Air Force Base, VA 23655

Commander
US Army INSCOM/Quest Research Corporation
ATTN: Mr. Donald Wilmot
6845 Elm Street, Suite 407
McLean, VA 22101

General Research Corporation
ATTN: Dr. Ralph Zirkind
7655 Old Springhouse Road
McLean, VA 22102

Science Applications, Inc.
8400 Westpark Drive
ATTN: Dr. John E. Cockayne
McLean, VA 22102

US Army Nuclear & Chemical Agency
ATTN: MONA-WE (Dr. John A. Berberet)
7500 Backlick Road, Bldg 2073
Springfield, VA 22150

Director
US Army Signals Warfare Laboratory
ATTN: DELSW-EA (Mr. Douglas Harkleroad)
Vint Hill Farms Station
Warrenton, VA 22186

Director
US Army Signals Warfare Laboratory
ATTN: DELSW-OS (Dr. Royal H. Burkhardt)
Vint Hill Farms Station
Warrenton, VA 22186

Commander
US Army Cold Regions Test Center
ATTN: STECR-TD (Mr. Jerold Barger)
APO Seattle, WA 98733

HQDA (SAUS-OR/Hunter M. Woodall, Jr./
Dr. Herbert K. Fallin)
Rm 2E 614, Pentagon
Washington, DC 20301

COL Elbert W. Friday, Jr.
OUSDRE
Rm 3D 129, Pentagon
Washington, DC 20301

Defense Communications Agency
Technical Library Center
Code 222
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: Technical Library (Mrs. Betty Fox)
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: RAAE (Dr. Carl Fitz)
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: SPAS (Mr. Donald J. Kohler)
Washington, DC 20305

Defense Intelligence Agency
ATTN: DT/AC (LTC Robert Poplawski)
Washington, DC 20301

HQDA (DAMA-ARZ-D/Dr. Verderame)
Washington, DC 20310

HQDA (DAMI-ISP/Mr. Beck)
Washington, DC 20310

Department of the Army
Deputy Chief of Staff for
Operations and Plans
ATTN: DAMO-RQ
Washington, DC 20310

Department of the Army
Director of Telecommunications and
Command and Control
ATTN: DAMO-TCZ
Washington, DC 20310

Department of the Army
Assistant Chief of Staff for Intelligence
ATTN: DAMI-TS
Washington, DC 20310

HQDA (DAEN-RDM/Dr. de Percin)
Casimir Pulaski Building
20 Massachusetts Avenue
Room 6203
Washington, DC 20314

National Science Foundation
Division of Atmospheric Sciences
ATTN: Dr. Eugene W. Bierly
1800 G. Street, N.W.
Washington, DC 20550

Director
Naval Research Laboratory
ATTN: Code 4320 (Dr. Lothar H. Ruhnke)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6009 (Dr. John MacCallum, Jr.)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6530 (Mr. Raymond A. Patten)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6533 (Dr. James A. Dowling)
Washington, DC 20375

ATMOSPHERIC SCIENCES RESEARCH REPORTS

1. Lindberg, J. D. "An Improvement to a Method for Measuring the Absorption Coefficient of Atmospheric Dust and other Strongly Absorbing Powders," ECOM-5565, July 1975.

2. Avara, Elton P., "Mesoscale Wind Shears Derived from Thermal Winds," ECOM-5566, July 1975.

3. Gomez, Richard B., and Joseph H. Pierluissi, "Incomplete Gamma Function Approximation for King's Strong-Line Transmittance Model," ECOM-5567, July 1975.

4. Blanco, A. J., and B. F. Engebos, "Ballistic Wind Weighting Functions for Tank Projectiles," ECOM-5568, August 1975.

5. Taylor, Fredrick J., Jack Smith, and Thomas H. Pries, "Crosswind Measurements through Pattern Recognition Techniques," ECOM-5569, July 1975.

6. Walters, D. L., "Crosswind Weighting Functions for Direct-Fire Projectiles," ECOM-5570, August 1975.

7. Duncan, Louis D., "An Improved Algorithm for the Iterated Minimal Information Solution for Remote Sounding of Temperature," ECOM-5571, August 1975.

8. Robbiani, Raymond L., "Tactical Field Demonstration of Mobile Weather Radar Set AN/TPS-41 at Fort Rucker, Alabama," ECOM-5572, August 1975.

9. Miers, B., G. Blackman, D. Langer, and N. Lorimier, "Analysis of SMS/GOES Film Data," ECOM-5573, September 1975.

10. Manquero, Carlos, Louis Duncan, and Rufus Bruce, "An Indication from Satellite Measurements of Atmospheric CO_2 Variability," ECOM-5574, September 1975.

11. Petracca, Carmine, and James D. Lindberg, "Installation and Operation of an Atmospheric Particulate Collector," ECOM-5575, September 1975.

12. Avara, Elton P., and George Alexander, "Empirical Investigation of Three Iterative Methods for Inverting the Radiative Transfer Equation," ECOM-5576, October 1975.

13. Alexander, George D., "A Digital Data Acquisition Interface for the SMS Direct Readout Ground Station - Concept and Preliminary Design," ECOM-5577, October 1975.

14. Cantor, Israel, "Enhancement of Point Source Thermal Radiation Under Clouds in a Nonattenuating Medium," ECOM-5578, October 1975.

15. Norton, Colburn, and Glenn Hoidale, "The Diurnal Variation of Mixing Height by Month over White Sands Missile Range, NM," ECOM-5579, November 1975.

16. Avara, Elton P., "On the Spectrum Analysis of Binary Data," ECOM-5580, November 1975.

17. Taylor, Fredrick J., Thomas H. Pries, and Chao-Huan Huang, "Optimal Wind Velocity Estimation," ECOM-5581, December 1975.

18. Avara, Elton P., "Some Effects of Autocorrelated and Cross-Correlated Noise on the Analysis of Variance," ECOM-5582, December 1975.

19. Gillespie, Patti S., R. L. Armstrong, and Kenneth O. White, "The Spectral Characteristics and Atmospheric CO_2 Absorption of the Ho^{+3}:YLF Laser at 2.05μm," ECOM-5583, December 1975.

20. Novlan, David J., "An Empirical Method of Forecasting Thunderstorms for the White Sands Missile Range," ECOM-5584, February 1976.

21. Avara, Elton P., "Randomization Effects in Hypothesis Testing with Autocorrelated Noise," ECOM-5585, February 1976.

22. Watkins, Wendell R., "Improvements in Long Path Absorption Cell Measurement," ECOM-5586, March 1976.

23. Thomas, Joe, George D. Alexander, and Marvin Dubbin, "SATTEL - An Army Dedicated Meteorological Telemetry System," ECOM-5587, March 1976.

24. Kennedy, Bruce W., and Delbert Bynum, "Army User Test Program for the RDT&E-XM-75 Meteorological Rocket," ECOM-5588, April 1976.

25. Barnett, Kenneth M., "A Description of the Artillery Meteorological Comparisons at White Sands Missile Range, October 1974 - December 1974 ('PASS' - Prototype Artillery [Meteorological] Subsystem)," ECOM-5589, April 1976.

26. Miller, Walter B., "Preliminary Analysis of Fall-of-Shot From Project 'PASS'," ECOM-5590, April 1976.

27. Avara, Elton P., "Error Analysis of Minimum Information and Smith's Direct Methods for Inverting the Radiative Transfer Equation," ECOM-5591, April 1976.

28. Yee, Young P., James D. Horn, and George Alexander, "Synoptic Thermal Wind Calculations from Radiosonde Observations Over the Southwestern United States," ECOM-5592, May 1976.

29. Duncan, Louis D., and Mary Ann Seagraves, "Applications of Empirical Corrections to NOAA-4 VTPR Observations," ECOM-5593, May 1976.

30. Miers, Bruce T., and Steve Weaver, "Applications of Meteorological Satellite Data to Weather Sensitive Army Operations," ECOM-5594, May 1976.

31. Sharenow, Moses, "Redesign and Improvement of Balloon ML-566," ECOM-5595, June 1976.

32. Hansen, Frank V., "The Depth of the Surface Boundary Layer," ECOM-5596, June 1976.

33. Pinnick, R. G., and E. B. Stenmark, "Response Calculations for a Commerical Light-Scattering Aerosol Counter," ECOM-5597, July 1976.

34. Mason, J., and G. B. Hoidale, "Visibility as an Estimator of Infrared Transmittance," ECOM-5598, July 1976.

35. Bruce, Rufus E., Louis D. Duncan, and Joseph H. Pierluissi, "Experimental Study of the Relationship Between Radiosonde Temperatures and Radiometric-Area Temperatures," ECOM-5599, August 1976.

36. Duncan, Louis D., "Stratospheric Wind Shear Computed from Satellite Thermal Sounder Measurements," ECOM-5800, September 1976.

37. Taylor, F., P. Mohan, P. Joseph, and T. Pries, "An All Digital Automated Wind Measurement System," ECOM-5801, September 1976.

38. Bruce, Charles, "Development of Spectrophones for CW and Pulsed Radiation Sources," ECOM-5802, September 1976.

39. Duncan, Louis D., and Mary Ann Seagraves, "Another Method for Estimating Clear Column Radiances," ECOM-5803, October 1976.

40. Blanco, Abel J., and Larry E. Taylor, "Artillery Meteorological Analysis of Project Pass," ECOM-5804, October 1976.

41. Miller, Walter, and Bernard Engebos, "A Mathematical Structure for Refinement of Sound Ranging Estimates," ECOM-5805, November 1976.

42. Gillespie, James B., and James D. Lindberg, "A Method to Obtain Diffuse Reflectance Measurements from 1.0 and 3.0μm Using a Cary 17I Spectrophotometer," ECOM-5806, November 1976.

43. Rubio, Roberto, and Robert O. Olsen, "A Study of the Effects of Temperature Variations on Radio Wave Absorption," ECOM-5807, November 1976.

44. Ballard, Harold N., "Temperature Measurements in the Stratosphere from Balloon-Borne Instrument Platforms, 1968-1975," ECOM-5808, December 1976.

45. Monahan, H. H., "An Approach to the Short-Range Prediction of Early Morning Radiation Fog," ECOM-5809, January 1977.

46. Engebos, Bernard Francis, "Introduction to Multiple State Multiple Action Decision Theory and Its Relation to Mixing Structures," ECOM-5810, January 1977.

47. Low, Richard D. H., "Effects of Cloud Particles on Remote Sensing from Space in the 10-Micrometer Infrared Region," ECOM-5811, January 1977.

48. Bonner, Robert S., and R. Newton, "Application of the AN/GVS-5 Laser Rangefinder to Cloud Base Height Measurements," ECOM-5812, February 1977.

49. Rubio, Roberto, "Lidar Detection of Subvisible Reentry Vehicle Erosive Atmospheric Material," ECOM-5813, March 1977.

50. Low, Richard D. H., and J. D. Horn, "Mesoscale Determination of Cloud-Top Height: Problems and Solutions," ECOM-5814, March 1977.

51. Duncan, Louis D., and Mary Ann Seagraves, "Evaluation of the NOAA-4 VTPR Thermal Winds for Nuclear Fallout Predictions," ECOM-5815, March 1977.

52. Randhawa, Jagir S., M. Izquierdo, Carlos McDonald, and Zvi Salpeter, "Stratospheric Ozone Density as Measured by a Chemiluminescent Sensor During the Stratcom VI-A Flight," ECOM-5816, April 1977.

53. Rubio, Roberto, and Mike Izquierdo, "Measurements of Net Atmospheric Irradiance in the 0.7- to 2.8-Micrometer Infrared Region," ECOM-5817, May 1977.

54. Ballard, Harold N., Jose M. Serna, and Frank P. Hudson, Consultant for Chemical Kinetics, "Calculation of Selected Atmospheric Composition Parameters for the Mid-Latitude, September Stratosphere," ECOM-5818, May 1977.

55. Mitchell, J. D., R. S. Sagar, and R. O. Olsen, "Positive Ions in the Middle Atmosphere During Sunrise Conditions," ECOM-5819, May 1977.

56. White, Kenneth O., Wendell R. Watkins, Stuart A. Schleusener, and Ronald L. Johnson, "Solid-State Laser Wavelength Identification Using a Reference Absorber," ECOM-5820, June 1977.

57. Watkins, Wendell R., and Richard G. Dixon, "Automation of Long-Path Absorption Cell Measurements," ECOM-5821, June 1977.

58. Taylor, S. E., J. M. Davis, and J. B. Mason, "Analysis of Observed Soil Skin Moisture Effects on Reflectance," ECOM-5822, June 1977.

59. Duncan, Louis D., and Mary Ann Seagraves, "Fallout Predictions Computed from Satellite Derived Winds," ECOM-5823, June 1977.

60. Snider, D. E., D. G. Murcray, F. H. Murcray, and W. J. Williams, "Investigation of High-Altitude Enhanced Infrared Backround Emissions," (U), SECRET, ECOM-5824, June 1977.

61. Cubbin, Marvin H., and Dennis Hall, "Synchronous Meteorological Satellite Direct Readout Ground System Digital Video Electronics," ECOM-5825, June 1977.

62. Miller, W., and B. Engebos, "A Preliminary Analysis of Two Sound Ranging Algorithms," ECOM-5826, July 1977.

63. Kennedy, Bruce W., and James K. Luers, "Ballistic Sphere Techniques for Measuring Atmospheric Parameters," ECOM-5827, July 1977.

64. Duncan, Louis D., "Zenith Angle Variation of Satellite Thermal Sounder Measurements," ECOM-5828, August 1977.

65. Hansen, Frank V., "The Critical Richardson Number," ECOM-5829, September 1977.

66. Ballard, Harold N., and Frank P. Hudson (Compilers), "Stratospheric Composition Balloon-Borne Experiment," ECOM-5830, October 1977.

67. Barr, William C., and Arnold C. Peterson, "Wind Measuring Accuracy Test of Meteorological Systems," ECOM-5831, November 1977.

68. Ethridge, G. A., and F. V. Hansen, "Atmospheric Diffusion: Similarity Theory and Empirical Derivations for Use in Boundary Layer Diffusion Problems," ECOM-5832, November 1977.

69. Low, Richard D. H., "The Internal Cloud Radiation Field and a Technique for Determining Cloud Blackness," ECOM-5833, December 1977.

70. Watkins, Wendell R., Kenneth O. White, Charles W. Bruce, Donald L. Walters, and James D. Lindberg, "Measurements Required for Prediction of High Energy Laser Transmission," ECOM-5834, December 1977.

71. Rubio, Robert, "Investigation of Abrupt Decreases in Atmospherically Backscattered Laser Energy," ECOM-5835, December 1977.

72. Monahan, H. H., and R. M. Cionco, "An Interpretative Review of Existing Capabilities for Measuring and Forecasting Selected Weather Variables (Emphasizing Remote Means)," ASL-TR-0001, January 1978.

73. Heaps, Melvin G., "The 1979 Solar Eclipse and Validation of D-Region Models," ASL-TR-0002, March 1978.

74. Jennings, S. G., and J. B. Gillespie, "M.I.E. Theory Sensitivity Studies - The Effects of Aerosol Complex Refractive Index and Size Distribution Variations on Extinction and Absorption Coefficients, Part II: Analysis of the Computational Results," ASL-TR-0003, March 1978.

75. White, Kenneth O., et al, "Water Vapor Continuum Absorption in the 3.5μm to 4.0μm Region," ASL-TR-0004, March 1978.

76. Olsen, Robert O., and Bruce W. Kennedy, "ABRES Pretest Atmospheric Measurements," ASL-TR-0005, April 1978.

77. Ballard, Harold N., Jose M. Serna, and Frank P. Hudson, "Calculation of Atmospheric Composition in the High Latitude September Stratosphere," ASL-TR-0006, May 1978.

78. Watkins, Wendell R., et al, "Water Vapor Absorption Coefficients at HF Laser Wavelengths," ASL-TR-0007, May 1978.

79. Hansen, Frank V., "The Growth and Prediction of Nocturnal Inversions," ASL-TR-0008, May 1978.

80. Samuel, Christine, Charles Bruce, and Ralph Brewer, "Spectrophone Analysis of Gas Samples Obtained at Field Site," ASL-TR-0009, June 1978.

81. Pinnick, R. G., et al., "Vertical Structure in Atmospheric Fog and Haze and its Effects on IR Extinction," ASL-TR-0010, July 1978.

82. Low, Richard D. H., Louis D. Duncan, and Richard B. Gomez, "The Microphysical Basis of Fog Optical Characterization," ASL-TR-0011, August 1978.

83. Heaps, Melvin G., "The Effect of a Solar Proton Event on the Minor Neutral Constituents of the Summer Polar Mesosphere," ASL-TR-0012, August 1978.

84. Mason, James B., "Light Attenuation in Falling Snow," ASL-TR-0013, August 1978.

85. Blanco, Abel J., "Long-Range Artillery Sound Ranging: 'PASS' Meteorological Application," ASL-TR-0014, September 1978.

86. Heaps, M. G., and F. E. Niles, "Modeling of Ion Chemistry of the D-Region: A Case Study Based Upon the 1966 Total Solar Eclipse," ASL-TR-0015, September 1978.

AD-A111 759 ARMY ELECTRONICS RESEARCH AND DEVELOPMENT COMMAND WS--ETC F/G 20/6
CLOUD GEOMETRY ANALYSIS OF THE SMOKE WEEK III OBSCURATION TRIAL--ETC(U)
JAN 82 G R BLACKMAN

UNCLASSIFIED ERADCOM/ASL-TR-0103 NL

3 OF 3
AD A

END
DATE FILMED
04-82
DTIC


1.0
2.8
2.5
3.2
2.2
3.6
4
2.0
1.1
1.8
1.25
1.4
1.6
MICROCOPY RESOLUTION TEST CHART

87. Jennings, S. G., and R. G. Pinnick, "Effects of Particulate Complex Refractive Index and Particle Size Distribution Variations on Atmospheric Extinction and Absorption for Visible Through Middle-Infrared Wavelengths," ASL-TR-0016, September 1978.

88. Watkins, Wendell R., Kenneth O. White, Lanny R. Bower, and Brian Z. Sojka, "Pressure Dependence of the Water Vapor Continuum Absorption in the 3.5- to 4.0-Micrometer Region," ASL-TR-0017, September 1978.

89. Miller, W. B., and B. F. Engebos, "Behavior of Four Sound Ranging Techniques in an Idealized Physical Environment," ASL-TR-0018, September 1978.

90. Gomez, Richard G., "Effectiveness Studies of the CBU-88/B Bomb, Cluster, Smoke Weapon," (U), CONFIDENTIAL ASL-TR-0019, September 1978.

91. Miller, August, Richard C. Shirkey, and Mary Ann Seagraves, "Calculation of Thermal Emission from Aerosols Using the Doubling Technique," ASL-TR-0020, November 1978.

92. Lindberg, James D., et al, "Measured Effects of Battlefield Dust and Smoke on Visible, Infrared, and Millimeter Wavelengths Propagation: A Preliminary Report on Dusty Infrared Test-I (DIRT-I)," ASL-TR-0021, January 1979.

93. Kennedy, Bruce W., Arthur Kinghorn, and B. R. Hixon, "Engineering Flight Tests of Range Meteorological Sounding System Radiosonde," ASL-TR-0022, February 1979.

94. Rubio, Roberto, and Don Hoock, "Microwave Effective Earth Radius Factor Variability at Wiesbaden and Balboa," ASL-TR-0023, February 1979.

95. Low, Richard D. H., "A Theoretical Investigation of Cloud/Fog Optical Properties and Their Spectral Correlations, "ASL-TR-0024, February 1979.

96. Pinnick, R. G., and H. J. Auvermann, "Response Characteristics of Knollenberg Light-Scattering Aerosol Counters," ASL-TR-0025, February 1979.

97. Heaps, Melvin G., Robert O. Olsen, and Warren W. Berning, "Solar Eclipse 1979, Atmospheric Sciences Laboratory Program Overview," ASL-TR-0026, February 1979.

98. Blanco, Abel J., "Long-Range Artillery Sound Ranging: 'PASS' GR-8 Sound Ranging Data," ASL-TR-0027, March 1979.

99. Kennedy, Bruce W., and Jose M. Serna, "Meteorological Rocket Network System Reliability," ASL-TR-0028, March 1979.

100. Swingle, Donald M., "Effects of Arrival Time Errors in Weighted Range Equation Solutions for Linear Base Sound Ranging," ASL-TR-0029, April 1979.

101. Umstead, Robert K., Ricardo Pena, and Frank V. Hansen, "KWIK: An Algorithm for Calculating Munition Expenditures for Smoke Screening/Obscuration in Tactical Situations," ASL-TR-0030, April 1979.

102. D'Arcy, Edward M., "Accuracy Validation of the Modified Nike Hercules Radar," ASL-TR-0031, May 1979.

103. Rodriguez, Ruben, "Evaluation of the Passive Remote Crosswind Sensor," ASL-TR-0032, May 1979.

104. Barber, T. L., and R. Rodriguez, "Transit Time Lidar Measurement of Near-Surface Winds in the Atmosphere," ASL-TR-0033, May 1979.

105. Low, Richard D. H., Louis D. Duncan, and Y. Y. Roger R. Hsiao, "Microphysical and Optical Properties of California Coastal Fogs at Fort Ord," ASL-TR-0034, June 1979.

106. Rodriguez, Ruben, and William J. Vechione, "Evaluation of the Saturation Resistant Crosswind Sensor," ASL-TR-0035, July 1979.

107. Ohmstede, William D., "The Dynamics of Material Layers," ASL-TR-0036, July 1979.

108. Pinnick, R. G., S. G. Jennings, Petr Chylek, and H. J. Auvermann, "Relationships between IR Extinction Absorption, and Liquid Water Content of Fogs," ASL-TR-0037, August 1979.

109. Rodriguez, Ruben, and William J. Vechione, "Performance Evaluation of the Optical Crosswind Profiler," ASL-TR-0038, August 1979.

110. Miers, Bruce T., "Precipitation Estimation Using Satellite Data," ASL-TR-0039, September 1979.

111. Dickson, David H., and Charles M. Sonnenschein, "Helicopter Remote Wind Sensor System Description," ASL-TR-0040, September 1979.

112. Heaps, Melvin G., and Joseph M. Heimerl, "Validation of the Dairchem Code, I: Quiet Midlatitude Conditions," ASL-TR-0041, September 1979.

113. Bonner, Robert S., and William J. Lentz, "The Visioceilometer: A Portable Cloud Height and Visibility Indicator," ASL-TR-0042, October 1979.

114. Cohn, Stephen L., "The Role of Atmospheric Sulfates in Battlefield Obscurations," ASL-TR-0043, October 1979.

115. Fawbush, E. J., et al, "Characterization of Atmospheric Conditions at the High Energy Laser System Test Facility (HELSTF), White Sands Missile Range, New Mexico, Part I, 24 March to 8 April 1977," ASL-TR-0044, November 1979.

116. Barber, Ted L., "Short-Time Mass Variation in Natural Atmospheric Dust," ASL-TR-0045, November 1979.

117. Low, Richard D. H., "Fog Evolution in the Visible and Infrared Spectral Regions and its Meaning in Optical Modeling," ASL-TR-0046, December 1979.

118. Duncan, Louis D., et al, "The Electro-Optical Systems Atmospheric Effects Library, Volume I: Technical Documentation," ASL-TR-0047, December 1979.

119. Shirkey, R. C., et al, "Interim E-O SAEL, Volume II, Users Manual," ASL-TR-0048, December 1979.

120. Kobayashi, H. K., "Atmospheric Effects on Millimeter Radio Waves," ASL-TR-0049, January 1980.

121. Seagraves, Mary Ann, and Louis D. Duncan, "An Analysis of Transmittances Measured Through Battlefield Dust Clouds," ASL-TR-0050, February 1980.

122. Dickson, David H., and Jon E. Ottesen, "Helicopter Remote Wind Sensor Flight Test," ASL-TR-0051, February 1980.

123. Pinnick, R. G., and S. G. Jennings, "Relationships Between Radiative Properties and Mass Content of Phosphoric Acid, HC, Petroleum Oil, and Sulfuric Acid Military Smokes," ASL-TR-0052, April 1980.

124. Hinds, B. D., and J. B. Gillespie, "Optical Characterization of Atmospheric Particulates on San Nicola[illegible]land, California," ASL-TR-0053, April 1980.

125. Miers, Bruce T., "Precipitation Estimation for Military Hydrology," ASL-TR-0054, April 1980.

126. Stenmark, Ernest B., "Objective Quality Control of Artillery Computer Meteorological Messages," ASL-TR-0055, April 1980.

127. Duncan, Louis D., and Richard D. H. Low, "Bimodal Size Distribution Models for Fogs at Meppen, Germany," ASL-TR-0056, April 1980.

128. Olsen, Robert O., and Jagir S. Randhawa, "The Influence of Atmospheric Dynamics on Ozone and Temperature Structure," ASL-TR-0057, May 1980.

129. Kennedy, Bruce W., et al, "Dusty Infrared Test-II (DIRT-II) Program," ASL-TR-0058, May 1980.

130. Heaps, Melvin G., Robert O. Olsen, Warren Berning, John Cross, and Arthur Gilcrease, "1979 Solar Eclipse, Part I - Atmospheric Sciences Laboratory Field Program Summary," ASL-TR-0059, May 1980

131. Miller, Walter B., "User's Guide for Passive Target Acquisition Program Two (PTAP-2)," ASL-TR-0060, June 1980.

132. Holt, E. H., editor, "Atmospheric Data Requirements for Battlefield Obscuration Applications," ASL-TR-0061, June 1980.

133. Shirkey, Richard C., August Miller, George H. Goedecke, and Yugal Behl, "Single Scattering Code AGAUSX: Theory, Applications, Comparisons, and Listing," ASL-TR-0062, July 1980.

134. Sojka, Brian Z., and Kenneth O. White, "Evaluation of Specialized Photoacoustic Absorption Chambers for Near-Millimeter Wave (NMMW) Propagation Measurements," ASL-TR-0063, August 1980.

135. Bruce, Charles W., Young Paul Yee, and S. G. Jennings, "In Situ Measurement of the Ratio of Aerosol Absorption to Extinction Coefficient," ASL-TR-0064, August 1980.

136. Yee, Young Paul, Charles W. Bruce, and Ralph J. Brewer, "Gaseous/Particulate Absorption Studies at WSMR using Laser Sourced Spectrophones," ASL-TR-0065, June 1980.

137. Lindberg, James D., Radon B. Loveland, Melvin Heaps, James B. Gillespie, and Andrew F. Lewis, "Battlefield Dust and Atmospheric Characterization Measurements During West German Summertime Conditions in Support of Grafenwohr Tests," ASL-TR-0066, September 1980.

138. Vechione, W. J., "Evaluation of the Environmental Instruments, Incorporated Series 200 Dual Component Wind Set," ASL-TR-0067, September 1980.

139. Bruce, C. W., Y. P. Yee, B. D. Hinds, R. G. Pinnick, R. J. Brewer, and J. Minjares, "Initial Field Measurements of Atmospheric Absorption at 9μm to 11μm Wavelengths," ASL-TR-0068, October 1980.

140. Heaps, M. G., R. O. Olsen, K. D. Baker, D. A. Burt, L. C. Howlett, L. L. Jensen, E. F. Pound, and G. D. Allred, "1979 Solar Eclipse: Part II Initial Results for Ionization Sources, Electron Density, and Minor Neutral Constituents," ASL-TR-0069, October 1980.

141. Low, Richard D. H., "One-Dimensional Cloud Microphysical Models for Central Europe and their Optical Properties," ASL-TR-0070, October 1980.

142. Duncan, Louis D., James D. Lindberg, and Radon B. Loveland, "An Empirical Model of the Vertical Structure of German Fogs," ASL-TR-0071, November 1980.

143. Duncan, Louis D., "EOSAEL 80, Volume I, Technical Documentation," ASL-TR-0072, January 1981.

144. Shirkey, R. C., and S. G. O'Brien, "EOSAEL 80, Volume II, Users Manual," ASL-TR-0073, January 1981.

145. Bruce, C. W., "Characterization of Aerosol Nonlinear Effects on a High-Power CO_2 Laser Beam," ASL-TR-0074, February 1981.

146. Duncan, Louis D., and James D. Lindberg, "Air Mass Considerations in Fog Optical Modeling," ASL-TR-0075, February 1981.

147. Kunkel, Kenneth E., "Evaluation of a Tethered Kite Anemometer," ASL-TR-0076, February 1981.

148. Kunkel, K. E., et al, "Characterization of Atmospheric Conditions at the High Energy Laser System Test Facility (HELSTF) White Sands Missile Range, New Mexico, August 1977 to October 1978, Part II, Optical Turbulence, Wind, Water Vapor Pressure, Temperature," ASL-TR-0077, February 1981.

149. Miers, Bruce T., "Weather Scenarios for Central Germany," ASL-TR-0078, February 1981.

150. Cogan, James L., "Sensitivity Analysis of a Mesoscale Moisture Model," ASL-TR-0079, March 1981.

151. Brewer, R. J., C. W. Bruce, and J. L. Mater, "Optoacoustic Spectroscopy of C_2H_4 at the 9μm and 10μm $C^{12}O_2^{16}$ Laser Wavelengths," ASL-TR-0080, March 1981.

152. Swingle, Donald M., "Reducible Errors in the Artillery Sound Ranging Solution, Part I: The Curvature Correction" (U), SECRET, ASL-TR-0081, April 1981.

153. Miller, Walter B., "The Existence and Implications of a Fundamental System of Linear Equations in Sound Ranging" (U), SECRET, ASL-TR-0082, April 1981.

154. Bruce, Dorothy, Charles W. Bruce, and Young Paul Yee, "Experimentally Determined Relationship Between Extinction and Liquid Water Content," ASL-TR-0083, April 1981.

155. Seagraves, Mary Ann, "Visible and Infrared Obscuration Effects of Ice Fog," ASL-TR-0084, May 1981.

156. Watkins, Wendell R., and Kenneth O. White, "Wedge Absorption Remote Sensor," ASL-TR-0085, May 1981.

157. Watkins, Wendell R., Kenneth O. White, and Laura J. Crow, "Turbulence Effects on Open Air Multipaths," ASL-TR-0086, May 1981.

158. Blanco, Abel J., "Extending Application of the Artillery Computer Meteorological Message," ASL-TR-0087, May 1981.

159. Heaps, M. G., D. W. Hoock, R. O. Olsen, B. F. Engebos, and R. Rubio, "High Frequency Position Location: An Assessment of Limitations and Potential Improvements," ASL-TR-0088, May 1981.

160. Watkins, Wendell R., and Kenneth O. White, "Laboratory Facility for Measurement of Hot Gaseous Plume Radiative Transfer," ASL-TR-0089, June 1981.

161. Heaps, M. G., "Dust Cloud Models: Sensitivity of Calculated Transmittances to Variations in Input Parameters," ASL-TR-0090, June 1981.

162. Seagraves, Mary Ann, "Some Optical Properties of Blowing Snow," ASL-TR-0091, June 1981.

163. Kobayashi, Herbert K., "Effect of Hail, Snow, and Melting Hydrometeors on Millimeter Radio Waves," ASL-TR-0092, July 1981.

164. Cogan, James L., "Techniques for the Computation of Wind, Ceiling, and Extinction Coefficient Using Currently Acquired RPV Data," ASL-TR-0093, July 1981.

165. Miller, Walter B., and Bernard F. Engebos, "On the Possibility of Improved Estimates for Effective Wind and Temperature," (U), SECRET, ASL-TR-0094, August 1981.

166. Heaps, Melvin G., "The Effect of Ionospheric Variability on the Accuracy of High Frequency Position Location," ASL-TR-0095, August 1981.

167. Sutherland, Robert A., Donald W. Hoock, and Richard B. Gomez, "An Objective Summary of US Army Electro-Optical Modeling and Field Testing in an Obscuring Environment," ASL-TR-0096, October 1981.

168. Pinnick, R. G., et al, "Backscatter and Extinction in Water Clouds," ASL-TR-0097, October 1981.

169. Cole, Henry P., and Melvin G. Heaps, "Properties of Dust as an Electron and Ion Attachment Site for Use in D Region Ion Chemistry," ASL-TR-0098, October 1981.

170. Spellicy, Robert L., Laura J. Crow, and Kenneth O. White, "Water Vapor Absorption Coefficients at HF Laser Wavelengths Part II: Development of the Measurement System and Measurements at Simulated Altitudes to 10 KM," ASL-TR-0099, November 1981.

171. Cohn, Stephen L., "Transport and Diffusion Solutions for Obscuration Using the XM-825 Smoke Munition," ASL-TR-0100, November 1981.

172. Pinnick, R. G., D. M. Garvey, and L. D. Duncan, "Calibration of Knollenberg FSSP Light-Scattering Counters for Measurement of Cloud Droplets," ASL-TR-0101, December 1981.

173. Cohn, Stephen L. and Ricardo Pena, "Munition Expenditure Model Verification: KWIK Phase I," ASL-TR-0102, December 1981.

174. Blackman, George R., "Cloud Geometry Analysis of the Smoke Week III Obscuration Trials," ASL-TR-0103, January 1982.


4-8
DTIC